



شركة عبد الرحمن وعبد الكريم العمراڤ للأدوات الصحية  
AL-OMRAN TRADING CO. FOR SANITARY WARE

**2024** GENERAL  
CATALOG



**TOTO**

Life Anew

02-2024

100<sup>th</sup>  
ANNIVERSARY

“INNOVATIVE”  
DNA  
throughout the Next Century



In May 1917, TOTO celebrated the 100<sup>th</sup> anniversary of the establishment. The book, *100 Years of Innovation and the Vision to Inspire People Beyond Generation*, commemorates the company's history.

HISTORY



1917

**1917**  
The company is established by Masachika Chono under the name, TOTO TOYO CO. LTD, which is later renamed TOTO.



1923

**1923**  
The Great Kanto Earthquake strikes surrounding Tokyo. A sewage system is built during the reconstruction, leading to a rapid growth in demand for sanitary ware.



1946

**1946**  
After World War II, TOTO begins manufacturing metal fittings and faucets in addition to ceramics.



1980

**1980**  
TOTO launches WASHLET, providing consumers with a whole new level of cleanliness and comfort.

HISTORY

1993

**1993**  
NEOREST toilet is launched incorporating WASHLET with a comprehensive range of TOTO's innovations. It brings with it the fullest realization yet of the principle of Clean Technology.



**2008**  
TOTO Asia Oceania Pte. Ltd. is restructured as the regional headquarters of the Middle East, South Asia, South East Asia, and Oceania.

TOTO

2008

**2013**  
TOTO Asia Oceania launches its first Technical Center in Singapore. It serves to introduce TOTO's latest products and technologies to customers.

2013



**2015**  
Since the very first WASHLET model in 1960, new innovation and features have been continuously added culminating the latest model that is the epitome of comfort and hygiene. For the past 57 years, TOTO has been developing every part of WASHLET to perfection.



2015

2015



**2015**  
The TOTO Museum in Kitayoshi was opened on the occasion of the company's 100th anniversary and showcases the evolution of the business and its products. The museum highlights the historical landmarks that changed Japanese bathroom culture, including the move from rural to city life. Old toilet seats are on display, as well as exquisite porcelain bathtubs that the company used to produce as a side business in the past. TOTO aims to promote the appeal of its complex as a point of contact with visiting customers and clients. It positions as a landmark that disseminates information about the TOTO brand from Kitayoshi, the birthplace of the company, to people all around the world.



2017



**2017**  
TOTO exhibited at the IFA2017 - the world's largest international trade fair in Frankfurt, Germany for toilets, sinks, bathtubs, heating and cooling, air conditioning, and renewable energy from March 16th, 2017 to March 19th, 2017. TOTO began exhibiting at 2008, and this is the 9th exhibition with the new theme - "Life Anew." Not only you will be able to experience the unique technology of TOTO at the venue, you will also be able to get a first-hand view of our latest products. Through the exhibition, TOTO will share the message on its 100 years of evolution in TOTO's unique technological innovation, and for the next 100 years.



تعتبر شركة العمران للأدوات الصحية واحدة من أكبر الشركات ليست على مستوى المملكة فحسب بل وعلى مستوى الشرق الأوسط ، وهي أحدي شركات مجموعة عبدالرحمن وعبد الكريم صالح العمران للتجارة والصناعة وهي شركة رائدة في مجال الأدوات الصحية والسباكة ، ومنذ أن تأسست الشركة لأكثر من خمسين عاماً أخذت على عاتقها مبدأ الحرص على تقديم كل ما هو جديد في مجال التقنيات الحديثة الخاصة بالأدوات الصحية.

ومنذ تأسيس الشركة حافظت على إستقلاليتها كشركة سعودية 100% بكامل حصصها وقد حققت إنجازات كبيرة وعظيمة أكسبتها ثقة العملاء فأشهرت بخدماتها لكل الشرائح ومطبقات المجتمع ، كما أن رؤية المجموعة هي توفير جميع منتجات الأدوات الصحية والسباكة ذات الجودة العالمية بما يواكب التطورات العصرية من مختلف العلامات التجارية من عدة دول رائدة في نفس المجال مثل إيطاليا ، ألمانيا ، الصين ، بريطانيا ، أمريكا واليابان .. وغيرهم من الدول والتي تكون مكملة لما تقوم به المجموعة في مجال التصنيع حيث أنها تمتلك واحدة من أكبر المجمعات الصناعية الموجودة داخل المملكة والشرق الأوسط ، فهي رائدة في إنتاج بلاط السيراميك والبورسلان بمختلف المقاسات من جدران وأرضيات وأحزمة الديكور والتي تناسب كافة الأذواق ، وايضاً تقوم بصناعة السخانات بسعات لترية مختلفة وايضاً تنتج أنواع مختلفة من المواسير والفتنق البلاستيك (PPR, PVC, CPVC) .. وتكملة لكل هذا تم حصول المجموعة على وكالة شركة «TOTO» اليابانية وهذا يعبر عن التزام المجموعة أمام عملائها لتوفير أفضل التقنيات والابتكارات العالمية داخل المملكة بمفهوم جديد لترشيد والحفاظ على الطاقة وموارد البيئة في آن واحد .

شركة «TOTO» دائماً ترغب في تحسين نوعية الحياة للجميع وغنية بالابتكارات والأبداعات وهذا ما تبحث عنه على مر قرن من الزمن تقريباً كما أنها غيرت تصور شكل الحمام وكيفية استخدامه

شركة «TOTO» تضع الابتكار في مقدمة أولوياتها مما يساعد في توفير حلول تتميز بأنها إقتصادية من حيث القيمة والجودة بالإضافة إلى أنها صديقة للبيئة ، وهذه التقنيات ظهرت في جميع منتجاتها لتساعد على توفير الطاقة والماء ، كما تم تزويد منتجات شركة «TOTO» ببعض المواصفات التكنولوجية المتطورة وهو ما يتوافق بشكل تام مع قيم شركة «العمران» بتعزيز الاستدامة وتفعيل المسؤولية البيئية في جميع الأسواق التي تعمل بها .

التطور المستمر لشركة «TOTO» جعلها في الصدارة عالمياً من حيث عدد مستخدمي منتجاتها ، حيث أن تم تركيب منتجاتها في أكثر من ثمانين مطاراً عالمياً والتي تعد أكثر المطارات إزدحاماً على مستوى العالم مثل (مطار هونج كونج ، مطار دبي ، مطار طوكيو ، مطار جون كندی وأغلب مطارات أمريكا ، كندا ، الصين ومعظم دول شرق آسيا .. وغيرها من الدول في معظم أنحاء العالم ، كما أن منتجاتها دخلت أيضاً في الفنادق العالمية مثل (الفورسيوزون ، شيراتون ، هيلتون ، حياة ريجنسي ، انتركونتيننتال ، حميرا ، الريتزكارتون والماريوت .. وغيرها ، وايضاً تم تركيب هذه المنتجات في الأسواق والمجمعات التجارية والمولات المزدهمة بزوارها وكذلك غي كثير من الأماكن العامة حول العالم لقوة تحملها وجمال موديلاتها ، كما أن أهتمت بإنتاج الأكسسوارات الخاصة لذوي الاحتياجات الخاصة من الأطفال لكبار السن والتي تتناسب مع متطلبات المستشفيات والمنتجات الصحية والأماكن العامة

## Introduction :

Al-Omran Sanitary Ware Company is one of the largest sanitary ware companies not only in the Kingdom, but also in the Middle East. It is one of the companies of Abdul Rahman and Abdul Karim Saleh Al-Omran Group for Trade and Industry. It is a leading company in the field of sanitary ware and plumbing. Since the company was founded for more than fifty years, it has taken upon itself the principle of keenness to provide everything new in the field of technologies for sanitary ware.

Since the establishment of the company, it has maintained its independence as a 100% Saudi company with all its shares, and it has made great achievements that have earned it the confidence of customers, so it is famous for its services to all segments and classes of society .The vision of the group is to provide all high-quality sanitary ware and plumbing products in line with modern developments from various brands from several leading countries in the same field such as Italy, Germany, China, Britain, America, Japan ... and other countries that are complementary what the group does in the field of manufacturing,As it owns one of the largest industrial complexes located inside the Kingdom and in the Middle East, as it produces ceramic and porcelain tiles in various sizes, including walls, floors and decorative belts that suit all tastes, and also manufactures heaters with different liter capacities and also produces different types of pipes and plastic fitting ( PPR - PVC - CPVC) ,complementing all this, the group obtained the agency of the Japanese company "TOTO", and this reflects the group's commitment to its customers to provide the best technology and global innovations within the Kingdom with a new concept to rationalize and conserve energy and water at the same time.

TOTO has always wanted to improve the quality of life for all, rich in innovations and it has been looking for almost a century. TOTO has changed the perception of what a bathroom can look like and how to use it

TOTO puts innovation at the forefront of its priorities, helping to provide solutions that are economical in terms of value, quality which's environmentally friendly. This technology is shown in all its products to help save energy and water in its facilities to provide safe and healthy toilets. TOTO products are equipped with some advanced technological specifications are fully compatible with Omran's values to enhance sustainability and activate environmental responsibility in all the markets in which we operate.

This development has made TOTO the world leader in terms of the number of users of its products as its products have been installed in more than 80 international airports, which are among the most crowded airports in the world such as (Hong Kong Airport / Dubai Airport / Tokyo Airport / Most of the airports of America / Canada / China and most of the East Asian countries) and other countries in most parts of the world , Its products have also entered the international hotel chain (Four Seasons, Sheraton, Hilton, Hyatt Regency, InterContinental, Jumeirah, Ritz Carton, Marriott and others). These products have also been installed in markets, shopping malls and busy malls, as well as in many public places around the world. The company TOTO is interested in producing the special tools and accessories needed by children, people with special needs and the elderly, which are suitable for the requirements of hospitals, health resorts, therapeutic and public places.

**World wide Our Key Clients :**



# CERTIFICATE

Management system as per  
**DIN EN ISO 9001 : 2015**

In accordance with TÜV NORD CERT procedures, it is hereby certified that

**Abdulrahman & Abdulkareem Alomran Trading Company**  
4362 Al Imam Muslim - Al Marwah  
14722 Riyadh  
Kingdom of Saudi Arabia

applies a management system in line with the above standard for the following scope

**Trading of sanitary ware, ceramics and porcelain**

Certificate Registration No. 44 100 20570009  
Audit Report No. 5700 3514

Valid from 2020-03-15  
Valid until 2023-03-14

Certification Body  
at TÜV NORD CERT GmbH

Dammam, 2020-03-15

This certification was conducted in accordance with the TÜV NORD CERT auditing and certification procedures and is subject to regular surveillance audits.

TÜV NORD CERT GmbH      Langemarckstraße 20      45141 Essen      www.tuev-nord-cert.com



# TOTO IN COMMERCIAL & HOSPITAL & MALL RESIDENTIAL & PROJECT REFERENCE AROUND THE WORLD



## COMMERCIAL



### UAE - DUBAI

Dubai Police Forensic Lab  
Emirates Towers Office Tower  
Jafza Twin Towers - Jafza View  
Dubai Metro Stations  
SBG Mosque

### UAE - ABU DHABI

Makeen Tower - Abu Dhabi

### BAHRAIN

Al Mall Tower  
Financial Harbour  
Al Hassawal Tower - 1  
SLRB Building  
National Theatre  
National Stadium  
Doha Convention Centre

### QATAR

Qatar Financial Harbour - Doha

### OMAN

Toyota Ware House & Service Centre  
Dana House Ghubarah  
ONEIC - H.Q  
Muscat Bank - H.Q  
Haa Water - H.Q

## HOSPITAL



### UAE - ABU DHABI

Cleveland Clinic  
Arzanaha Medical Complex  
Mafraq Dailuis Centre  
Mafraq Hospital

### SAUDI ARABIA

Dr.Sulaiman Al Habib Hospital  
Riyadh Hospital  
Dammam Hospital

### KUWAIT

Urology Hospital

### QATAR

Sidra Hospital  
Hamad medical Centre



## MALL



### UAE - ABU DHABI

Abu Dhabi Mall  
IKEA & YAS Island  
YAS Mall & YAS Island  
Marina Square - Reem Island

### UAE - DUBAI

The Mall - Al-Ain  
Dubai Mall  
Dubai Festival City - Mall  
Dubai Marina Mall  
Emirates Mall  
Avenue Mall

### BAHRAIN

Moda Mall

## RESIDENTIAL



### UAE - DUBAI

Discovery Gardens  
Nuami Tower  
Golf Tower - The Views  
Sulafa Tower

### BAHRAIN

Riffa Views  
Ministry of Housing Projects  
Residence For K.S.A Ambassador

### OMAN

Silver House - Ghala

# TOTO IN 80 AIRPORTS AROUND THE WORLD

Flughafen auf der ganzen Welt nutzen die Technologien von TOTO - um Reisen sauberer und Öffentliche Wascheäume ansprechender zu gestalten Airports around the world use TOTO, to bring cleanliness to travel and make public bathrooms more enjoyable.



## GERMANY

1. Frankfurt International Airport

## CANADA

2. Calgary International Airport  
3. Vancouver International Airport

## UNITED STATES

4. Oakland International Airport  
5. Baltimore-Washington International Airport  
6. Norman Y. Mineta San Jose International Airport  
7. San Francisco International Airport  
8. Phoenix Sky Harbor International Airport  
9. General Edward Lawrence Logan International Airport  
10. Hartsfield-Jackson Atlanta International Airport  
11. George Bush Intercontinental Airport  
12. Bradley International Airport  
13. Minneapolis-Saint Paul International Airport  
14. John F. Kennedy International Airport  
15. Seattle-Tacoma International Airport  
16. Valley International Airport  
17. Bill and Hillary Clinton National Airport  
18. Tular International Airport  
19. Minneapolis-Saint Paul International Airport  
20. General Mitchell International Airport  
21. Rochester International Airport  
22. Kansas City International Airport  
23. Los Angeles International Airport  
24. Marlin Slate Airport  
25. Newport News/Williamsburg International Airport  
26. Norfolk International Airport  
27. McGhee Tyson Airport  
28. Charleston International Airport  
29. William P. Hobby Airport  
30. Lynden Pindling International Airport

## GUAM

31. Guam International Airport

## GUATEMALA

32. Lu Aurora International Airport

## PANAMA

33. Tocumen International Airport

## COLOMBIA

34. El Dorado International Airport

## PARAGUAY

35. Silvio Pettirossi International Airport

## VENEZUELA

36. Simón Bolívar International Airport

## MEXICO

37. Monterrey International Airport

## KENYA

38. Mombasa Moi International Airport

## CHINA

39. Shanghai Pudong International Airport  
40. Shanghai Hongqiao International Airport  
41. Beijing Capital International Airport  
42. Quanzhou Jinjiang Airport  
43. Senming Shaxian International Airport  
44. Wuhan Tianhe International Airport  
45. Nanjing Lukou International Airport  
46. Hela Luogang International Airport  
47. Tianjin Binhai International Airport  
48. Xi'an Xianyang International Airport  
49. Changqing Jianghai International Airport  
50. Xiamen Gaoqi International Airport

## JAPAN

51. Tokyo International Airport  
52. Kansai International Airport  
53. New Chitose Airport  
54. Quanzhou Jinjiang Airport  
55. yonaga Airport  
56. Narita International Airport  
56. Fukuoka Airport  
57. Chubu Centrai International Airport

## MACAU

58. Macau International Airport

## HONG KONG

59. Hong Kong International Airport

## THAILAND

60. Suvarnabhumi Airport

## VIETNAM

61. Tân Sơn Nhat International Airport  
62. Da Nang International Airport  
63. Can Tho International Airport  
64. Noi Bai International Airport

## BANGLADESH

65. Shah Amanat International Airport

## SINGAPORE

66. Singapore Changi Airport

## INDIA

67. Chhatrapati Shivaji International Airport  
68. Rajiv Gandhi International Airport  
69. Bengaluru International Airport  
70. Indira Gandhi International Airport  
71. Cochin International Airport  
72. Coimbatore International Airport

## SRI LANKA

73. Bandaranaike International Airport

## U.A.E

74. Dubai International Airport

## TAIWAN

75. Taiwan Taoyuan International Airport

## INDONESIA

76. Jakarta Airport

## CAMBODIA

77. Phnom Penh International Airport

## KUWAIT

78. Kuwait International Airport

## OMAN

79. Salalah International Airport

80. Muscat International Airport

# TOTO IN HOTEL PROJECT REFERENCE AROUND THE WORLD

Flughäfen auf der ganzen Welt nutzen die Technologien von TOTO - um Reisen sauberer und öffentliche Waschräume ansprechender zu gestalten.  
Airports around the world use TOTO, to bring cleanliness to travel and make public bathrooms more enjoyable.



## FRANCE

Park Hyatt - Paris

## CHINA

Park Hyatt - Shanghai  
Grand Hyatt - Guangzhou  
Hyatt Regency - Jing Jln

## DUBAI

Park Hyatt - Abu Dhabi

## INDIA

Park Hyatt - Hyderabad

## SOUTH KOREA

Park Hyatt - Seoul

## VIETNAM

Park Hyatt - Saigon

## THAILAND

Grand Hyatt Erawan Hotel - Bangkok

## SINGAPORE

Grand Hyatt Hotel - Singapore

## JAPAN

Park Hyatt - Tokyo  
Grand Hyatt - Tokyo

## U.S.A

Andaz - California  
Hyatt Regency - Washington  
Hyatt Regency - San Francisco  
Hyatt Regency - California  
Hyatt Regency - Chicago  
Grand Hyatt - Georgia  
Park Hyatt - Colorado  
Hyatt Regency - Florida

## CHINA

Renaissance Hotel - Shanghai Yuyuan  
Marriott Hotel - Shanghai  
Marriott Hotel - Ningbo  
Marriott Hotel - Beijing  
Marriott Hotel - Shenzhen

## BAHRAIN

The Ritz Carlton - Bahrain

## U.S.A

The Ritz Carlton - New York  
Marriott Hotel - San Francisco

## SOUTH KOREA

The Ritz Carlton - Seoul

## JAPAN

The Ritz Carlton - Tokyo

## SINGAPORE

The Ritz Carlton Millenia - Singapore  
Marriott Hotel - Singapore

## INDONESIA

"JW" Marriott - Jakarta  
The Ritz-Carlton - Jakarta  
The Ritz Carlton - Jakarta Pacific Place  
Bvlgari Hotel - Bali

## FOUR SEASONS HOTEL :

SAUDI ARABIA  
DOHA  
MUMBAI  
HANGZHOU  
TOKYO  
MACAO  
BANGKOK  
BALI AT JIMBARAN BAY  
SINGAPORE  
MALAYSIA



# TOTO IN HOTEL PROJECT REFERENCE AROUND THE WORLD

Flughafen auf der ganzen Welt nutzen die Technologien von TOTO - um Reisen sauberer und öffentliche Wascheäume ansprechender zu gestalten  
Airports around the world use TOTO, to bring cleanliness to travel and make public bathrooms more enjoyable.



## DUBAI

Pullman Emirates Mall - Dubai  
IBIS Emirates Mall - Dubai  
Novotel Sheikh Zayed - Dubai

## THAILAND

Sofitel Bangkok - Sukhumvit  
Hotel Novotel - Suvarnabhumi Airport  
Pullman Bangkok King Power

## VIETNAM

Sofitel Plaza - Hanoi  
Sofitel Plaza - Saigon  
Novotel Garden Plaza - Saigon



## DUBAI


Crowne Plaza Yas Island - Abu Dhabi  
Crowne Plaza Dubai Festival City  
InterContinental Dubai Festival City

## SINGAPORE

InterContinental - Singapore

## CHINA

InterContinental - Shenzhen  
InterContinental - Shanghai  
InterContinental - Suzhou  
InterContinental - Nanjing  
InterContinental - Ningbo



## DUBAI

Radisson Royal - Dubai

## INDIA

Radisson Hotel - Chennai

## FRANCE

Shangri-la Hotel - Paris

## QATAR

Traders Hotel - Doha

## INDIA

Shangri-La Hotel - Mumbai

## CHINA

Shangri-La Hotel - Beijing  
China World Hotel - Beijing  
Traders Hotel - Beijing  
Shangri-La Hotel - Pudong  
Shangri-La Hotel - Chengdu  
Shangri-La Hotel - Zhongsh  
Shangri-La Hotel - Manzouli  
Shangri-La Hotel - Ningbo

## JAPAN

Shangri-La Hotel - Tokyo


## Hong Kong

Island Shangri-La - Hong Kong  
Kowloong Shangri-La - Hong Kong

## SINGAPORE

Shangri-La Hotel - Singapore

## Hilton Hotels Corporation



## DUBAI

Conrad Hotel - Dubai

## JAPAN

Conrad Hotel - Tokyo

## CHINA

Conrad Hotel - Bangkok  
Millennium Hilton - Bangkok

## ISLAND IN INDONESIA

Conrad Hotel - Bali

## SINGAPORE

Conrad Hotel - Singapore  
Hilton Hotel - Singapore

## DUBAI

World Trade Centre Residence - Dubai  
Jumeirah Health Care City Hotel - Dubai  
Emirates Towers - Dubai

## CHINA

Jumeirah Shanghai

## U.S.A

Jumeirah Shanghai



## CHINA

St Regis - Beijing  
Sheraton Hotel - Gulyang  
Sheraton Hotel - Ningbo  
Sheraton Hotel - Shanghai  
Le Meridien - Xiamen  
Le Meridien - Shanghai  
Royal Meridien - Shanghai

## U.S.A

"W" Hotel - Seattle

## SOUTH KOREA

"W" Hotel - Seoul

## CANADA

"W" Hotel - Montreal

## NEW YORK

"W" Hotel - New York

## SINGAPORE

St Regis - Singapore

## KINGDOM OF BORA BORA

St Regis - Bora Bora

## INDIA

Le Meridien - Chennai

## THAILAND

Sheraton Hotel - Hanoi  
Sheraton Hotel - Sukhumvit - Bangkok  
Westin Grande - Sukhumvit - Bangkok

## INDONESIA

St.Regis - Indonesia



## NEOREST

### التنظيف الذاتي للمضاد للبكتيريا داخل العنقا


هي عبارة عن عصا مصنوعة من مواد تحتوي على السيليكون ما يجعلها مضادة للبكتيريا وفعالة لعدم التصاق الأوساخ ، وتقوم بالتنظيف بعدة موجات تناسب كافة الاستخدامات بدرجة حرارة مناسبة.

### Antibacterial self-cleaning inside the wand

It is a stick made of materials that contain silicon, which makes it anti-bacterial and effective not to stick dirt, and rinsing in several waves suitable for all uses with suitable temperature.



### Washlet Unit



### الماء المعالج كهرائتي

الدراسة الاستقصائية: تم دراسة فعالية خاصة + EWATER من خلال مقارنة حالة نظافة المراحيض التي لا تنظف نظيفًا مقابل المراحيض التي يتم تنظيفها ذاتيًا باستخدام الخاصة

### EWATER +

Survey : Study the effectiveness of EWATER+ by comparing the state of cleanliness of toilets receive no cleaning versus toilets that are self-cleaned with EWATER+ no additional cleaning was allowed. Survey period: One month (Feb-Mar-2017). Subject: Families of tour. \* Results very according to usage and environmental.

### ما هو الماء المعالج كهرائتي

يُنْتَج + EWATER عن طريق التحليل الكهربائي للكloride في ماء الصنبور . وهو مطهر فعال للغاية . فهو خالي تمامًا من المواد الكيميائية وعوامل التنظيف . ومع مرور الوقت يعود + EWATER إلى حالته الأصلية من المياه العادية . ما يجعله صديقًا للبيئة تمامًا.

### What is EWATER +

Produced by electrolysis of the chloride in tap water, EWATER+ is a highly effective sanitizer. It is completely free of chemicals and cleaning agents. Over time, EWATER+ returns to its original state of ordinary water, making it completely environmentally friendly.



### طريقة عمل الماء المعالج كهرائتي في التنظيف

هو نظام تنظيف عصا التنظيف تلقائيًا بالماء المعالج كهرائتي الذي ينتج عنه بذبات تقضي على البكتيريا قبل وبعد كل استخدام أو كل ٨ ساعات في حالة عدم الاستخدام.

### How EWATER+ works

It is a system for cleaning the rinse stick automatically with electro-treated water that produces vibrations eliminate bacteria before and after each use, or every ٨ hours when not in use.



## NEOREST



### RIMLESS

The unique RIMLESS design not only leaves no place for waste and germs to hide. It also makes for a much easier to clean toilet.

### تصميم بلا حواف

تم تصميم الجزء الداخلي بلا حواف ما يجعل إمكانية الوصول لكافة الأجزاء الداخلية للكروسي أسهل بما يسهل عملية التنظيف ومنع تراكم البكتيريا والأوساخ.

### TORNADO FLUSH

Powerfully ejects a stream of water from a spout near the rear of the toilet bowl, which is where waste accumulates most easily, thoroughly cleansing this area and then washing the entire bowl.

### تصريف كالأعصار

هو عبارة عن فتحتين في الجزء العلوي الداخلي من المراحيض تولد قوة دفع قوية تؤدي إلى تنظيف بقوة دفع عالية تغطي كافة أجزاء المراحيض بأقل كمية من الماء ويعمل تلقائيًا بعد كل استخدام وكذلك يعمل بديًا في حالة انقطاع التيار الكهربائي عن طريق ضغطة داخلية.



### Heated Seat

The moment you approach the toilet, the seat begins rapidly warming to a comfortable temperature.



### تدفئة سطح القعد

بمجرد أن تقترب من المراحيض يبدأ القعد بالتسخين للوصول إلى درجة حرارة مناسبة.

### Deodorizer

Highly effective deodorizing automatically takes places inside the toilet bowl both during and immediately after use, leaving no disturbing odor.



### مزيل الروائح الكريهة

هو نظام الوميائي يعمل على ابعاضع الروائح الكريهة عن جسم الكروسي

### Auto Open/Close/Flush

Eliminating the need to touch the toilet surfaces, the lid automatically opens and closes when the toilet is approached and departed, and Auto Flush when you move away from the toilet.



### فتح / غلق - تصريف الوميائي

عندما تقترب من الكروسي يفتح بشكل تلقائي ويساس وعند الانتهاء يتم غلقه بشكل هادئ ويومض إزعاج و بدون لمس ما يجعله صحي أكثر . كما أنه يتم التصريف تلقائيًا عند الابتعاد عن المراحيض

### Soft Light

Subdued lighting switches on when the toilet is approached, so users do not have to disturb themselves at night with a bright bathroom light.



### إضاءة خافتة

تضرم الإضاءة الخافتة عند الاقتراب من المراحيض حتى لا يضطر المستخدمون إلى إزعاج أنفسهم في الليل بإضاءة الحمام الساطعة

### PREMIST

It is an automatic system to spray water on the toilet bowl before and after use, making it difficult for dirt to stick.



### رش ذاتي

هو نظام رش زداد الماء أوميائيًا على جسم الكروسي من الداخل قبل وبعد الاستخدام ما يجعل من الصعب التصاق الأوساخ على جسم الكروسي




### CEFIONTECT

Glass layers are burned onto conventional glaze, making CEFIONTECT an extremely durable material. Hydrophilic describes organisms and materials that attract water. CEFIONTECT is hydrophilic. Water spreads easily over the toilet bowl, so waste particles easily wash away.



### سطح مصقول

طبقة صقل خاصة تنطبق قبل عملية حرق السيراميك وتعالج كليًا مع السيراميك في عملية الحرق وينتج عنه سطح فائق النعومة يمنع تراكم الأوساخ ، ما يجعل السيراميك يحافظ على ليعانه لفترات زمنية طويلة . و يساعد على سهولة التنظيف واستهلاك أقل من مواد التنظيف







## NEOREST

### NEOREST LS CT911VT / TCF87320GAA

Flush System : Tornado Flush  
 Rough-in : H = 305 mm ( S-Trap )  
 Bowl Shape : D-Shape  
 Power Rating : 220-240V, 50/60Hz ,835-863W  
 Length of : 1.2 m  
 Power Cord  
 Material : Bowl - Vitreous China  
 Seat & Cover -Plastic  
 Remote Controller -Aluminium  
 Size : 411W X 725D X 497H mm



Nickel



### NEOREST LS CT911VT / TCF87220GAA

Flush System : Tornado Flush  
 Rough-in : H = 305 mm ( S-Trap )  
 Bowl Shape : D-Shape  
 Power Rating : 220-240V, 50/60Hz ,835-863W  
 Length of : 1.2 m  
 Power Cord  
 Material : Bowl - Vitreous China  
 Seat & Cover -Plastic  
 Remote Controller -Aluminium  
 Size : 411W X 725D X 497H mm



Black



### NEOREST AS CW921VT / TCF85510GAA

Flush System : Tornado Flush  
 Rough-in : H = 305 mm ( S-Trap )  
 Bowl Shape : Elongated  
 Power Rating : 220-240V, 50/60Hz ,846-851W  
 Length of : 1.2 m  
 Power Cord  
 Material : Bowl -Vitreous China  
 Seat & Cover -Plastic  
 Remote Controller -Aluminium  
 Size : 386W X 692D X 512H mm



Silver



### NEOREST RS CW921VT / TCF83410GAA

Flush System : Tornado Flush  
 Rough-in : H = 305 mm ( S-Trap )  
 Bowl Shape : Elongated  
 Power Rating : 220-240V, 50/60Hz ,843-852W  
 Length of : 1.2 m  
 Power Cord  
 Material : Bowl -Vitreous China  
 Seat & Cover -Plastic  
 Remote Controller -Aluminium  
 Size : 386W X 692D X 515H mm



White



## NEOREST

### NEOREST LE1 CW994P / TCF994WA

Flush System : Tornado Flush  
 Rough-in : H = 220 mm  
 Bowl Shape : Elongated Closet Bowl (S-Trap)  
 Power Rating : 220-240V, 50/60Hz ,839-849W  
 Length of : 1.0 m  
 Power Cord  
 Material : Bowl - Vitreous China  
 Seat & Cover -Plastic  
 Remote Controller -Aluminium  
 Size : 423W X 675D X 461H



Silver

### Required Accessories



MB005DGN

WH036D



### NEOREST NX1 CS900VL / CS900VL

Flush System : Tornado  
 Rough-in : H = 305 mm  
 Bowl Shape : S-Trap  
 Power Rating : 220-240V, 50/60Hz ,830-840W  
 Length of : 1.2 m  
 Power Cord  
 Material : Bowl - Vitreous China  
 Seat & Cover -Plastic  
 Remote Controller -Aluminium  
 Size : 468W X 800D X 565H



Silver



### NEOREST XH1 CW992VA / TCF992WA

Flush System : Siphon-Jet / Tornado Flush  
 Rough-in : H = 305 mm  
 Bowl Shape : Elongated Closet Bowl (S-Trap)  
 Power Rating : 220-240V, 50/60Hz ,841-851W  
 Length of : 1.2 m  
 Power Cord  
 Material : Bowl -Vitreous China  
 Seat & Cover -Plastic  
 Remote Controller -Aluminium  
 Size : 448W X 820D X 627H



Silver



### NEOREST AH CS989VL / TCF9788WZ (S-Trap) 305mm

Flush System : Siphon-Jet / Tornado Flush  
 Bowl Shape : Elongated Closet Bowl  
 Power Rating : 220-240V, 50/60Hz ,830-839W  
 Length of : 1.0 m  
 Power Cord  
 Material : Bowl - Vitreous China  
 Seat & Cover -Plastic  
 Remote Controller -Aluminium  
 Size : 388W X 705D X 547H mm



Silver



# WASHLET

## الغطاء الذكي

### CLEANSING SPRAY PATTERNS



#### Pulsating Cleansing

Rhythmically pulsating stream of cleansing warm water.

تيار مياه نابض للتنظيف بالماء الدافئ

#### Water Pressure Adjustment

Select from five levels of water

خمس مستويات لضغط الماء

#### Oscillating Cleansing

The back-and-forth movement of the wand ensures thorough cleansing of the entire area

تحرك عصا الشطف للخارج والداخل للتنظيف الكامل

#### Wand Position Adjustment

You can easily set the wand position according to your

امكانية ضبط عصا الشطف حسب الرغبة

### CLEAN MATERIAL

High-quality resin repels waste and dirt and resists staining, keeping surfaces clean.



#### وضع الاستعداد

During Stand by



#### بعد الاستخدام

After Use



### التنظيف الذاتي للمضاد للبكتيريا داخل العصا

#### قبل الاستخدام

Before use



#### أثناء الاستخدام

During use



### Always Keeping Conditions Clean

Made of high quality waste resistant resin and automatically sprayed with EWATER+ after each use, the wand is extremely resistant to waste and stains. What's more, the wand attaches to the seat, not the bowl, so waste is less likely to even reach it. Though the wand is self-cleaning, you appreciate how easily you can reach it and wipe spotless.



### الحفاظة على النظافة في جميع الظروف

الريزون مادة عالية الجودة فهو يصد النفايات والأوساخ ويقاوم البقع ويحافظ على نظافة الأسطح. ما هو المانع للمعالج كهربائياً

### ما هو الماء المعالج كهربائياً

يُنْتَج EWATER+ عن طريق التحليل الكهربائي للكloride في ماء الصنبور. وهو مطهر فعال للغاية. فهو خالي تماماً من المواد الكيميائية وعوامل التنظيف. ومع مرور الوقت يعود EWATER+ إلى حالته الأصلية من المياه العادية. ما يجعله صديقاً للبيئة تماماً.

### What is EWATER+

Produced by electrolysis of the chloride in tap water, EWATER+ is a highly effective sanitizer. It is completely free of chemicals and cleaning agents. Over time EWATER+ returns to its original state of ordinary water, making it completely environmentally friendly.

### طريقة عمل الماء المعالج كهربائياً في التنظيف

هو نظام تنظيف عصا التنظيف تلقائياً بماء المعالج كهربائياً الذي يفتح عنه نبضات تنضي على البكتيريا قبل وبعد كل استخدام أو كل 8 ساعات في حالة عدم الاستخدام.

### How EWATER+ works

It is a system for cleaning the rinse stick automatically with electro-treated water that produces vibrations eliminate bacteria before and after each use, or every 8 hours when not in use.

### PREMIST



### رش ذاتي

رذاذ خفيف من الماء العادي يتم رشه داخل المرحاض قبل كل استخدام نظراً لطبيعة السيراميك و الماء اللصق عليه. فيتم غسل النفايات بسهولة أكبر.

It is an automatically system to spray water on the toilet bowl before and after use, making it difficult for dirt to stick

## BENEFITS & TECHNOLOGIES

### CLEAN SYNERGY



PREMIST

CEFIONTECT

RIMLESS



TORNADO FLUSH

EWATER+ For WAND

EWATER+ For BOWL



AIR-IN WONDER WAVE

AUTO OPEN / CLOSE LID

AUTO FLUSH



HEATED SEAT

DEODORIZER

WATER SAVING

SELF-CLEANING WAND

REAR CLEANSING

REAR SOFT CLEANSING

FRONT CLEANSING

WIDE FRONT CLEANSING

OSCILLATING CLEANSING

PULSATING CLEANSING

CLEAN RESIN

WAND POSITION ADJUSTMENT

WATER PRESSURE ADJUSTMENT

WARM AIR DRYING

SOFT LIGHT

AUTO ENERGY SAVER

MAIN UNIT ONE-TOUCH REMOVAL

WASHLET SERIES

OVERVIEW OF WASHLET FUNCTIONS

PRODUCT NAME		اسم المنتج		WASHLET RW / SW		WASHLET RX / SX		WASHLET S7		
PRODUCT IMAGE		صورة المنتج								
BOWL SHAPE	D-SHAPE	TCF801GZ	TCF802GZ	TCF794CZ	TCF795CZ	—	—	—	—	
	SQUARE SHAPE	TCF803CZ	TCF804CZ	TCF796CZ	TCF797CZ	—	—	—	—	
	ELONGATED	—	—	—	—	TCF491Z	TCF491Z	TCF491Z	TCF491Z	
REQUIRED ITEM	CONCEALED TANK	موديل السيفون	WH172AT	WH172AAT	WH172AT	WH172AAT	WH172A	WH172AT	WH172AAT	
	MATCHING BOWL	موديل الكرسي	☐ CW542HME5UNW1	☐ CW522HME5UNW1	☐ CW542HME5UNW1	☐ CW522HME5UNW1	☐ CW812	☐ CW812REA	☐ CW822REA	
CLEANSING FUNCTIONS	Rear Cleansing	التشطيف الخلفي	●	●	●	●	●	●	●	
	Rear Soft Cleansing	التشطيف الخلفي ناعم	●	●	●	●	●	●	●	
	Front Cleansing	التشطيف الامامي	●	●	●	●	●	●	●	
	Oscillating Cleansing	تغير موضع التشطيف	●	●	●	●	●	●	●	
	Pulsating Cleansing	التشطيف بالنبض	●	●	●	●	●	●	●	
	Nozzle Position Adjustment	تعديل فوهة التشطيف	●	●	●	●	●	●	●	
	Soft Close Seat & Lid	فتح / اغلاق ناعم	●	●	●	●	●	●	●	
	AUTO OPEN / CLOSE LID	فتح / اغلاق تلقائي	●	●	—	—	●	●	●	
	AUTO FLUSH	تصريف تلقائي	—	●	—	●	—	●	●	
	HEATED SEAT	تدفئة المقعد	●	●	●	●	●	●	●	
	DRYER	جفاف	●	●	—	—	●	●	●	
	DEODORIZER	إزالة الروائح الكريهة	●	●	●	●	●	●	●	
	SOFT LIGHT	ضوء خافت	●	●	—	—	●	●	●	
	Temperature (Water)	درجة حرارة الماء	●	●	●	●	●	●	●	
	Water Pressure	ضغط الماء	●	●	●	●	●	●	●	
	Remote Control	جهاز التحكم عن بعد	●	●	●	●	●	●	●	
	Personal Setting	الإعداد الشخصي	●	●	●	●	●	●	●	
	HYGIENE FUNCTIONS	EWATER* For Bowl	الماء المعالج للحوض	●	●	—	—	●	●	●
		EWATER* For Nozzle	الماء المعالج لعصا التشطيف	●	●	●	●	●	●	●
		PREMIST	الرش الذاتي قبل الاستخدام	●	●	●	●	●	●	●
		SELF-CLEANING WAND	عصا التنظيف الذاتي	●	●	●	●	●	●	●
Self-Cleaning Button		زر التنظيف الذاتي	●	●	●	●	●	●	●	
ENERGY SAVING	Clean Resin	الراتنج التنظيف	●	●	●	●	●	●	●	
	Removeable Lid	غطاء قابل للإزالة	●	●	—	—	●	●	●	
	One-Touch Removeable Unit	وحدة قابلة للإزالة بلمسة واحدة	●	●	—	—	●	●	●	
Antibacterial Surface	مخضاد للجراثيم	●	●	●	●	●	●	●		
Energy Saver	موفر الطاقة	●	●	●	●	●	●	●		

نظرة عامة على وظائف الواشلت

WASHLET S5	WASHLET S5	WASHLET S2	WASHLET C5
TCF34570GAA	TCF34320GAA	TCF33370GAA	TCF6531Z
WH172AAT			
☐ CW563EA	☐ CW663EA	☐ CW663EA	☐ CW822REA
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●

## AUTO FLUSH + WASHLET +

### CW542HME5UNW1 Concealed Connection with Auto Flush

CW542HME5UNW1  
TCF802C2Z  
TCF801C2Z  
WH172AAT  
Wall Hung Toilet with WASHLET RW  
Flush System: Tornado Flush  
(4.5L / 3L)  
Bowl Shape: D-Shape  
Rough-in: 180mm (P-Trap)



### CW522HME5UNW1 Concealed Connection with Auto Flush

CW522HME5UNW1  
TCF804C2Z  
WH172AAT  
Wall Hung Toilet with WASHLET SW  
Flush System: Tornado Flush  
Water Use: 4.5L / 3L  
Bowl Shape: Square Shape  
Rough-in: 180mm (P-Trap)  
Option WASHLET: TCF803C2Z




### WH172AT + Compatible with WASHLET+



**Features:**  
Dual Flush System  
Water Saving  
Compatible with WASHLET+

**Specification:**  
Water Use: 4.5L / 3.0L  
Water Pressure: 0.05MPa-0.75MPa

### WH172AAT + AUTO FLUSH



**Features:**  
Dual Flush System  
Water Saving  
Auto-Flushing Feature  
Compatible with WASHLET+

**Specification:**  
Water Use: 4.5L / 3.0L  
Water Pressure: 0.05MPa-0.75MPa

### TCF6531Z

WASHLET C5  
Bowl Shape: Elongated  
Water Pressure: 0.05MPa-0.75MPa  
Power Rating: 220-240V, 50/60Hz, 264-309W  
Length of Power Card: 1.2m  
Size: 390Wx531Dx188H mm



### TCF4911Z

WASHLET S7  
Bowl Shape: Elongated  
Water Pressure: 0.05MPa-0.75MPa  
Power Rating: 220-240V, 50/60Hz, 830-839W  
Length of Power Card: 1.2m  
Size: 383Wx532Dx125H mm



WASHLET MATCHING BOWL'S

كراسي يركب عليها أنظمة الواش لت

MS636CDRV - CS769CDV - C889CDE - C887CE - CS767CV - CW822REA - CW812REA

## AUTO FLUSH + WASHLET +

### CW822REA Concealed Connection with Auto Flush

CW822REA  
TCA465  
TCF4911EZ  
WH172AAT  
Wall Hung Toilet with WASHLET S7  
Flush System: Tornado Flush  
Water Use: 4.5L / 3L  
Bowl Shape: Elongated  
Rough-in: 180mm (P-Trap)



### CW553EA

Wall Hung Toilet  
Flush system: Tornado Flush  
Bowl Shape: D-Shape  
Water Use: 4.5L / 3L  
Rough-in: H-180mm (P-Trap)  
Size: 380W X 540D X 335H mm  
With CEFIONTECT



Option WASHLET:  
TCF34570GAA  
TCF34320GAA  
TCF33370GAA

### TCF34570GAA

WASHLET - S5 with Concealed Tank  
Bowl Shape: D-Shape  
Water Pressure: 0.05MPa-0.75MPa  
Power Rating: 220-240V, 50/60Hz, 826-837W  
Length of Power Card: 1.2m  
Size: 380W X 540D x 130H mm



### TCF34320GAA

WASHLET - S5  
Bowl Shape: D-Shape  
Water Pressure: 0.05MPa-0.75MPa  
Power Rating: 220-240V, 50/60Hz, 826-837W  
Length of Power Card: 1.2m  
Size: 383W X 540D x 130H mm



### TCF33370GAA

WASHLET - S2  
Bowl Shape: D-Shape  
Water Pressure: 0.05MPa-0.75MPa  
Power Rating: 220-240V, 50/60Hz, 826-837W  
Length of Power Card: 1.2m  
Size: 462W X 540D x 130H mm




## WALL HUNG TOILET - SET

### CW951JWS TOJA




Wall Hung Toilet

Flush System : Wash Down  
Bowl Shape : European  
Rough-In : H=180mm (P-Trap)  
Seat Cover : TC950SJ  
Size : 368W X 595D X 351H mm



### BW951J TOJA

Wall Hung Bidet  
Size : 365W X 595D X 260H mm




### CW812RA LE MUSE




Wall Hung Toilet

Bowl Shape : Elongated  
Rough-In : H=180mm (P-Trap)  
Seat & Cover : TC811SJ  
Flush System : TORNADO (4.5/3L)  
Size : 380W X 595D X 335H mm



### BW812J LE MUSE

Wall Hung Bidet  
Size : 380W X 595D X 315H mm




### CW162Y URBANIQUE




Wall Hung Toilet

Flush System : Tornado  
Bowl Shape : D-Shape  
Rough-In : H=180mm (P-Trap)  
Seat Cover : TC390CVK  
Size : 394W X 530D X 339H mm



### B162E URBANIQUE

Wall Hung Bidet  
Size : 400W X 550D X 410H mm




## TOILET - SET

### CW274JWS ALISEI




Wall Hung Toilet w/ Invisible Fixing Kit  
Flush System : TORNADO (4.5/3L)  
Bowl Shape : Square Elongated  
Rough-In : 180 mm (P-Trap)  
Seat & Cover : TC273SJ  
Size : 404W x 590D x 330H mm  
with CEFIONTECT



### BW274JWS ALISEI




Wall Hung Bidet w/ Invisible Fixing Kit  
Bowl Shape : Square Elongated  
Size : 404W x 590D x 325H mm



### CW275JWS ALISEI




Wall Faced Closet Toilet  
Flush System : Tornado Flush  
Bowl Shape : Elongated  
Rough-In : 180mm (P-Trap)  
Seat & Cover : TC273SJ  
Size : 404W X 590D X 400H mm



### BW275JWS ALISEI




Wall Faced Bidet w/ Invisible Fixing Kit  
Bowl Shape : Square Elongated  
Size : 404W x 590D x 422H mm



### CW822NJWS AVANTE



Wall Hung Toilet  
Flush System : Wash Down  
Bowl Shape : Elongated  
Rough-In : H=180mm (P-Trap)  
Seat & Cover : TC281SJ  
Size : 360W X 540D X 330H mm




### CW822RA

Flush System : TORNADO (4.5/3L)  
Size : 380W x 540D x 330H mm

### BW822NJ AVANTE




Wall Hung Bidet  
Size : 360W X 540D X 320H mm



### CW824NPJWS AVANTE




Round Wall Faced Closet Toilet  
Flush System : Wash Down  
Bowl Shape : Round  
Rough-In : H=180 mm (P-Trap)  
Seat & Cover : TC282SJ  
Size : 360W X 525D X 490H mm



### BW823NJ AVANTE



Floor Mounted Bidet  
Size : 435W X 650D X 390H mm



WATER SAVING



TORNADO FLUSH



RIM LESS



CEFIONTECT



WATER SAVING



TORNADO FLUSH



RIM LESS



CEFIONTECT


## CONCEALED TANK & FLUSH PANEL

### WH172AUD

Product Name : Concealed tank with Frame  
Water Use : 4.8L / 3L  
Water Pressure : 0.05MPa ~ 0.75MPa

#### FEATURES

- > Dual Flush System
- > Water Saving




### WH172AAT

Product Name : Concealed tank with Frame  
Water Use : 4.5L / 3L  
Water Pressure : 0.05MPa ~ 0.75MPa

#### FEATURES

- > Compatible with WASHLET+
- > Dual Flush System
- > Water Saving
- > Auto-Flushing



### MB003CPR2



Flush System : Dual  
Colour : Matt Silver  
Material : ABS  
Size : 242W X 36D X 156H

### MB170P#SS



Flush System : Dual  
Colour : Matt Silver  
Material : Stainless Steel ( SUS )  
Size : 245W X 22D X 159H

### MB174P#SS



Flush System : Dual  
Colour : Matt Silver  
Material : Stainless Steel ( SUS )  
Size : 243W X 22D X 159H

### MB171M#SS



Flush System : Dual  
Colour : Matt Silver  
Material : Stainless Steel  
Size : 243W X 11.8D X 159H

### MB175M#SS




Flush System : Dual  
Colour : Matt Silver  
Material : Stainless Steel ( SUS )  
Size : 243W X 11.8D X 159H

### WH036D

Product Name : Concealed tank with Frame  
Flush System : Sensor  
Water Use : 4.8L / 3L  
Water Pressure : 0.1MPa ~ 0.75MPa


#### FEATURES :

Flush panel can be installed in front of the tank, can also be installed on the tank top, used for different occasions



### MB005DGN

Product Name : Flush Panel  
Flush System : Auto Dual Flush  
Colour : Glass White  
Material : Glass/ABS  
Size : 220W X 11D X 150H (mm)




### WH005

Product Name : Concealed Frame  
Width : 500mm  
Depth : 165~220mm  
Height : 480~520mm

#### FEATURES :

- > Foot height is adjustable in 220mm range for a different installation requirements
- > Simple installation Operation




#### NOTE :

Suitable Toilet : NEOREST LE 1 CW994P

## WALL HUNG TOILET


### CW512YR / 7EE0007 / TC501CVK RENESSE



Wall Hung Toilet  
Flush system : Tornado  
Bowl Shape : Elongated  
Rough-in : H=180mm (P-Trap)  
Size : 392W X 582D X 336H mm  
Soft Close Seat & Cover - TC501CVK with CEFIONTECT




### CW542ME5



Wall Hung Toilet  
Flush System : TORNADO (4.5/3L)  
Bowl Shape : D-Shape  
Rough-in : 180 mm (P-Trap)  
Seat & Cover : TC513A ( Made in Germany )  
Size : 380W x 580D x 335H mm  
with CEFIONTECT




### CW522A



Wall Hung Toilet  
Flush System : TORNADO (4.5/3L)  
Bowl Shape : Square Elongated  
Rough-in : 180 mm (P-Trap)  
Seat & Cover : TC512A ( Made in Germany )  
Size : 380W x 580D x 335H mm  
with CEFIONTECT




### CW553EA



Wall Hung Toilet  
Flush system : Tornado Flush  
Bowl Shape : D-Shape  
Rough-in : H=220mm (P-Trap)  
Seat & Cover : TC513A  
Size : 380W x 540D X 335H mm  
with CEFIONTECT




### CW875NJ OMNI +



Wall Hung Toilet  
Flush System : Wash Down  
Bowl Shape : D-Shape  
Rough-In : H=180mm (P-Trap)  
Seat & Cover : TC8115J  
Size : 360W X 545D X 344H mm




### CW142Y



Wall Hung, Barrier - Free  
Flush system : Tornado Flush  
Rough-in : H=180mm (P-Trap)  
Seat & Cover : VC140V1 (Made in Germany)  
Size : 355W X 710D X 400H mm



### CW182ME5



Wall Hung Toilet  
Flush System : Wash Down  
Bowl Shape : D-Shape  
Rough-In : H=180mm (P-Trap)  
Seat & Cover : TC506VS  
Size : 355W X 520D X 344H mm




# Consistent Flushing Performance

Constant flow EFV Stabilizes flush volume even when water pressure fluctuates

## Design

- ① Frameless Design
- ② Beautiful metallic finish
- ③ Sensor flush with the molding surface
- ④ Status light indicator  
(Only TREF35 is outfitted with this feature.)
- ⑤ Large push buttons usable by anyone




## Features

- ① Quality  
Protect against static electricity and prevent water penetration with PCB potting
- ② Reliability  
3 types of dust contamination filter  
- Solenoid Valve Filter  
- Piston Valve 360° Filter  
- Stop Valve Filter
- ③ Ease of Installation

## New Flushing Technology

When there are water pressure fluctuations, a spring contracts to maintain water volume and force at a constant level.


\*Only applicable to TREF35



Environment Factors	Current Situation		New Flushing Technology	
	Disturbance	Flushing Performance	Disturbance	Flushing Performance
Water Supply Pumps Specifications	Pressure Increased	Excessive Flush Volume	Constant Flow Rate Technology ↓ Disturbance Impact Reduction	Stable Flush Volume
	Pressure Decreased	Poor Flushing Volume		Stable Flush Volume
Simultaneous Serial Flushes	Pressure Decreased	Poor Flushing Volume		Stable Flush Volume
	Volume & Performance		Volume & Performance	

## Flushing Volume Chart

Constant flow EFV stabilizes flush volume even when water pressure fluctuates



# WALL - MOUNTED FLUSHOMETER TOILET - AUTOMATIC


## CW708EV AUTOMATIC

Product Name : Wall Hung Toilet  
 Flush System : Automatic Flush  
 Water Use : 4.8L / Colour : White  
 Rough-in : H = 180mm ( P-Trap )  
 Water Pressure : 0.07MPa ~ 0.75MPa  
 Size : 365W x 622D X 334H mm



### • CT708EV

Commercial wall-mounted toilet with 1-1/2" back spud inlet, less seat.



## CW823RFVA AUTOMATIC



Flush system : TORNADO FLUSH  
 Rough-in : H=220 mm  
 Bowl Shape : Elongated  
 Size : 300W x 540D x 330H mm

## TREF25U2A Concealed Toilet Sensor Flush Valve

Flow Rate : 100L/min (Non-Constant Flow Valve)  
 Water Pressure : 0.1MPa-0.75MPa  
 Flush Volume : 4.5L  
 Power Supply : AC 220V Operated  
 Material : Bronze (Valve), Stainless steel (Panel)  
 Cover Size : 185W x 9D x 185H mm

## TREF35L2A Concealed Toilet Sensor Flush Valve

Flow Rate : 80L/min (Constant Flow Valve)  
 Water Pressure : 0.1MPa-0.75MPa  
 Flush Volume : 4.5L / 3.0L  
 Power Supply : AC 220V Operated  
 Material (Valve) : Bronze  
 Material (Panel) : Stainless steel  
 Cover Size : 185W x 9D x 185H mm

# WALL - MOUNTED FLUSHOMETER TOILET - MANUAL


## CW708E MANUAL

Product Name : Wall Hung Toilet  
 Flush System : Wash Down , Siphon jet  
 Water Use : 4.8L / Colour : White  
 Rough-in : H = 180mm ( P-Trap )  
 Water Pressure : 0.07MPa ~ 0.75MPa  
 Size : 365W x 622Dx 334H mm



### • CT708E

Commercial wall-mounted toilet with 1-1/2" top spud inlet, less seat.



## CW706ENJ

Single Bowl Toilet (for The Disabled)  
 Flush Valve W/Vacuum Breaker for (CW/U5, CW/U5L (1V15UNSV/J)  
 Bowl Shape : Elongated  
 Rough-In : 280mm (S-Trap)  
 Size : 360W X 680D X 445H mm




## SC534 Elongated Commercial Toilet Seat Cover

Features :  
 • Elongated open front toilet seat  
 • Mounting hardware included  
 Material : Polypropylene  
 Colour : White  
 SIZE : 375W X 473D X 76.2H




## TV150NSJ Exposed Manual Toilet

Product Name : Flush Valve with Vacuum Breaker  
 Flush System : Siphon - Jet  
 Water Use : 4.8L / Colour : Chrome  
 Flow Rate : 54.0 Lpm  
 Water Pressure : 0.07MPa ~ 0.75MPa



## WATER CLOSET - (Close Coupled Toilet)

### CW273PJWS




Close Couple Toilet  
 Flush System : Tornado Flush  
 Bowl Shape : Elongated  
 Rough-In : 220 mm (THX918) - (S-Trap)  
 Seat & Cover : TC2735J  
 Size : 410W X 725D X 875H mm

Matching Socket : THX918




### CW960JWSSA



Close Couple Toilet  
 Flush system : Wash Down (Dual)  
 Bowl Shape : Elongated  
 Rough-In : 305mm (S-Trap)  
 Seat & Cover : TC9505J  
 Size : 380W X 760D X 820H mm




### C320E1#W



Close Coupled Toilet  
 Flush System : Siphon  
 Bowl Shape : Elongated  
 Rough-In : 180mm (P-Trap)  
 305mm (S-Trap)  
 Seat & Cover : TC385VS  
 Size : 379W X 695D X 783H mm




### CW896JWS



Close Couple Toilet  
 Flush system : Wash Down  
 Bowl Shape : D-Shape  
 Rough-In : 305mm (S-Trap)  
 Seat & Cover : TC8805J  
 Size : 385W X 740D X 730H mm



### CW635PJWS




Close Coupled Toilet  
 Flush System : Wash Down  
 Bowl Shape : Elongated  
 Rough-In : 180mm (P-Trap)  
 250mm (S-Trap)  
 Seat & Cover : TC6355J  
 Size : 400W X 690D X 723H mm

Matching Socket : THX918



## WATER CLOSET - (One-Piece Toilet)


### CW823NJ AVANTE



One-Piece Toilet  
 Flush System : Wash Down  
 Bowl Shape : Elongated  
 Rough-In : 305mm (S-Trap)  
 Seat & Cover : TC2815J  
 Size : 510W X 750D X 605H mm




### CW840JW



Eco-max One-Piece Toilet  
 Flush System : Wash Down  
 Bowl Shape : Elongated  
 Rough-In : 305mm (S-Trap)  
 Seat & Cover : TC8405J  
 Size : 510W X 755D X 630H mm




### C636DE#XW




Eco-max One-Piece Toilet  
 Flush System : Tornado  
 Bowl Shape : Elongated  
 Rough-In : 305mm (S-Trap)  
 Seat & Cover : TC393VS  
 Size : 490W X 740D X 670H mm



### CW895JW OMNI +



One-Piece Toilet  
 Flush system : Wash Down  
 Bowl Shape : Elongated  
 Rough-In : 305mm (S-Trap)  
 Seat & Cover : TC8805J  
 Size : 360W X 720D X 660H mm



WATER SAVING



TORNADO FLUSH



RIM LESS



CEFIONTECT



WATER SAVING



TORNADO FLUSH



RIM LESS



CEFIONTECT




## LAVATORIES

**LW651JK1**




Round Under Counter Lavatory  
570W x 423D x 300H mm



**L505E**




Under Counter Lavatory  
528W x 365D x 185H mm



**LW569ME5T1**




Round Under Counter Lavatory  
432W x 355D x 200H mm



**LW647CJ**




Square Semi Recessed Lavatory  
520W x 420D x 300H mm



**LW587JW**




Round Under Counter Lavatory  
539W x 437D x 190H mm



**LW595J**




Square Under Counter Lavatory  
635W x 315D x 200H mm



**L548**




Round Under Counter Lavatory  
600W x 420D x 215H mm



**LW540JK2**




Square Under Counter Lavatory  
450W x 360D x 200H mm



**L501CE**




Round Self Rimming Lavatory  
508W x 432D x 25H mm



**LW542MUNW1**



Under Counter Lavatory  
315W x 480D x 206H mm




## LAVATORIES

**LW951CJW TOJA**




Console Lavatory  
605W x 455D x 100H mm



**LW631JW**




Console Lavatory  
710W x 410D x 125H mm



**LW952JW TOJA**




Console Lavatory  
570W x 355D x 100H mm



**LW630JW**




Console Lavatory  
600W x 370D x 110H mm



**LW953JW TOJA**




Console Lavatory  
700W x 350D x 109H mm



**LW819**




Vessel Lavatory  
800W x 370D x 150H mm



**L710CTRE**




Console Lavatory  
500W x 450D x 135H mm



**LW896JW**




Console Lavatory  
620W x 430D x 130H mm



**LW573JW**




Console Lavatory  
420W x 420D x 125H mm



**LW574JW**




Console Lavatory  
420W x 420D x 125H mm




## WALL HUNG URINAL & FLUSH VALVE

### UW58HJW + DUE126UK




Product Name : Wall Hung Urinal - ( Top Inlet )  
 Flush System : Sensor  
 Flush Volume : 0.8L  
 Size : 330W X 365D X 690H mm

### UW104HJ + DUE126UK



Product Name : Wall Hung Urinal - ( Top Inlet )  
 Flush System : Sensor  
 Flush Volume : 0.8L  
 Size : 326W X 355D X 545H mm

### UW447HJT1 + DUE126UK




Product Name : Wall Hung Urinal Back Inlet  
 Type W/ Built-in Sensor AC 220V Operated  
 Flush System : Sensor  
 Flush Volume : 0.4L  
 Size : 444W X 356D X 685H mm

### DUE126UK




Product Name : In-wall Sensor Urinal Flush Valve  
 Flush System : Sensor /  
 Flush Volume : 0.5L  
 Power Source : "DC" Battery  
 Panel Material : Stainless steel panel  
 Water Pressure : 0.05MPa ~ 0.75MPa  
 Size : 115W X 7D X 115H mm  
 Sensing Distance : 800mm away from the front of inductive window

### U57



Product Name : Wall Hung Urinal - ( Back Inlet )  
 Flush System : Manual  
 Flush Volume : 0.8L  
 Size : 330W X 310D X 605H mm

### T60RN



Product Name : Urinal Flush Valve  
 Min Water Pressure : 0.05 MPa  
 Max Water Pressure : 0.75 MPa  
 Flow Rate : 15.0 Lpm  
 Made in : STI - Indonesia

### CW10J#W



Squatting Toilet  
 430W X 535D X 310H mm



URINAL


## LAVATORIES

### LW103CJ




Wall Hung Lavatory  
 580W X 550D X 850H mm

### LW240CJ




Wall Hung Lavatory  
 500W X 350D X 820H mm

### LW286CME5



Wall Hung Lavatory  
 550W X 430D X 512H mm

### LW300CME5



Wall Hung Lavatory  
 500W X 430D X 468H mm

### LW240CJ



Wall Hung Lavatory  
 500W X 350D X 820H mm

### LW820CJ




Wall Hung Lavatory  
 700W X 550D X 526H mm

### LW898CJW OMNI+



Wall Hung Lavatory  
 600W X 345D X 136H mm


### SKW322B




Service Sink W/ back hanger + Pedestal  
 560W X 456D X 883H mm ( Incl. Drain Waste )

### T30ARQ13N

Wall Mounted Tap ( Cold )



### DL501SR S-TRAP



### DL501P2S P-TRAP



# TOUCHLESS FAUCET



Transitional design that incorporates classical elements into simple forms.



## BABY CHAIR



### YKA15VC

Size : 300W X 250D X 950H (mm)

#### FEATURES


- > The fixed seat is designed as a fully surrounded one so that babies can get seated comfortably.
- > Smooth surface is easy to clean.

#### Attention:

- > Please strictly follow the installation manual to install the product.
- > Only installing on a concrete floor allowed.
- > To assure a safe use, please do a good daily checking work.
- > The baby chair is designed for babies aged from 5 to 30 months who can get seated independently.

#### تعليمات السلامة :

- يرجى اتباع دليل التثبيت بدقة لتثبيت المنتج .
- يسمح فقط بالتركيب على أرضية خرسانية .
- لضمان استخدام آمن - يرجى القيام بعمل فحص يومي جيد .
- كرسي الأطفال مصمم للأطفال من سن 5 إلى 30 شهرا .
- يمكن أن يجلس بشكل مستقل .



#### المميزات



## BABY BED

### YKA25VC

Using time : W:780×D:560×H:950(mm)

Folding time : W:780×D:135×H:1145(mm)

#### FEATURES

- > Protection bars are designed in case babies may turn over or stretch legs when sleeping.
- > Fixing waist belt available to protect a fast-asleep baby.
- > The height of the bed is convenient for changing a baby's napkin.

#### Attention:


- > Please strictly follow the installation manual to install the product. Only installing on a concrete floor allowed.
- > To assure a safe use, please do a good daily checking work
- > The baby bed is designed for babies aged from 1 to 24 months.

#### المميزات :

- تم تصميم قضبان الحماية في حالة انقلاب الطفل .
- حزام الخصر لحماية الطفل .
- ارتفاع السرير مناسب لتغيير حفاظات الطفل .

#### معلومات السلامة :

- يرجى اتباع دليل التثبيت بدقة لتثبيت المنتج .
- يسمح فقط بالتركيب على أرضية خرسانية .
- لضمان استخدام آمن - يرجى القيام بعمل فحص يومي جيد .
- سرير الأطفال مصمم للأطفال من سن 1 إلى 24 شهرا .






## AUTO FAUCET



### DLE110ANM Short

Auto Faucet ( Spout Only )  
Flow Rate : 2L/Min  
Required Parts : A & B  
Spout Opening  
Distance : Height : 96mm  
Length : 123mm



### DLE110A1NM Semi-Tall

Auto Faucet ( Spout Only )  
Flow Rate : 2L/Min  
Required Parts : A & B  
Spout Opening  
Distance : Height : 165mm  
Length : 123mm



### DLE110A2NM Tall

Auto Faucet ( Spout Only )  
Flow Rate : 2L/Min  
Required Parts : A & B  
Spout Opening  
Distance : Height : 165mm  
Length : 123mm




### DLE105ANM

Wall Mounted  
Auto Faucet ( Spout Only )  
Flow Rate : 2L/Min  
Required Parts : A & B  
Spout Opening  
Distance : Height : 241mm  
Length : 183mm



### DLE106ANM

Auto Faucet ( Spout Only )  
Flow Rate : 2L/Min  
Required Parts : A & B  
Spout Opening  
Distance : Height : 95mm  
Length : 126mm



### DLE127BEM

Integrated Auto Faucet  
Flow Rate : 2L/Min  
Required Parts : A & B  
Spout Opening  
Distance : H89mm  
L125mm

DLE127BEM : Operated Electricity 220V



### A : OPTION

1. DLE124DH ( Self Power 2L )
2. DLE124DE ( AC 1.5L ) Electricity 220V
3. DLE124DK ( "DC" Battery 1.5L )



### B : DLE424SMA - SMA THERMO VALVE

This " Thermo Valve " suitable for below mentioned Auto Faucets



## Controller

You can choose from your preference

	Self Powered Controller Flow Rate: 2.4L / min		AC Operated Controller Flow Rate: 1.84L / min		AC Operated Controller Flow Rate: 2.5L / min	Battery Operated Controller Flow Rate: 2.5L / min
	TN78-9 V500 (Cold Water)	DLE124DH/ DLE424SMA (Thermostat)	TN78-9 V910 (Cold Water)	DLE124DE/ DLE424SMA (Thermostat)	TTL101A2L (Cold Water)	TTL101B2L (Cold Water)
	A		B		C	
DLE105AN	—	●	—	●	—	—
DLE110AN	—	●	—	●	—	—
DLE110A1N	—	●	—	●	—	—
DLE110A2N	—	●	—	●	—	—
DLE106AN	—	●	—	●	—	—
DLE127BEM	—	●	—	●	—	—

## AUTO FAUCET - ( SELF POWER )



The automatic faucet feature an almost invisible sensor in the spout. It registers every hand movement precisely and is tamper-proof.

يتميز الصنبور الأوتوماتيكي بمستشعر غير مرئي تقريباً في الفوهة. يسجل كل حركة يد بدقة ولا يمكن العبث بها.



TOTO offers a wide range of faucets for washbasins, in addition to a unique, environmentally friendly faucet system. Self Power technology incorporates a micro-sensor and a small generator that make Self Power faucets self-sufficient in terms of energy use.

تقدم TOTO مجموعة واسعة من الحشيشات لأحواض الغسيل - بالإضافة إلى نظام صانبر فريد وصديق للبيئة. تشمل تقنية Self Power على مستشعر دقيق ومولد صغير يجعل صانبر الطاقة الذاتية مكتفية ذاتياً من حيث استخدام الطاقة.



SELFPOWER incorporates two technologies for public facilities. They work together to ensure optimum power- and water-saving performance.

يتضمن SELFPOWER تقنيتين للمرافق العامة. يعملان معاً لضمان الأداء الأمثل لتوفير الطاقة والياه أولاً جهاز الاستشعار:

The first is an **automatic microsensor** – one of the world's smallest – positioned at the tip of the spout. Accurate hand detection means only the minimum necessary amount of water is used.

هو جهاز استشعار دقيق للغاية. أحد أصغر أجهزة الاستشعار في العالم - يتم وضعه على طرف الفوهة للمستشعر العفوق يقلل من كمية الماء المستخدمة.

Located inside the unit is the second technology, a **Generator** that harnesses the energy from water flowing through the tap to make the micro-sensor energy-self-sufficient.

يوجد داخل الوحدة تقنية أخرى وهي مولد يستخدم الطاقة من المياه المتدفقة عبر الصنبور لجعل المستشعر الدقيق ذاتي الاكتفاء.

### Features

- \* A faster, more convenient experience for users .
- \* Hands-free means superior hygiene .
- \* Self-generated power saves electricity .
- \* Aerated flow is water-efficient .
- \* Sensor ensures that the tap is never left running .

### المميزات

- تجربة أسرع وأكثر ملائمة للمستخدمين.
- عدم استخدام اليدين يعني نظافة فائقة.
- الطاقة المولدة ذاتياً توفر الكهرباء.
- التدفق الهوائي فعال في توفير المياه.
- يضمن المستشعر عدم ترك الصنبور قيد التشغيل.

**Micro Sensor**  
Integrated into the tip of the spout for accurate movement sensing.

مستشعر دقيق  
مدمج في طرف الفوهة لاستشعار دقيق للحركة

**Aerated Water**  
Reduces water consumption by 50%  
مياه مضغوطة بالهواء  
يقلل من استهلاك المياه بنسبة 50%

**Power Generator**  
Water turns the power generator's turbine, creating an electrical current .

مولد الطاقة  
يمد الماء توريينات مولد الطاقة ، مما يخلق تياراً كهربائياً

**Solenoid Valve**  
Activated by electricity from the power generator

الصمام الهوائي  
يتم تشغيله بالكهرباء المولدة من قوة دفع الماء.



Mixing Air with Water  
خلط الهواء بالماء



Air enters thru the cap  
مدخل للهواء من خلال الغطاء

SELF POWER  
المولد الذاتي للطاقة

Thermostat  
التحكم بالحرارة



Replete with advanced functions for everything from environmental friendliness to comfort  
 مليء بالوظائف المتقدمة من الصداقة البيئية إلى الراحة



This ECOPOWER touchless faucet uses the flowing water to generate the electricity it needs to operate. There is no need for electrical wiring, making installation and renovation easier.



Bacteria & Viruses may be present on restroom fixtures used by large number of people. Touching the fixtures can transfer the bacteria or viruses to your hands. Our touchless faucets let you easily wash your hands without any need to touch the fixture.



**AUTO FUNCTIONS** وظائف تلقائية

Just placing your hand under the spout will start the water flow, and the water will stop when you take your hand away.  
 بمجرد وضع يدك تحت فوهة الحنائق سيبدأ تدفق الماء وسيوقف الماء عندما ترفع يدك بعيداً عنه.

**ECO POWER** قوة اقتصادية

This sensor-activated TOUCHLESS FAUCET generates its own electricity. ECOPOWER technology requires no external power source, has no minimum daily usage requirement, and is capable of generating its own power at the ultra-low flow water volume is only 1.3L/min. ECOPOWER is environmentally sustainable.  
 عندما يبدأ عمل الحنائق بواسطة المستشعر الكهربائي والذي لا يتطلب أي مصدر طاقة خارجي، وذلك بحسب تقنية ECO POWER فهو قادر على توليد قوته الخاصة بتكمية قليلة من صغفم الماء / 3.1 دقيقة فقط.

**SOFT FLOW** تدفق ناعم

Elegant streams of water from SOFT FLOW faucets gently touch skin. A premium calming experience. Soft and soothing Sensor-operation eliminates the need for levers or buttons to touch, offering a new level of cleanliness for your health and wellbeing.  
 تعمل SOFT FLOW لتلمس تيارات المياه الهادئة للبشرة بطفء جبرسة عميقة وهادئة. تعمل المستشعرات على التخلص من الحاجة إلى أزرار لللمس، كما يوفر مستوى جيداً من النظافة لتتمتعوا من الحنائق المصممة وفقاً لاحتياجاتكم.

**ECO CAP**

ECO CAP is an air-injection technology, which reduces water consumption. Aerating the water increases it's volume, so you can wash your hands with full stream while using less water.  
 هي ECO CAP هي تقنية حقن الهواء، مما يقلل من استهلاك المياه يؤدي تهبوية الماء إلى زيادة حجمه، لذا يمكنك غسل يدك باستخدام كمية أقل من الماء.

**TLE21001D**

Deck Mounted  
 Touchless Faucet ( Spout Only )  
 Flow Rate : 1.3L/Min  
 Required Parts : A & B & C  
 Spout Opening  
 Distance : H128mm  
 L110mm

**TLE24001D**

Desk Mounted ( Short )  
 Touchless Faucet ( Spout Only )  
 Flow Rate : 1.3L/Min  
 Required Parts : A & B & C  
 Spout Opening  
 Distance : H146mm  
 L138mm

**TLE27001D**

Deck Mounted  
 Touchless Faucet ( Spout Only )  
 Flow Rate : 1.3L/Min  
 Required Parts : A & B & C  
 Spout Opening  
 Distance : H126mm  
 L110mm

**TLE24002D**

Desk Mounted ( Semi Tall )  
 Touchless Faucet ( Spout Only )  
 Flow Rate : 1.3L/Min  
 Required Parts : A & B & C  
 Spout Opening  
 Distance : H180mm  
 L160mm

**TLE28001D**

Desk Mounted  
 Touchless Faucet ( Spout Only )  
 Flow Rate : 1.3L/Min  
 Required Parts : A & B & C  
 Spout Opening  
 Distance : H230mm  
 L164mm

**TLE24003D**

Desk Mounted ( Tall )  
 Touchless Faucet ( Spout Only )  
 Flow Rate : 1.3L/Min  
 Required Parts : A & B & C  
 Spout Opening  
 Distance : H230mm  
 L164mm

**TLE26005D**

Wall Mounted  
 Touchless Faucet ( Spout Only )  
 Flow Rate : 1.3L/Min  
 Required Parts : A & B & C  
 Spout Opening  
 Distance : H150mm  
 L225mm

**TLE24005D**

Wall Mounted  
 Touchless Faucet ( Spout Only )  
 Flow Rate : 1.3L/Min  
 Required Parts : A & B & C  
 Spout Opening  
 Distance : H150mm  
 L225mm

**TLE25005D**

Wall Mounted  
 Touchless Faucet ( Spout Only )  
 Flow Rate : 1.3L/Min  
 Required Parts : A & B & C  
 Spout Opening  
 Distance : H150mm  
 L225mm

**A: OPTION**

- TLE03501H ( Eco Powered )
- TLE01501H ( AC Operated )
- DLE124DK ( Battery Operated )


**B: TLE 05701A ( Thermostat )** MADE IN JAPAN  
 This "Thermostat" must purchase all Touchless Faucets

**C: TLN 01103A ( Stop Valve Set )**  
 Cartoon In Side :  
 2 Pcs - Stop Valve , 3 Pcs - Flexible Hose

# FAUCET



## LIQUID & FOAM SOAP DISPENSER



### DSE101EP Short

Automatic Soap Dispenser  
AC : 100 - 240V Operated  
Soap Volume : 0.8ml - 1.2ml  
Tank Capacity : 1500ml  
Soap Type : Liquid  
41W X 131D X 114H mm



Another Model Available :  
DSE101KP : Battery Operated

### TLK07001G Short

Automatic Foam Dispenser  
AC : 100 - 240V Operated  
Soap Volume : 1.2ml  
Tank Capacity : 3L  
Soap Type : Foam  
40W X 140D X 77H mm



### DSE102EP Semi Tall

Automatic Soap Dispenser  
AC : 100 - 240V Operated  
Adapter Plug : Type "BF"  
Soap Volume : 0.8ml - 1.2ml  
Tank Capacity : 1500 ml  
Soap Type : Liquid  
36W X 131D X 157H mm



### TLK07002G Tall

Automatic Foam Dispenser  
AC : 100 - 240V Operated  
Soap Volume : 1.2ml  
Tank Capacity : 3L  
Soap Type : Foam  
40W X 140D X 180H mm



### DSE103EP Tall

Automatic Soap Dispenser  
AC : 100 - 240V Operated  
Adapter Plug : Type "BF"  
Soap Volume : 0.8ml - 1.2ml  
Tank Capacity : 1500 ml  
Soap Type : Liquid  
36W X 131D X 242H mm




### TLK08001G Short

Automatic Foam Dispenser  
AC : 100 - 240V Operated  
Soap Volume : 1.2ml  
Tank Capacity : 3L  
Soap Type : Foam  
38W X 140D X 83H mm



### TX728AEV1Z

Deck Type Soap Dispenser  
Dispenser - ( Bottom Refill )  
Soap Type : Liquid  
66W X 105D X 347H mm



### TLK08002G Tall

Automatic Foam Dispenser  
AC : 100 - 240V Operated  
Soap Volume : 1.2ml  
Tank Capacity : 3L  
Soap Type : Foam  
38W X 140D X 186H mm



### DS715R

Deck Type Soap Dispenser  
Dispenser - ( Bottom Refill )  
Soap Type : Liquid  
70W X 105D X 294H mm



### TLK09001G

Automatic Foam Dispenser  
AC : 100 - 240V Operated  
Soap Volume : 1.2ml  
Tank Capacity : 1L  
Soap Type : Foam  
48W X 134D X 130H mm



### Matching Tank Unit


Spout	1L Tank for 1 Spout		3L Tank for 1 Spout	
	TLK01104A Type BF Adapter Plug	TLK01104T Type C Adapter Plug	TLK01101A Type BF Adapter Plug	TLK01101T Type C Adapter Plug
TLK02001G	●	●	●	●
TLK02002G	●	●	●	●
TLK03001G	●	●	●	●



## GC - SERIES


### TLG08301D

Single Lever Lavatory Faucet w/ Pop-up Waste (Short)



### TLG08303D

Single Lever Lavatory Faucet w/ Pop-up Waste (Middle)




### TLG08305D

Single Lever Lavatory Faucet w/ Pop-up Waste (Tall)




### TBG08302B

Exposed Single Lever Bath & Shower Mixer




### TBG08301B

Exposed Single Lever Shower Mixer




### TRG08301D

Bidet Faucet w/ pop-up waste




### TLG08307D

Wall Mounted Single Lever Lavatory Faucet w/o Pop-Up Waste (Short)




### TLG08308D

Wall Mounted Single Lever Lavatory Faucet w/o Pop-Up Waste (Long)




### TLG08201D

2 Handle Lavatory Faucet (3-Holes) w/ Pop-up Waste




### TBG08303B

Concealed Shower Mixer (With Panel)  
\*Need TBN01001D



### TBG08304B

Concealed Shower Mixer (With Panel)  
\*Need TBN01001D



### TBG08001B

Bath Spout



## GA - SERIES

### TLG04301D

Single Lavatory Faucet with Popup



### TLG04304D

Single Lavatory Faucet with Popup (Mideum)




### TLG04307D

Single Lavatory Faucet With Pop Up (Tall)



### TBG04302D

Exposed Mixing Faucet (Bath & Shower Mixer)




### TBG04301B

Exposed Mixing Faucet (Shower Mixer)




### TRG04301D

Bidet Faucet




### TLG04309D

Wall Mounted Single Lavatory Faucet (Short) (w/o Waste Fitting)



### TLG04310D

Wall Mounted Single Lavatory Faucet (Long) (w/o Waste Fitting)



### TLG04201D

Wide Spread Faucet Two Handle Lavatory Faucet



### TBG04303B

Concealed Shower Mixer (With Panel)  
\*Need TBN01001D



### TBG04304B

Concealed Shower Mixer (With Panel)  
\*Need TBN01001D



### TBG02001D

Bath Spout



- Matt Black
- Brushed Nickel
- Polished French Gold
- Brushed French Gold

- Matt Black
- Polished French Gold
- Brushed French Gold

- Matt Black

- Matt Black

- Brushed Nickel


- Polished French Gold

- Brushed French Gold

## GR - SERIES

### TLG02301D

Single lever Lavatory Faucet  
W/ Pop-Up Waste



### TLG02304D

Single lever Lavatory Faucet  
for Semi-tall Vessel W/ Pop-Up Waste



- Matt Black
- Brushed Nickel
- Polished French Gold
- Brushed French Gold

### TLG02307D

Single lever Lavatory Faucet  
for Tall Vessel W/ Pop-Up Waste



### TBG02302D

Single lever Shower Mixer



### TBG02301B

Single lever Shower Mixer



### TRG02301D

Single lever Bidet Faucet  
W/ Pop-Up Waste



### TLG02310D

Wall Mounted Lavatory Faucet  
( Short Spout )



### TLG02311D


Wall Mounted Lavatory Faucet  
( Long Spout )



- Matt Black
- Polished French Gold
- Brushed French Gold

### TLG02309D

Single lever Lavatory Faucet  
W/ Pop-Up Waste ( Side Handle )



### TBG02303B

Single Lever Shower Mixer  
\*Need TBN01001D



- Matt Black

### TBG02304B


Single Lever Bath & Shower Mixer  
W/ Diverter \*Need TBN01001D



- Matt Black

### TBG02001D


Bath Spout



## GO - SERIES

### TLG01301D

Single Lavatory Faucet with Popup



### TLG01304D

Single Lavatory Faucet With Pop Up (Middle)



### TLG01307D

Single Lavatory Faucet with Popup (Tall)



### TBG01302D

Exposed Mixing Faucet (bath shower -M)



### TBG01301B

Exposed Mixing Faucet shower Mixer



### TRG01301D

Bidet Faucet with Popup



### TLG01310D

Wall Mounted Single Lavatory Faucet  
(Short) (w/o Waste Fitting)




### TLG01311D

Wall Mounted Single Lavatory Faucet  
(Long) (w/o Waste Fitting)




### TLG01201D

Wide Spread Faucet - Two Handle Lavatory  
Faucet




### TBG01303B

Concealed Shower Mixer with Diverter  
\*Need TBN01001D




### TBG01304B

Concealed Bath & Shower Mixer with Diverter  
\*Need TBN01001D



### TBG01001D

Bath Spout






## LC - SERIES


### TLS03301D

Single Lavatory Faucet With Pop UP




### TLS03303D

Single Lever Washbasin Faucet (Semi-tall Vessel) With Pop-Up



### TLS03305D

Single Lever Washbasin Faucet (Tall Vessel) With Pop-Up



### TBS03302D

Exposed Mixing Faucet (Bath Mixer)




### TBS03301B

Exposed Mixing Faucet Shower



### TRS03301D

Single lever Bidet Faucet With Pop Up



### TLS03307D

Wall Mounted Single Lavatory Faucet (Short) (w/o Waste Fitting)




### TLS03308D

Wall Mounted Single Lavatory Faucet (Long)




### TBS03001D

Bath Spout



### TBS03303B

Concealed Shower Mixer (with valve)



### TBS03304B

Exposed Mixing Faucet (Shower Mixer)



## GS - SERIES


### TLG03301D

Single lever Lavatory Faucet W/ Pop-Up Waste




### TLG03303D

Single lever Lavatory Faucet for Semi-tall Vessel W/ Pop-Up Waste



### TLG03305D

Single lever Lavatory Faucet for Tall Vessel W/ Pop-Up Waste



### TBG03302D

Single lever Bath & Shower Mixer



### TBG03301B

Single lever Shower Mixer



### TRG03301D

Single lever Bidet Faucet W/ Pop-Up Waste



### TLG03307D

Wall Mounted Lavatory Faucet (Short Spout)




### TLG03308D

Wall Mounted Single Lavatory Faucet (Long) - 24.5cm




### TBG01001D

Bath Spout




### TBG03304B

Single Lever Bath & Shower Mixer W/ Diverter \*Need TBN01001D



### TBG03303B

Single Lever Shower Mixer \*Need TBN01001D



**LF - SERIES**


**TLS04301D**

Single Lavatory Faucet With Pop Up




**TLS04304D**

Single Lavatory Faucet With Pop Up(Middle)




**TLS04307D**

Single Lavatory Faucet With Pop Up(Tall)



**TBS04302D**

Exposed Mixing Faucet (Bath & Shower)



**TBS04301**

Exposed Mixing Faucet (Shower)



**TRS04301D**

Bidet Faucet



**TLS04308D**

Wall Mounted Single Lavatory Faucet (Short) (w/o Waste Fitting)




**TLS04309D**

Wall Mounted Single Lavatory Faucet (Long) (w/o Waste Fitting)




**TBS03001D**

Bath Spout




**TBS04303**

Concealed Shower Mixer (with Valve)



**TBS04304B**

Concealed Bath & Shower Mixer with Diverter (with Valve)



**LN - SERIES**

**TLS02301D**

Single Lavatory Faucet With Pop Up



**TLS02303D**

Single Lavatory Faucet With Pop Up(Middle)



**TLS02305D**

Single Lavatory Faucet With Pop Up(Tall)



**TBS02302D**

Exposed Mixing Faucet (bath & Shower )




**TBS02301B**

Exposed Mixing Faucet Shower



**TRS02301D**

Single lever Bidet Faucet.



**TLS02307D**

Wall Mounted Single Lavatory Faucet (Short) (w/o Waste Fitting)



**TLS02308D**

Wall Mounted Single Lavatory Faucet (Long) (w/o Waste Fitting)




**TLS02201D**

Wide Spread Faucet -Two Handle Lavatory Faucet




**TBS02303B**

Concealed Shower Mixer (with Valve)



**TBS02304B**

Concealed Shower Mixer (with Valve)



**TBS02001D**

Bath Spout



**MINI UNIT**

Ø112mm

mass  
710g




**COCKTAIL - SERIES**

**TX115LKBR - SA**

Single lever Lavatory Faucet  
W/ Pop-Up Waste


Spout Opening  
Distance :  
Height : 77 mm  
Length : 115 mm



**TX116LKBR - SA**


Single lever Lavatory Faucet for Tall Vessel  
W/ Pop-Up Waste

Spout Opening  
Distance :  
Height : 230 mm  
Length : 115 mm




**TX474SKV1BR**

Single lever - Bath & Shower Mixer



**TX471SKV1BR**


Single lever - Shower Mixer



**TX303BKBR - SA**

Single lever Bidet Faucet  
W/ Pop-Up Waste


Spout Opening  
Distance :  
Height : 76 mm  
Length : 138 mm



**TX447SKBR - SA**

Bath & Shower Set W/ Hand Shower  
( 4 Holes )


Spout Opening  
Distance :  
Height : 89 mm  
Length : 214 mm



**TX467SKBR**

Bath Filler ( 3 Holes )  
W/ Pop-Up Waste


Spout Opening  
Distance :  
Height : 89 mm  
Length : 214 mm



**TX119LKBR - SA**



2 Handle Lavatory Faucet ( 3 Holes )  
W/ Pop-Up Waste

Spout Opening  
Distance :  
Height : 59 mm  
Length : 115 mm





**TX473SKBR**

Thermostat  
Bath & Shower Mixer  
W/Diverter & Stop Valve





**TX451SKBR**

Thermostat  
Bath or Shower Mixer  
W/ Diverter & Stop Valve



**TX442SKN**

Single Lever  
Bath & Shower Mixer W/ Diverter



1 OUTLET

2 OUTLET

3 OUTLET

# SHOWER



## Concealed Thermostat

1 OUT LET	<p><b>TBV01407B</b> Concealed Thermostat and Volume Control Valve(Standard Type) *Need TBN01001</p>	<p><b>TBV02405B</b> Concealed Thermostat and Push Button Shut Off Valve (Contemporary Type) *Need TBN01001</p>	<p><b>TBV02403B</b> Concealed Thermostat and Volume Control Valve (Contemporary Type) *Need TBN01001</p>
	<p><b>TBV01408B</b> Concealed Thermostat and Diverter Valve with Shut Off (Standard Type) *Need TBN01001</p>	<p><b>TBV02406B</b> Concealed Thermostat and Push Button Shut Off Valve (Contemporary Type) *Need TBN01001</p>	<p><b>TBV02404B</b> Concealed Thermostat and Diverter Valve with Shut Off (Contemporary Type) *Need TBN01001</p>
	<p><b>TBV01406B</b> Concealed Thermostat Valve (Standard Type) *Need TBN01001</p> <p>+</p> <p><b>TBV01102B</b> 3 Way Diverter for Thermostat 3 Outlet *Need TBN01101</p>	<p><b>TBV02401B</b> Concealed Thermostat Valve (Contemporary Type) *Need TBN01001</p> <p>+</p> <p><b>TBV02102B</b> 3 Way Diverter for Thermostat 3 Outlet *Need TBN01101</p>	<p><b>TBV02402B</b> Concealed Thermostat Valve (Contemporary Type) *Need TBN01001</p> <p>+</p> <p><b>TBV02105B</b> 3 Way Diverter for Thermostat 3 Outlet Use Switch Type *1 *Need TBN01001</p>
<p><b>TBN01001B</b> Mini Unit 710g 97mm x 113mm</p>		<p><b>TBN01101B</b> Valve Unit for 3 Way Diverter w/On/Off Valve</p>	

## G " SELECTION SHOWER - ( ROUND )

### TBW01003D

Wall-Mount Shower Head \*3  
(1 Modes)



\*3 Fall Prevention Feature

### TBW01004D

Wall-Mount Shower Head \*3  
(2 Modes)



\*3 Fall Prevention Feature


### TBW01003D1

Ceiling Mount Shower Head  
Diameter : 220mm




### TX491SNK

Ceiling Mount Shower Head  
(L= 200 mm, Ø= 250 mm) (Wall Type )  
(L= 400 mm, Ø= 250 mm) (Wall Type )



### TX488SZ

Fixed Shower Head W/Pipe  
(L= 400 mm, Ø= 250 mm) (Wall Type )



● Matt Black

### TBW01013D

Wall-Mount Shower Head \*3  
(5 Modes)




\*3 Fall Prevention Feature

Another Model : TBW01012D (1 Mode)

### TBW01008D


Wall-Hung Hand Shower  
(1 Modes)



● Matt Black

### TBW01010D

Wall-Hung Hand Shower \*4  
(3 Modes)



\*4 Safety Design Resin Hanger

### TBW01018B

Hand Shower Set  
(w/ Hand Shower, Hose & Holder)  
(5 Modes)



### TBW01014T


Wall Outlet



● Matt Black

### TX472SIV1

Wall Outlet



● Matt Black

### TBW01016B

Sliding Rail \*4  
Durable Quality



\*4 Safety Design Resin Hanger

### TBW07019A

Sliding Rail \*4  
Durable Quality



\*4 Safety Design Resin Hanger

Warm Spa

Comfort Wave

Active Wave

Heat Protect

Safety Thermo

## HEAD SHOWER



A brand new shower system. Water like a warm cloak.  
The feeling of a warm bath, in a shower. This is the power of WARM SPA.  
A single pillar of warm water running quietly from the showerhead. When water hits the body, it follows the curves and envelops it without a splash.  
A completely new shower experience. warming your body efficiently.

نظام دش جديد. نفضية فعالة من الماء دافئ.

Control the water's flow interior.

التحكم في تدفق المياه.

Utilizing a unique interior structure, the flow of water is controlled to provide a smoother shower.

الشعور بالحمام الدافئ أثناء الاستحمام هذه هي قوة WARM SPA.  
عمود واحد من الماء الدافئ يجري بهدوء من طاسة الدش. وعندما يلامس الماء الجسم و يتبع منحنيات الجسم ويغلفه دون دثائر. و هي تجربة استحمام جديدة تمامًا. تدفق جسمك بشكل فعال.

That Quality : Only TOTO

The image depicts how the body warms up. The red area shows the warm parts of the body. Compared to conventional showers, it is evident that the WARM SPA warm the body more efficiently.




الجودة: TOTO  
تصور الصورة كيف ترتفع درجة حرارة الجسم. تظهر المنطقة الحمراء الدافئة من الجسم. بالمقارنة مع طاسات الدش التقليدية. من الواضح أن WARM SPA يسخن الجسم بشكل أكثر كفاءة.



Choose your ideal showering experience at the touch of a switch.

For the hand shower we installed a switch right at your fingertip. In hand shower you can change easily between WARM SPA / COMFORT WAVE / ACTIVE WAVE.  
Feel free to enjoy the perfect shower for your mood.

اختر تجربة الاستحمام المثالية الخاصة بك بلمسة مفتاح.  
بالنسبة للاستحمام اليدوي. قمنا بتثبيت مفتاح في متناول يدك يمكنك التبديل بسهولة بين WARM SPA / COMFORT WAVE / ACTIVE WAVE.  
لا تتردد في الاستمتاع باستخدام مثالي لمراجك.



Create a pleasant shower experience that is safe for everyone.






TOTO uses a unique structure developed through continuous research to prevent the various risks associated with taking a shower.










مسام غلق  
Attached with screw

اصنع تجربة استحمام ممتعة وآمنة للجميع.  
تستخدم TOTO بنية فريدة من نوعها صنعت من خلال البحث المستمر لمنع مختلف المخاطر المرتبطة بالاستحمام.

## L" SELECTION ACCESSORIES - ROUND

<u>YS406N5C</u>	<u>YRH406C</u>	<u>YH406RC</u>
	<p>Robe Hook Size : 40 X 55D mm</p> 	<p>Paper Holder Size : 165W X 55D X 83H mm</p> 
<u>YTT406C</u>	<u>YTS406BC</u>	<u>YT406S6RC - YT406S4RC</u>
<p>Towel Ring Size : 145 X 55D mm</p> 	<p>Towel Shelf Size : 560W X 200D X 90H mm</p> 	<p>Towel Bar S6 Size : 650W X 55D X 40H mm</p>  <p>Towel Bar S4 Size : 400W X 55D X 40H mm</p> 

## L" SELECTION ACCESSORIES - SQUARE

<u>YS408N5C</u>	<u>YRH408C</u>	<u>YH408RC</u>
	<p>Robe Hook Size : 40 X 55D mm</p> 	<p>Paper Holder Size : 165W X 55D X 83H mm</p> 
<u>YTT408C</u>	<u>YTS408BC</u>	<u>YT408S6RC - YT408S4 RC</u>
<p>Towel Ring Size : 229W X 55D X 99H mm</p> 	<p>Towel Shelf Size : 560W X 200D X 90H mm</p> 	<p>Towel Bar S6 Size : 650W X 55D X 40H mm</p>  <p>S4 Size 400W X 55D X 40H mm</p> 

## G" SELECTION SHOWER - ( SQUARE )

<p><u>TBW02003D</u> Wall-Mount Over Head Shower *3 (1 Modes)</p>  <p>*3 Fall Prevention Feature</p>	<p><u>TBW02004D</u> Wall-Mount Shower Head *3 (2 Modes)</p>  <p>*3 Fall Prevention Feature</p>	
<p><u>TBW02003D1</u> Ceiling Mount Shower Head 210x210mm</p> 	<p><u>TBW02012B</u> Sliding Rail *4</p>  <p>*4 Safety Design Resin Hanger</p>	
<p><u>TBW02005D</u> Wall-Hung Hand Shower *4 (1 Modes)</p>  <p>● Matt Black *4 Safety Design Resin Hanger</p>	<p><u>TBW02006D</u> Wall-Hung Hand Shower *4 (3 Modes)</p>  <p>*4 Safety Design Resin Hanger</p>	
<p><u>TBW02013B</u> Wall Union Inlet</p>  <p>● Matt Black</p>	<p><u>TBW008009A</u> Wall Outlet w/o Shower Hanger</p>  <p>● Matt Black</p>	<p><u>TBW02001A</u> Shower Column w/ 2 Mode Fixed</p> 

Active Wave

Heat Protect


Safety Thermo

● Matt Black

## ACCESSORIES


### **TX2AV1B**

Product Name : Corner Soap Basket  
Size : 207W X 160D X 33H mm




### **YTS903B8**

Product Name : Towel shelf with Rail  
Size : 600W X 201D X 100Hmm




### **UTR421S**

Janitor Rack  
600W X 307D X 800H mm



### **UTR422S**

Janitor Rack  
600W X 94D X 1600H mm



### **TYC423WC**

Product name : Clean Dry High Speed Hand Dryer without Heater (Double-side)  
Power : 230V  
Weight : 7.4 kg  
Material : PP Plastic  
Size : 300W X 186D X 550H mm




### **TYC602**

Product name : High Speed Hand Dryer (Wall Embedded Type)  
Air Heater : On / Off / Drying Time : 5 - 9 Sec  
Power : AC 220 - 240V  
Weight : 7.6kg  
Material : SUS304  
Size : 320W X 164D X 575H mm




### **TYC322W**

Product name : High Speed Hand Dryer with Drain Tank  
Air Heater : On / Off - Drying Time : 5 - 9 Sec  
Power : AC 220 - 240V  
Weight : 3kg - Material : Aluminium  
Size : 245W X 134D X 226H mm



### **TYC122W**

Product name : Hand Dryer with Heater  
Drying Time : 5Sec  
Power : 220 - 240V  
Weight : 3kg  
Material : PP Plastic  
Size : 245W X 154D X 226H mm



### **TYC322M**

Product name : High Speed Hand Dryer  
Air Heater : On / Off  
Drying Time : 5 - 9 Sec  
Power : AC 220 - 240V  
Weight : 3kg  
Material : Aluminium  
Size : 245W X 134D X 226H mm



### **TYC322WF**


Product name : High Speed Hand Dryer  
Air Heater : On / Off  
Drying Time : 5 - 9 Sec  
Power : AC 220 - 240V  
Weight : 3kg / Material : PP Plastic  
Size : 245W X 154D X 226H mm



## PAPER HOLDER

### **DS713U # S.S**

Product Name : Small embedded Stainless Steel Paper Holder & Tissue Dispenser + Bin  
Material : SUS304  
Size : 350W X 150D X 1200H mm




### **DS712U # S.S**

Product Name : Small embedded Stainless Steel Paper Holder & Tissue Dispenser + Bin  
Material : SUS304  
Size : 340W X 140D X 750H mm




### **DSP41**

Product Name : Paper Holder  
Material : Brass  
Size : 105W X 70D X 62H mm




### **YH116**

Product Name : Paper Holder  
Material : Brass  
Size : 130W X 95D X 51H mm




### **TX720ACRB**

Product Name : Paper Holder  
Material : Brass  
Size : 165W X 90D X 65H mm




### **YKT300MN**

Product Name : Paper Towel Holder  
Material : Steel  
Size : 300W X 116D X 265H mm



### **YH63GWS**

Product Name : Roll Holder  
Material : Glass & Brass  
Size : 360W X 120D X 113H mm



### **DSP70W**


Product Name : Paper Holder  
Material : Brass  
Size : 285W X 79D X 46H mm



## SHOWER SPRAY

### TX403SECR - SA


Shower Spray With Safety Valve ( Chrome )



Available :  
TX 403 SEW - ( White )

### THX20SECR

Shower Spray ( Chrome )



### THX20MCRB SA

Shower Spray ( Chrome )



### THX20NB#N5

Shower Spray ( Black )



### THX20NB#W

Shower Spray ( White )



### YEW350

#### Travel Washlet

- 180ml reservoir (c.23 seconds' worth of washing)
- Size: 130mm (closed) 296mm (open)
- Color: white
- Weight: 250g (8.8 oz)
- Power: one AA battery, sold separatel



Normal Spray



Soft Spray



#### الشطاف المتنقل

- سعة 180 مل ( يعمل لمدة 23 ثانية متواصلة ) .
- القياسات : 130 ( مغلق ) 296 ( مفتوح ) .
- اللون : ابيض .
- الوزن : 250 غرام .
- يعمل بالبطارية مقياس AA .




## STOP VALVE

### TX 277SV1

Stop Valve


Size : 1/2"



### HAP004A

Stop Valve With Heavy Duty Flexible Hose


Size : 1/2"



## DISABLED TOILET AREA (MULTIPURPOSE HANDRAIL- S.S) ♿

### T113B6 V1

GRAB BAR  
90W X 600D X 86H mm



Another Model :

### T113B8

GRAB BAR  
90W X 800D X 86H mm

### T112C6 V1


GRAB BAR  
90W X 600D X 86H mm



Stainless Steel + White PVC Coated


### T113BL9 V1

GRAB BAR  
700W X 700D X 90H mm



### T112CL V1


GRAB BAR  
800W X 750D X 49H mm



Stainless Steel + White PVC Coated


### T113HK7 V1

GRAB BAR  
160W X 700D X 262H mm



### T112HK7 V1

GRAB BAR  
160W X 700D X 262H mm



Stainless Steel + White PVC Coated

### T113BU2 V1

HAND RAIL FOR URINAL  
600W X 550D X 480H mm



### T112BU2 V1

HAND RAIL FOR URINAL  
600W X 550D X 480H mm




Stainless Steel + White PVC Coated

## BACK CUSHION REST ♿



### EWC292

Product Name : Back Cushion Rest  
Size : 310W X 50D X 230H (mm)







# BATHTUB

## WASTE FITTINGS

DN012		DN010		
Push Pop-up Drainage Waste For Wash Basin 		Pop-up Drainage Waste For Washbasin 		
T6JV6		DL501SR S-TRAP	DL501P2S P-TRAP	
Pop up Waste For Basin 				
THX1B1N		THX1A-3N		
P-TRAP for Bidet - ( 288mm ) 		P-TRAP for Lavatory for 1 1/4" Pop-up waste Lavatory Faucet (262mm) 		
		Another Model Available THX1A-2N ( 308mm ) THX1A-3N ( 352mm )		
TX1DB	TX1DBV1	TX1DA	TX1DAV1	TX1CV2
Floor Drain W/ Squire Flange ( for 2" G.I Pipe ) ( 115 X 115 mm ) 	Floor Drain W/ Squire Flange ( for 2" G.I Pipe ) ( 115 X 115 mm ) 	Floor Drain ( for 2" G.I. Pipe ) ( Ø= 100.5 mm ) 	Floor Drain ( for 2" G.I. Pipe ) ( Ø= 100.5 mm ) 	Floor Drain With Mosquito Trap ( 131 X 131 mm ) 

## BATH TUB

PJYD2200PWE#GW

Exclusive features make every bath a luxurious occasion

مميزات حصرية تجعل كل حمام مناسبة فاخرة.



### NECK BATH

With variable pillow positions ensuring stability, people of all body shapes can enjoy the warmth of the bath from above the shoulders to the neck.

مع أوضاع الوسائد المتغيرة التي تضمن الاستقرار، يمكن للناس من جميع أشكال الجسم الاستمتاع بدفء الحمام من فوق الكتفين إلى الرقبة.

### وسادة المغطس



### AIR-JET

Fluctuating streams of air bubbles rise from below and envelop the body with a soothing sensation.

تتصاعد تيارات متقلبة من فقاعات الهواء من الأسفل وتلف الجسم بإحساس هادي.

### فقاعات الهواء



### LED LIGHTING

In the outer perimeter of the tub's base, LED LIGHTING supplies a dream-like ambience.

في المحيط الخارجي لقاعدة الحوض، توفر إضاءة LED أجواء تشبه الحلم.

### الإضاءة LED



### GALALATO MATERIAL

Offering outstanding durability, the tub is made of GALALATO artificial marble and constructed using TOTO's innovative sandwich configuration.

المواد المستخدمة توفر متانة رائعة حيث أن الحوض مصنوع من رخام GALALATO المكون من عدة طبقات.

### المواد المستخدمة



### CONTROLLER

The electrostatic CONTROLLER is operated by the slightest touch.

يتم تشغيل جهاز التحكم الإلكتروني بأدنى لمسة.



### التحكم



## BATH TUB

PJYD2200PWE#GW

Product Name : FLOTATION TUB WITH ZERO DIMENSION  
Capacity : 293L  
Size : 1050W x 2200D x 780H mm



### FEATURES :


1. ZERO DIMENSION gives you comfort, calm and indulgence in a moment of relaxation meditation.
2. Dynamic hydromassage randomly flowing around the target muscles encouraging a deep feeling of relaxation.
3. Variable cushion positions ensure stability and comfort.
4. AIR-JET, volatile streams of air bubbles envelop the body in a soothing sensation.
5. LED lighting creates a dream-like atmosphere in the outdoor surroundings of the aquarium base.

### المميزات :

1. ننحك ميزة ZERO DIMENSION الشعور بالراحة والهدوء والانغماس في لحظة التأمل من الاسترخاء.
2. تدليك مائي ديناميكي يتدفق بشكل عشوائي حول العضلات المستهدفة مما يشجع على الشعور العميق بالاسترخاء.
3. أوضاع وسادة متغيرة تضمن الاستقرار والراحة.
4. AIR-JET تيارات متقلبة من فقاعات الهواء التي تغلف الجسم بإحساس مهدئ.
5. توفر إضاءة LED أجواء تشبه الحلم في المحيط الخارجي لقاعدة الحوض.



### ZERO DIMENSION



### السباحة في الفضاء

الاستحمام مع خاصية ZERO DIMENSION يشعرك بانعدام الجاذبية والتخلص من الضغط على المفاصل والتشنج على الاسترخاء.

### The posture of an astronaut resting in space

ZERO DIMENSION bathing brings freedom from gravity, releasing stress on joints and encouraging ultimate relaxation.

### العقل في حالة هدوء

أظهرت الأبحاث أن وضعية الاستحمام ذات البعد صفر تقلل من النشاط في جزء من الدماغ الذي يضم وظيفة الإشارات هذا هو السبب في أن الاستحمام بتقنية ZERO DIMENSION يشعر بالهدوء والاسترخاء.

### The brain in a state of tranquility

Research has shown that the ZERO DIMENSION bathing posture reduces activity in the part of the brain that focuses the language function. This is the reason ZERO DIMENSION bathing feels calming and relaxing.



### RECLINE COMFORT



### Nestled in comfort feel your body and mind release into a state of tranquility :

The weight of the head releases into the headrest the body receives the sensation of a comforting embrace. The natural S-curve of the spine is maintained all along the neck and down the back, encouraging deep release. This position provides a deep sensation of ease and tranquility. It is a bathing experience that brings relaxation beyond expectations.


### الراحة : يجعل جسدك وعقلك في حالة من الهدوء

ينتشر وزن الرأس في مسند الرأس ويستعيد الجسم الإحساس بانحناء مريح. ويتم الحفاظ على الانحناء الطبيعي للعمود الفقري على طول العنق وأسفل الظهر. مما يشجع على إطلاق عميق. ويوفر هذا الوضع إحساساً عميقاً بالراحة والهدوء إنها تجربة الاستحمام التي غلب الاسترخاء إلى ما هو أبعد من التوقعات.

## BATH TUB

PPYD1720HPT

Product Name : Pearl Acrylic Bathtub with Hand Grip,  
Whirlpool, Air-Jet Massage and Illumination  
Capacity : 452L  
Size : W:1700 X D:1700 X H:800 (mm)



### FEATURES :


- Colored isinglass coating, creating various shine of Pearl luster effect.
- Luxuriously deep bathing well.
- Slip-resistant surface.
- Hand-grip on one side, considerate and delicate.
- Unique head rest, relaxing for bath.
- Air-jet caress your body gently and passionately.
- Surging massage whirlpool, more comfortable.
- Cast-acrylic construction, provides years of durability.

### المميزات :

- طلاء زجاجي ، مما يخلق تالفاً مختلفاً لتأثير بريق اللؤلؤ.
- حوض عميق فاخر للاستحمام.
- سطح مقاوم للانزلاق.
- قبضة اليد على جانب واحد .
- مسند رأس فريد مريح للحمام.
- AIR-JET تيارات متقلبة من فقاعات الهواء التي تغلف الجسم بأحاسيس مهدئ
- تدليك مائي مريح.
- هيكل من الأكريليك المصنوب يوفر سنوات من المتانة.

PPY1806HPWNE#S

Product Name : Pearl Bathtub (with legs & Hand Grip)  
Capacity : 330L  
Size : W:1800 X D:866 X H:645 (mm)



### FEATURES :


- Independent streamline form design looks simple and elegant.
- Divided into golden electroplating and silver electroplating; The one with golden electroplating is classical, and another with silver electroplating is modern.
- The surface of the bathtub divides into the colors of snow white and pearl white, and meets the demands of various kinds of customers.
- The laser trademark of the overtopping shell is more attractive.

### المميزات :

- تصميم مستقل أنيق.
- يتوفر بطالين طلاء ذهبي يعطي طابع كلاسيكي فخم وطلاء فضي يعطي طابع حديث.
- ينقسم سطح البانيو إلى ألوان الثلجية أبيض / لؤلؤي أبيض ، ويلبي متطلبات أنواع مختلفة من العملاء.
- العلامة التجارية الليزرية للغطاء العلوية أكثر جاذبية.

PPY1710HPE#P

Product Name : Pearl Acrylic Bathtub  
\* Includes Hand-Grips, Slip-Resistance Surface  
Capacity : 184L  
Size : W:1700 X D:800 X H:595 (mm)



### FEATURES :

- Pearl® coating and transparent acrylic sheet create shiny jewel-like appearance.
- Designed in accordance with unique ergonomics, providing comfortable bathing.
- Luxuriously deep bathing well.
- Slip-resistant surface.
- Handgrips on both side, considerate and delicate.
- Thick layer attached on the back providing good thermal insulation.
- Light and easy to be installed.
- Cast-acrylic construction, provides years of durability.


### المميزات :

- طلاء لؤلؤي ولوح أكريليك شفاف يخلقان مظهرًا لامعًا.
- محسوم وفقًا لبنية العمل الفريدة ، مما يوفر استحسانًا مريحًا.
- حوض عميق فاخر للاستحمام.
- سطح مقاوم للانزلاق.
- مقابض على كلا الجانبين.
- طبقة سميكة ملحقة على الظهر توفر عزل حراري جيد.
- خفيف وسهل التركيب.
- هيكل من الأكريليك المصنوب ، يوفر سنوات من المتانة.

## BATH TUB

PPYD1543-4HPW#P / PPY1543-4HP#P

Product Name : Bubble & Whirlpool Massage Pearl Bathtub  
Capacity : 315L  
Size : W:1500 X D:1500 X H:800 (mm)



### FEATURES :


- Unique scallop design, innovative and unconventional.
- Pearl material endows charming natural gloss.
- Non-slip surface for safety usage.
- Removable skirt for easy installation.

### المميزات :

- تصميم على شكل صدفة فريد ومبتكر وغير تقليدي.
- مادة اللؤلؤ تضفي لمعانًا طبيعيًا ساحرًا.
- سطح غير قابل للانزلاق للاستخدام الآمن.
- مخدة قابلة للإزالة لتسهيل التركيب.

PJY1604HPWE#MGI

Product Name : Reinforced Marble Free Standing Bathtub with Hand Grip  
Capacity : 450L  
Size : W:1650W X D:1650D X H:625 (mm)



### FEATURES :

- Stone appearance with dense texture gives you a natural feeling.
- Reinforced marble series promise a clean, beautiful and smooth quality.
- Handle installed with the bathtub, beautiful and easy to use.
- Faucets not Included
- Slip Resistance Surface
- Waste Fittings Included


### المميزات :

- ينحك مظهر الحجر مع نسج كثيف شعورًا طبيعيًا.
- جودة الرخام المقوى نظيفة وجميلة وسلسة.
- مقبض مثبت بالحوض ، جميل وسهل الاستخدام.
- سطح مقاوم للانزلاق
- تركيبات التصريف مشمولة .
- الحنفيات غير مشمولة

## SPARE PARTS


### THX919

Slip-In Connector for S-Trap Toilet




### THX918

Slip-In Connector for S-Trap Toilet



### THX917

Slip-Connector for S-Trap Toilet




### TCP16

Matching with Water Closet Model : C636




### T53P100

Wall Flange With Seal Gasket




### T53WR100

Matching with Water Closet Model's : CW992 - CW989




### T64CW

Wall Flange With Seal Gasket



### TX215C

Slip-In Connector




### TL510ER

Brackets & Screws



### TL220D

Hangers & Screws



### TSPO225W

Bracket & Screws



## BATH TUB


### PPYB1810LHPT

Product Name : Pearl Acrylic Non - Apron Bathtub with Hand Grip, and Air-Jet Massage  
Capacity : 209L  
Size : W:1800 X D:870 X H:630 mm  
W:1600 X D:870 X H:630 mm




### PJY1704HPWE#GW

Product Name : Reinforced Marble Free Standing Bathtub with Hand Grip  
Capacity : 335L  
Size : W:1700W X D:800D X H:585 mm




### PAY1750HPE#W

Product Name : Acrylic Bathtub  
Capacity : 157L  
Size : W:1700 X D:800 X H:555 (mm)




### PPY1760HPE#W

Product Name : Pearl Bathtub  
Capacity : 230L  
Size : W:1700 X D:800 X H:600 (mm)



### PJW1714PW

Product Name : BASIC+ Freestanding Bathtub  
Capacity : 275L  
Size : W:1695 x D:835 x H:565 mm



## RECOMMEND



<p>NEOREST - NX</p>  <p>CS 901KVT</p>	<p>FLOTATION TUB</p>  <p>PJYD2200PWE</p>
<p>CONSOLE LAVATORY</p>  <p>LW4724E</p>	<p>FLOOR STANDING BATH &amp; SHOWER SET</p>  <p>TBP01301A / TBN01105B</p>
<p>AUTO FAUCET</p>  <p>TLP01701J / TLP01702S</p>	<p>ACCESSORIES</p>  <p>YT902S6C</p>
<p>SHOWER</p>  <p>TBW01005B / TBN01002B</p>	<p>ACCESSORIES</p>  <p>YH902C</p>
 <p>TBW02017A</p>	 <p>TBV02402B / TBN01001B</p>
 <p>TBV02105B / TBN01001B</p>	 <p>TBV02402B / TBN01001B</p>

## RECOMMEND



<p>NEOREST - AH</p>  <p>CS 989VT / TCF9788WZ</p>	<p>FREE STANDING BATH TUB</p>  <p>PJY1744HPWE</p>
<p>CONSOLE LAVATORY</p>  <p>L1716</p>	<p>FLOOR STANDING BATH &amp; SHOWER SET</p>  <p>TBG02306A / TBN01105B</p>
<p>LAVATORY FAUCET</p>  <p>TLG02307B</p>	<p>ACCESSORIES</p>  <p>YH63SDT1</p>
<p>SHOWER</p>  <p>TBW02406B / TBN01001B</p>	 <p>TBW02004BA</p>
 <p>TBW02006A</p>	 <p>YR903C</p>
	 <p>YT903S6C</p>



كتالوجات

**Al Omran Trading Co. Sanitary Ware**

الرقم الموحد : 8001240343 Tollfree No :

Web : [www.alomrangroups.com](http://www.alomrangroups.com)

Email : [info@alomran.sa](mailto:info@alomran.sa) - [project@alomran.sa](mailto:project@alomran.sa)



فروعنا

## RECOMMEND



NEOREST - NH I



CW992VA / TCF992WA

NEOREST - LE II



CW996P / TCF996WA

CONSOLE LAVATORY



LW3716HY



LW4716RE

LAVATORY FAUCET



TLP02304B

FREE STANDING BATH TUB



PJY1886HPWMNE

SHOWER



TBW01005B/TBN01002B

FLOOR STANDING BATH & SHOWER SET



TBP02302B-1/ TBN01001B



TBW02017B

ACCESSORIES



TBV02105B / TBN01001B



YH903S6C



TBV02402B / TBN01001B



YH903C