



شركة عبد الرحمن وعبد الكريم العمران للأدوات الصحية
AL-OMRAN TRADING CO. FOR SANITARY WARE

TOTO
Life Anew

GENERAL CATALOGUE

2025

TOTO

HISTORY



1912

Established ceramic sanitary ware laboratory and began manufacturing sanitary ware.



1917

TOYO TOKI CO. LTD. was established by Kazuchika Okura, which is later renamed TOTO.



1923

The Great Kanto Earthquakes strikes devastating Tokyo. A sewage system is built during the reconstruction, leading to a rapid growth in demand for sanitary wares.



1946

After World War II, TOTO begins producing metal fittings and faucets in addition to ceramic.



2008

TOTO Asia Oceania Pte Ltd. is established as the regional headquarters of the Middle East, South Asia, South East Asia and Oceania.



1993

NEOREST toilet is launched incorporating WASHLET with a broad range of TOTO's innovation. It brings with it fullest realization yet of the principle of Clean Technology.



1980

TOTO launches WASHLET providing consumers with a whole new level of cleanliness and comfort.



2017

TOTO exhibited at the ISH2017 - the world's largest international trade fair in Frankfurt, Germany for sanitary wares, and renewable energy.



2015

On the 100th anniversary, TOTO Museum in Kitakyushu was opened. Showcases the evolution of business and its products. The museum features a historical landmarks that changed Japanese bathroom culture from rural to urban. TOTO aims to promote this complex as a connection for customers and clients.



2013

TOTO Asia Oceania launches its first Technical Center in Singapore. It serves to introduce TOTO's latest product and technologies to customers.



2019

Ever since the launched from 1980s, WASHLET design and features keeps improving from customers and clients experiences. By 2019 over **50 millions** units had been sold.



2021

"The Security of Touchless" concept is launched



2022

Ever since the launched from 1980s, WASHLET design and features keeps improving from customers and clients experiences. By 2022, over **60 millions** units had been sold.

" INNOVATIVE "
throughout the Next Century

المقدمة :

تعتبر شركة العمران للأدوات الصحية واحدة من أكبر الشركات ليست على مستوى المملكة فحسب بل وعلى مستوى الشرق الأوسط ، وهي أحدى شركات مجموعة عبدالرحمن عبد الكريم صالح العمران للتجارة والصناعة وهي شركة رائدة في مجال الأدوات الصحية والسباكه، ومنذ أن تأسست الشركة قرابة الخمسين عاماً أخذت على عاتقها مبدأ الحرص على تقديم كل ما هو جديد في مجال التقنيات الحديثة الخاصة بالأدوات الصحية.

ومنذ تأسيس الشركة حافظت على إستقلاليتها كشركة سعودية 100% بكمال حصصها وقد حققت إنجازات كبيرة وعظيمة أكسبتها ثقة العملاء فاشتهرت بخدماتها لكل الشرائح وطبقات المجتمع، كما أن رؤية المجموعة هي توفير جميع منتجات الأدوات الصحية والسباكه ذات الجودة العالمية بما يواكب التطورات العصرية من مختلف العلامات التجارية من عدة دول رائدة في نفس المجال مثل ايطاليا، المانيا، الصين، بريطانيا، امريكا واليابان .. وغيرهم من الدول والتي تكون مكملة لما تقوم به المجموعة في مجال التصنيع حيث أنها تمتلك واحدة من أكبر المجمعات الصناعية الموجودة داخل المملكة والشرق الأوسط، فهي رائدة في إنتاج بلاط السيراميك والبورسلان بمختلف المقاسات من جدران وأرضيات وأحزمة الديكور والتي تناسب كافة الأذواق ، وايضاً تقوم بصناعة السخانات بساعات لترية مختلفة وايضاً تنتج أنواع مختلفة من المواسير والفتنق البلاستيك PPR, PVC, CPVC .. وتكون مكملة لكل هذا تم حصول المجموعة على وكالة شركة «TOTO» اليابانية وهذا يعبر عن التزام المجموعة أمام عملائها لتوفير أفضل التقنيات والابتكارات العالمية داخل المملكة بمفهوم جديد لترشيد والحفاظ على الطاقة وموارد البيئة في آن واحد .

شركة «TOTO» دائماً في تحسين نوعيه الحياة للجميع وغنية بالابتكارات والابداعات وهذا ما تبحث عنه على مر قرن من الزمن تقريباً كما أنها غيرت تصور شكل الحمام وكيفية استخدامه.

شركة «TOTO» تضع الابتكار في أولوياتها مما يساعد في توفير حلول تتميز بأنها اقتصادية من حيث القيمة والجودة بالإضافة إلى أنها صديقة للبيئة، وهذه التقنيات ظهرت في جميع منتجاتها لتساعد على توفير الطاقة والماء، كما تم تزويد منتجات شركة «TOTO» ببعض المواصفات التكنولوجية المتقدمة وهو ما يتواافق بشكل تام مع قيم شركة العمران بتعزيز الاستدامة وتفعيل المسؤولية البيئية في جميع الأسواق التي تعمل بها.

التطور المستمر لشركة «TOTO» جعلتها في الصدارة عالمياً من حيث عدد مستخدمي منتجاتها، حيث أن تم تركيب منتجاتها في أكثر من ثمانين مطاراً عالمياً والتي تعد أكثر المطارات ازدحاماً على مستوى العالم مثل (مطار هونج كونج، مطار دبي، مطار طوكيو، مطار جون كندي وأغلب مطارات أميركا ، كندا، الصين وم معظم دول شرق اسيا .. وغيرها من الدول في معظم أنحاء العالم، كما أن منتجاتها دخلت أيضاً في الفنادق العالمية مثل (الفور سيزون، شيراتون، هيلتون، حياة ريجنسي، انتركونتننتال، جميرا، الريتز كارتون والماريوت.. وغيرها ، وايضاً تم تركيب هذه المنتجات في الأسواق والمجمعات التجارية والمولات المزدحمة بزوارها وكذلك في كثير من الاماكن العامة حول العالم لقوه تحملها وجمال موديلاتها، كما أن اهتمت بإنتاج الإكسسوارات الخاصة لذوي الاحتياجات الخاصة من الأطفال لكتاب السن والتي تتناسب مع متطلبات المستشفيات والمنتجعات الصحية والأماكن العامة.

Introduction :

Al-Omran Sanitary Ware Company is one of the largest sanitary ware companies not only in the Kingdom, but also in the Middle East. It is one of the companies of Abdul Rahman and Abdul Karim Saleh Al-Omran Group for Trade and Industry. It is a leading company in the field of sanitary ware and plumbing, Since the company was founded for more than fifty years, it has taken upon itself the principle of keenness to provide everything new in the field of technologies for sanitary ware.

Since the establishment of the company, it has maintained its independence as a 100% Saudi company with all its shares, and it has made great achievements that have earned it the confidence of customers, so it is famous for its services to all segments and classes of society .The vision of the group is to provide all high-quality sanitary ware and plumbing products in line with modern developments from various brands from several leading countries in the same field such as Italy, Germany, China, Britain, America, Japan ... and other countries that are complementary what the group does in the field of manufacturing,As it owns one of the largest industrial complexes located inside the Kingdom and in the Middle East, as it produces ceramic and porcelain tiles in various sizes, including walls, floors and decorative belts that suit all tastes, and also manufactures heaters with different liter capacities and also produces different types of pipes and plastic fitting (PPR - PVC - CPVC) ,complementing all this, the group obtained the agency of the Japanese company "TOTO", and this reflects the group's commitment to its customers to provide the best technology and global innovations within the Kingdom with a new concept to rationalize and conserve energy and water at the same time.

TOTO has always wanted to improve the quality of life for all, rich in innovations and it has been looking for almost a century. TOTO has changed the perception of what a bathroom can look like and how to use it

TOTO puts innovation at the forefront of its priorities, helping to provide solutions that are economical in terms of value, quality which's environmentally friendly. This technology is shown in all its products to help save energy and water in its facilities to provide safe and healthy toilets. TOTO products are equipped with some advanced technological specifications are fully compatible with Omran's values to enhance sustainability and activate environmental responsibility in all the markets in which we operate.

This development has made TOTO the world leader in terms of the number of users of its products as its products have been installed in more than 80 international airports, which are among the most crowded airports in the world such as (Hong Kong Airport / Dubai Airport / Tokyo Airport / Most of the airports of America / Canada / China and most of the East Asian countries) and other countries in most parts of the world , Its products have also entered the international hotel chain (Four Seasons, Sheraton, Hilton, Hyatt Regency, InterContinental, Jumeirah, Ritz Carton, Marriott and others). These products have also been installed in markets, shopping malls and busy malls, as well as in many public places around the world. The company TOTO is interested in producing the special tools and accessories needed by children, people with special needs and the elderly, which are suitable for the requirements of hospitals, health resorts, therapeutic and public places.



Always Innovating to Spread a Culture of Everyday Comfort and Cleanliness.

Since its launch in the 1980s, WASHLET has continually evolved through the invention of countless innovative clean technologies. This is also our history of creating and spreading around the world a new culture of comfort and cleanliness. TOTO will continue pursuing technological innovation and design development to make the lives of people every where fresher and richer.

نسعى دائمًا إلى الابتكار لنشر ثقافة الراحة والنظافة اليومية.

منذ إطلاقها في الثمانينيات، تطورت منظومة أغطية WASHLET باستمرار من خلال اختراع عدد لا يحصى من التقنيات النظيفة المبتكرة. وهذا أيضًا هو تاريخنا في إنشاء ونشر ثقافة جديدة من الراحة والنظافة حول العالم. وستواصل TOTO متابعة الابتكار التكنولوجي وتطوير التصميم لتحقيق وجعل حياة الناس في كل مكان أكثر نظارة وثراء.

The Birth of a Revolutionary Product



1980



NEOREST® RS

NEOREST® AS

NEOREST® LS

NEOREST® NX

NEOREST® WX

COMFORT TECHNOLOGY



TECHNOLOGIES

التقنيات

TORNADO FLUSH

Powerfully ejects a stream of waster from a spout near the rear of the toilet bowl, which is where waste accu-mulate most easily, throughly cleansing this area and than washing the entire bowl.




تصريف كالاعصار

هو عباره عن فتحتين في الجزء العلوي الداخلي من المرحاض تولد قوه دفع قوية تؤدي الى تنظيف بقوه دفع عاليه تغطي كافة اجزاء المرحاض بأقل كمية من الماء ويعمل تلقائياً بعد كل استخدام وكذلك يعمل يدوياً في حالة انقطاع التيار الكهربائي عن طريق ضغطة داخلية.

CEFIONTECT

Glass layers are burned onto conventional glaze, making CEFIONTECT an extremely durable material. Hydrophilic describes organisms and materials that attract water. CEFIONTECT is hydrophilic. Water spreads easily over the toilet bowl, so waste particles easily wash away.



سطح ناعم

طبقة صقل خاصة تطبق قبل عملية حرق السيراميك وتعالج كلياً مع السيراميك في عملية الحرق وينتج عنه سطح فائق النعومة ويعن تراكم الأوساخ . ما يجعل السيراميك يحافظ على لمعانه لفترات زمنية طويلة . ويساعد على سهولة التنظيف واستهلاك أقل من مواد التنظيف

PREMIST

It is an automatically system to spray water on the toilet bowl before and after use, making it difficult for dirt to stick.



هو نظام رش رذاذ الماء أوتوماتيكيأً على جسم الكرسي من الداخل قبل وبعد الاستخدام ما يجعل من الصعب التصاق الأوساخ على جسم الكرسي



RIM LESS

The unique RIMLESS design not only leaves no place for waste and germs to hide. It also makes for a much easier to clean toilet.




تصميم بلا حواف

تم تصميم الجزء الداخلي بلا حواف ما يجعل امكانية الوصول لكافه الاجزاء الداخلية للكرسي اسهل ما يسهل عملية التنظيف ويعن تراكم البكتيريا والأوساخ .

EWATER + BOWL & WAND & UNDER SEAT

It is a system for cleaning the Wand and Bowl and Under seat the using EWATER+ technology, which is electrically treated water that produces vibrations that eliminate bacteria before and after each use, or every 8 hours when not in use.



ماء معالج كهربائيأ للحوض والعصاء وخت المقد

هو نظام لتنظيف عصاء التشطيف وحوض الكرسي وخت المقعد بتقنية EWATER+ وهي ماء معالج كهربائيأً ينتج عنه ذبذبات تقضي على البكتيريا قبل وبعد كل استخدام أو كل 8 ساعات في حالة عدم الاستخدام.



TECHNOLOGIES

التقنيات

AIR-IN WONDER WAVE

It is a stick made of materials that contain silicone, which makes it anti-bacterial and effective for non-sticking dirt. It rinses in several waves suitable for all uses and at several levels at a suitable temperature for the body and is able to be cleaned and self-sterilized by EWATER + technology.



وحدة التشطيف

عبارة عن عصا مصنوعة من مواد خلوى على السيلكون مما يجعلها مضادة للبكتيريا وفعالة لعدم النساق الأوساخ. وتقوم بالتشطيف بعدة موجات تناسب كافة الاستخدامات وبعدة مستويات بدرجة حرارة مناسبة للجسم وهي قابلة للتنظيف والتعقيم الذاتي بواسطة تقنية EWATER +

DEODORIZER

Highly effective deodorizing automatically takes places inside the toilet bowl both during and immediately after use, leaving no disturbing odor.



مزيل الروائح الكريهة

هو نظام اوتوماتيكي يعمل على امتصاص الروائح الكريهة من جسم الكرسي

HEATED SEAT

The moment you approach the toilet, the seat begins rapidly warming to a comfortable temperature.




تدفئة سطح المقد

بمجرد أن تقترب من المرحاض يبدأ المقد بالتسخين للوصول إلى درجة حرارة مناسبة

WARM AIR DRYING

Enjoy the ease and comfort of the temperature adjustable warm-air dryer.




تجفيف بالهواء الدافئ

استمتع بالسهولة والراحة مع مجفف الهواء الدافئ القابل للتعديل بدرجة الحرارة.

AUTO OPEN / CLOSE & FLUSH

Eliminating the need to touch the toilet surfaces, the lid automatically opens and closes when the toilet approached and departed, and Auto Flush when you move away from the toilet



فتح / غلق - تصريف اوتوماتيكي

عندما تقترب من الكرسي يفتح بشكل تلقائي وسلس وعند الابتعاد يتم غلقه بشكل هادئ وبدون إزعاج وبدون ملمس ما يجعله صحي أكثر. كما أنه يتم التصريف تلقائياً عند الابتعاد عن المرحاض

SOFT LIGHT

Subdued lighting switches on when the toilet is approached, so users do not have to disturb themselves at night with a bright bathroom light.



إضاءة خافتة

تضيء الإضاءة الخافتة عند الاقتراب من المرحاض حتى لا يضطر المستخدمون إلى إزعاج أنفسهم في الليل بإضاءة الحمام الساطعة.

WATER SAVING

TOTO conserves water through efficient flushing technology, dirt-resistant coating, smart faucets, and water-saving toilets.



توفير استهلاك الماء

تعمل TOTO على الحفاظ على المياه من خلال تقنيات التدفق الفعال و الطلاء المقاوم للأوساخ والحنفيات الذكية. والراحيض الموفرة للمياه

NEOREST

نظرة عامة على وظائف كراسى

NEOREST - XH I	NEOREST - LS	NEOREST - LS	NEOREST - LS	NEOREST - AS	NEOREST - RS
CW992VL TCF992WA	CS911VL TCF87120GAA	CS911VL TCF87220GAA	CS911VL TCF87320GAA	CS921VT TCF85510GAA	CS921VT TCF83410GAA
SILVER	SILVER	NICKEL	BLACK	SILVER	WHITE
•	•	•	•	•	—
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	—
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
•	•	•	•	•	•
5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
•	•	•	•	—	—
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
TORNADO FLUSH	TORNADO FLUSH	TORNADO FLUSH	TORNADO FLUSH	TORNADO FLUSH	TORNADO FLUSH
4.5L/3.0L	3.8L/3.0L 4.5L/3.0L*	3.8L/3.0L 4.5L/3.0L*	3.8L/3.0L 4.5L/3.0L*	3.8L/3.0L 4.5L/3.0L*	3.8L/3.0L 4.5L/3.0L*
6, 9 HOURS	6, 9 HOURS	6, 9 HOURS	6, 9 HOURS	6, 9 HOURS	6, 9 HOURS
•	•	•	•	•	•
•	•	•	•	•	•

NEOREST

OVERVIEW OF NEOREST FUNCTIONS

PRODUCT MODEL	الموديل	NEOREST - WX	NEOREST - LE I	NEOREST - NX I	NEOREST - AH	
PRODUCT CODE	الكود	CWT927PZT TCF95380GAA	CWT994P TCF994WA	CS900VL CS900VL	CS989VL TCF9788WZ	
PRODUCT IMAGE	صورة المنتج					
REMOTE CONTROL	لوحة التحكم					
REMOTE CONTROL COLOUR	لون وحدة التحكم	SILVER	SILVER	SILVER	SILVER	
المظهر	AIR-IN WONDERWAVE	من جهود الماء	●	●	●	
	REAR CLEANSING	تنظيف خلفي	●	●	●	
	SOFT REAR CLEANSING	تنظيف خلفي ناعم	●	●	●	
	FRONT CLEANSING	تنظيف أمامي	●	●	●	
	WIDE FRONT CLEANSING	تنظيف أمامي واسع	●	●	●	
	OSCILLATING CLEANSING	التنظيف المتذبذب	●	●	●	
	PULSATING CLEANSING	تنظيف بالنبض	●	●	●	
	INSTANTANEOUS WATER HEATING	تسخين المياه الفوري	●	●	●	
	WATER PRESSURE CONTROL	التحكم بضغط الماء	5 SETTINGS	5 SETTINGS	5 SETTINGS	
	WATER TEMPERATURE CONTROL	التحكم بدرجة حرارة الماء	5 SETTINGS	5 SETTINGS	5 SETTINGS	
AIR	WAND POSITION ADJUSTMENT	ضبط موضع العصا	●	●	●	
	AIR PURIFIER (DEODORIZER)	امتصاص الروائح الكريهة	●	●	●	
	WARM AIR DRYING	مجفف	●	●	●	
	AIR TEMPERATURE CONTROL	التحكم بدرجة حرارة الهواء	5 SETTINGS	5 SETTINGS	5 SETTINGS	
المقعد	HEATED SEAT	مقعد دافئ	●	●	●	
	HEATED SEAT - TEMPERATURE CONTROL	التحكم بدرجة حرارة المقعد	5 SETTINGS	5 SETTINGS	5 SETTINGS	
	INSTANT HEATED SEAT	مقعد دافئ فوري	●	●	●	
SEAT SENSOR	SoftClose ® SEAT AND LID	غلق ناعم للغطاء	●	●	●	
	SEAT SENSOR	مستشعر المقعد	●	●	●	
	AUTOMATIC LID OPEN & CLOSE	فتح / غلق اتوماتيكي	●	●	●	
	AUTOMATIC FLUSH	تصريف تلقائي	●	●	●	
	SOFT LIGHT	ضوء خافت	●	●	●	
REMOTE CONTROL	REMOTE CONTROLLED SEAT	وحدة تحكم المقعد	●	●	●	
التعقيم	CEFIONTECT®	سطح مقصوق	●	●	●	
	EWATER+® For Bowl	تنظيف وعاء الكرسي	●	●	●	
	EWATER+® For Wand	تنظيف العصا	●	●	●	
	EWATER+® Under Seat	تنظيف لغطاء الكرسي	—	—	—	
	PREMIST®	رش ذاتي	●	●	●	
	RIMLESS	تصميم بلا حواف	●	●	●	
	BOWL CLEANING MODE	وضع تنظيف الوعاء	●	●	●	
HYGIENE	WAND CLEANING MODE	وضع تنظيف العصا	●	●	●	
	SELF-CLEANING WAND	عصا التنظيف الذاتي	●	●	●	
	ANTIBACTERIAL SURFACE	سطح مضاد للبكتيريا	●	●	●	
	FLUSHING TYPE	نوع التصريف		TORNADO FLUSH		TORNADO FLUSH
ENERGY SAVING	WATER USE	مقدار ماء التصريف	4.5L/3.0L	4.5L/3.0L	3.8L/3.0L	3.8L/3.0L
	ENERGY-SAVING TIMER	استهلاك الطاقة	6, 9 HOURS	6, 9 HOURS	6, 9 HOURS	6, 9 HOURS
	AUTO ENERGY SAVER	توفير الطاقة	●	●	●	●
	ON/OFF BUTTON	قفل / فتح	●	●	●	●

EWATER+

يمنع تراكم الفضلات على وعاء المرحاض، تعمل المياه المحللة كهربائياً على تقليل الفضلات والألواساخ التي لا يمكنك رؤيتها.



يفسح حوض المرحاض، حيث تراكم الفضلات وتتناثر بقعاً يمكن أن تصبح دائمة.

باستخدام أي مواد كيميائية أو عوامل تنظيف لا يترك EWATER+ للنفايات المجهزة مكاناً للاختباء ويوفر راحة البال اليومية.

كيف يقوم EWATER+ بالتنظيف

PREMIST يتم رش رذاذ ناعم من الماء العادي داخل المرحاض



بعد الاستخدام

نظراً لـن النفايات أقل قدرة على الالتصاق بالسطح المبلل فمن السهل غسلها



أثناء الاستخدام

يتم استخدام EWATER+ لفسح العصا ووعاء المرحاض وإزالة النفايات



قبل الاستخدام

يتم رش كل 8 ساعات من المستخدم الأخير



أثناء وضـم الاستعداد

تولـد من مـاء الصـنـوبـر



لا يستـخدـم أي منـظـفـاتـ او موـادـ كـيمـيـائـيـةـ



يعود إلى الماء الطبيعـيـ مع مرور الوقت



يمنع تراكم الفضلات على العصا وتفسح العصا نفسها من الداخل والخارج باستخدام تقنية +EWATER+ للحفاظ على الظروف الصحية

EWATER+

بعد كل استخدام يتم غسل العصا تلقائياً باستخـدامـ EWATER+ـ

يتم إجراء هذا التشطيف داخل العصا وكذلك حول الجزء الخارجي بالكامل حتى عندما لا يتم استخدام المرحاض. تقوم العصا بفسح نفسها بشكل دوري لضمان النظافة المستمرة وعدم تراكم البكتيريا.



آلية التنظيف الذاتي

أثناء وضـم الاستعداد قبل الاستخدام أثناء وضـم الاستعداد



الحـفـاظـ دائـماـ عـلـىـ النـظـافـةـ

العصـاـ مـصنـوعـةـ مـنـ موـادـ عـالـيـةـ الجـودـةـ وـمـقاـومـةـ للـنـفـاـيـاتـ كـمـاـ يـنـمـ رـشـهـاـ تـلـقـائـيـاـ بـعـدـ EWATER+ـ يـنـمـ رـشـهـاـ تـلـقـائـيـاـ بـعـدـ كلـ إـسـتـخـدـمـ،ـ الصـاصـ مـقاـومـةـ لـلـنـفـاـيـاتـ وـالـبـقـعـ،ـ عـلـىـ عـلـوـةـ عـلـىـ دـلـلـ تـلـقـصـ العـصـاـ بـفـطـاءـ الـكـرـسـيـ وـلـيـسـ بـالـعـامـ لـذـاـ فـيـ إـنـتـهـاءـ وـصـولـ الـنـفـاـيـاتـ إـلـيـهـاـ أـقـلـ،ـ عـلـىـ الرـغـمـ مـنـ أـنـ الـعـصـاـ دـاتـيـةـ التـنـظـيفـ فـسـوـفـ تـقـدـرـ مـدىـ سـوـهـةـ الـوصـولـ إـلـيـهـاـ وـمـسـهـاـ تـنـصـيـظـةـ.



تعمل تقنية EWATER+ على منع تراكم الفضلات التي يصعب رؤيتها أسفل مقعد المرحاض.

EWATER+

يـمـ رـشـ مـيـاهـ EWATER+ـ عـلـىـ جـزـءـ الـأـمـامـيـ مـنـ جـزـءـ الـخـلـفيـ لـمـقـعـدـ الـمـرـاحـلـ وـالـذـيـ يـتـسـخـ بـسـهـوـلـةـ

يساعد ذلك على منع البول والنفايات الأخرى من التحول إلى بقع صفراء للحصول على نظافة تدوم طويلاً. يسمح لك الرش البدوي السريع قبل التنظيف بإزالة النفايات بسهولة خفيفة.

دراسة استقصائية: تقييم النفايات الموجودة في الجزء الأمامي من الجزء الخلفي من مقعد المرحاض مع أو بدون EWATER+.
شروط الاستخدام: عدد مرات الاستخدام لمدة أسبوعين من قبل أسرة مكونة من أربعة أفراد (بدون تنظيف). تختلف النتائج وفقاً لمستخدام والظروف البيئية. جميع البيانات تم جمعها بواسطة TOTO توفر الخطوط المق�틉ة التي تم رش عليها EWATER+.



كيف يقوم EWATER+ بالتنظيف

PREMIST يتم رش رذاذ ناعم من الماء العادي داخل المرحاض



بعد الاستخدام

نظـراـ لـنـ النـفـاـيـاتـ أـقـلـ قـدـرـةـ عـلـىـ الـالـتصـاقـ بـالـسـطـحـ المـبـلـلـ فـمـنـ السـهـلـ غـسـلـهـاـ



أثنـاءـ الاستـخـادـمـ

يـمـ تـطـيـقـ EWATER+ـ لـفـسـلـ العـصـاـ وـعـاءـ المرـاحـلـ إـزـالـةـ النـفـاـيـاتـ



قبلـ الاستـخـادـمـ

يـمـ رـشـ كلـ 8ـ ساعـاتـ مـنـ الـسـتـخـدـمـ الـأـخـيـرـ



يصلـ EWATER+ـ إـلـىـ أـسـفـلـ

يـمـ رـشـ EWATER+ـ فـيـ جـمـيعـ أـنـاءـ وـعـاءـ المـرـاحـلـ مـعـ قـطـرـاتـ كـبـيرـةـ تـفـطـيـ سـطـحـ الـوـاءـ وـقـطـرـاتـ صـفـيرـةـ تـحـمـلـ تـيـارـاتـ الـهـوـاءـ وـتـحـلـ إـلـىـ الـقـسـمـ الـأـمـامـيـ مـنـ جـزـءـ الـخـلـفيـ مـنـ مـقـعـدـ الـمـرـاحـلـ



EWATER+



EWATER+ for BOWL




Suppresses the accumulation of waste on the toilet bowl.
Electrolyzed water reduces waste and dirt you can't see.

EWATER+

WASHES THE TOILET BOWL, WHERE WASTE TENDS TO ACCUMULATE AND PRODUCE STAINS THAT CAN BECOME PERMANENT.

Using no chemicals or cleaning agents, EWATER+ leaves microscopic waste no place to hide and provides everyday peace of mind.

How EWATER+ Cleans



EWATER+ for WAND



Suppresses the accumulation of waste on the wand.
The wand washes itself inside and out with EWATER+ to maintain hygienic conditions.

EWATER+

AFTER EACH USE,
THE WAND AUTOMATICALLY WASHES ITSELF WITH EWATER+.

This thorough cleaning occurs inside the wand as well as all around the exterior.
Even when the toilet is not being used, the wand periodically washes itself to ensure constant clean conditions.



Always Keeping Conditions Clean

Made of high-quality, waste-resistant resin and automatically sprayed with EWATER+ after each use, the wand is extremely resistant to waste and stains. What's more, the wand attaches to the seat, not the bowl, so waste is less likely to even reach it. Though the wand is self-cleaning, you will appreciate how easily you can reach it and wipe it spotless



Self-Cleaning Mechanism



EWATER+ for UNDER SEAT



EWATER+ suppresses hard-to-see waste underneath the toilet seat.

EWATER+

EWATER+ IS SPRAYED ON THE EASILY FOULDED FRONT SECTION OF THE BACKSIDE OF THE TOILET SEAT.

This helps suppress urine and other waste from becoming yellow stains, for long-lasting cleanliness. A quick manual spray before cleaning allows you to remove waste with a light wipe.



* Survey : Evaluation of waste on the front section of the backside of the toilet seat with and without use of EWATER+
* Usage conditions: A number of uses equivalent to usage for two weeks by a family of four (without cleaning)
* Results vary according to usage and environmental conditions. All data collected by TOTO. The dotted lines in the figure show the area over which EWATER+ is sprayed.

How EWATER+ Cleans

PREMIST, a fine mist of water is sprayed inside the toilet

Since waste is less able to adhere to a wet surface, it is more easily washed away

EWATER+ is applied to wash the wand and toilet bowl and remove waste

EWATER+ automatically sprayed 8 hours after the last use



EWATER+ reaches underneath the toilet seat.

EWATER+ is sprayed throughout the toilet bowl, with large droplets covering the bowl surface and small droplets carried by air currents reaching the front section of the backside of the toilet seat

NEOREST WX



YH63SD
Free Standing Double Toilet Roll Holder



NEOREST® WX

Wall Hung Smart Toilet

Bowl	CW927PZT
Seat Cover	TCF95380GAA
Flush System	Tornado Flush
Water Use	4.5L / 3.0L
Rough-in	180mm (P-TRAP)
Bowl Shape	Elongated
Size	449W X 675D X 447H mm
Power Rating	220~240V, 50/60Hz, 834~845W
Body Colour	White
Remote Colour	Silver



Silver



Required Items



WH175AEAT



MB177M



TECHNOLOGIES

التقنيات

TORNADO FLUSH		تصريف كالإعصار
CEFIONTECT		سطح ناعم
PREMIST		رش ذاتي
EWATER+ BOWL & WAND & UNDER SEAT		ماء معالج كهربائياً للوعاء و عصا التشطيف و أسفل المقد
AIR-IN-WONDER WAVE		مزج الهواء بالماء
RIM LESS		تصميم بلا حواف
DEODORIZER		إمتصاص الروائح الكريهة
HEATED SEAT		تسخين سطح المقد
DRAYER		مجفف
AUTO OPEN / CLOSE & AUTO FLUSH		فتح و غلق و تصريف تلقائي
SOFT LIGHT		إضاءة خافتة
WATER SAVING		توفير الماء

NEOREST® LE I

Wall Hung Smart Toilet

Bowl	CW994P
Seat Cover	TCF994WA
Flush System	Tornado Flush
Water Use	4.5L / 3.0L
Rough-in	180mm (P-TRAP)
Bowl Shape	Elongated
Size	423W X 675D X 460H mm
Power Rating	220~240V, 50/60Hz, 839~849W
Body Colour	White
Remote Colour	Silver



Silver



Required Items



WH036D



MB005DGN



TECHNOLOGIES

التقنيات

TORNADO FLUSH		تصريف كالإعصار
CEFIONTECT		سطح ناعم
PREMIST		رش ذاتي
EWATER+ BOWL & WAND		ماء معالج كهربائيا للوعاء و عصا التسطيف
AIR-IN-WONDER WAVE		مزج الهواء بالماء
RIM LESS		تصميم بلا حواف
DEODORIZER		إمتصاص الروائح الكريهة
HEATED SEAT		تسخين سطح المقعد
DRAYER		مجفف
AUTO OPEN / CLOSE & AUTO FLUSH		فتح و غلق و تصريف تلقائي
SOFT LIGHT		إضاءة خافتة
WATER SAVING		توفير الماء

NEOREST® NX I

Smart Toilet
Hybrid Ecology System

Bowl	CS900VL
Flush System	Tornado Flush
Water Use	3.8L / 3.0L
Rough-in	305mm (S-TRAP)
Bowl Shape	Elongated
Size	468W X 800D X 565H mm
Power Rating	220~240V, 50/60Hz, 835~845W
Body Colour	White
Remote Colour	Silver



Silver



TECHNOLOGIES

التقنيات

TORNADO FLUSH		تصريف كالإعصار
CEFIONTECT		سطح ناعم
PREMIST		رش ذاتي
EWATER+ BOWL & WAND		ماء معالج كهربائياً للوعاء و عصا التسطيف
AIR-IN-WONDER WAVE		مزج الهواء بالماء
RIM LESS		تصميم بلا حواف
DEODORIZER		إمتصاص الروائح الكريهة
HEATED SEAT		تسخين سطح المقعد
DRAYER		مجفف
AUTO OPEN / CLOSE & AUTO FLUSH		فتح و غلق و تصريف تلقائي
SOFT LIGHT		إضاءة خافتة
WATER SAVING		توفير الماء



CS911VL / TCF87320GAA - **NIKEL**



CS911VL / TCF87220GAA - **BLACK**



CS911VL / TCF87120GAA - **SILVER**

NEOREST® LS

CS911VL / TCF87320GAA - **NIKEL**



CS911VL / TCF87220GAA - **BLACK**



CS911VL / TCF87120GAA - **SILVER**



Smart Toilet

Hybrid Ecology System

Flush System	:	Tornado Flush
Bowl Shape	:	D-Shape
Size	:	411W X 725D X 497H mm
Rough-in	:	H=305mm - (S-TRAP)
Water Use	:	3.8L / 3.0L
Power Rating	:	220~240V, 50/60Hz, 835~863W

NOTE :


S-TRAP BOWL No : CS911VL

P-TRAP BOWL No : CS911PVL



reddot winner 2022

TECHNOLOGIES	التقنيات
TORNADO FLUSH	تصريف كالإعصار
CEFIONTECT	سطح ناعم
PREMIST	رش ذاتي
EWATER+ BOWL & WAND & UNDER SEAT	ماء معالج كهربائيًا للوعاء و عصا التسطيف و أسفل المقعد
AIR-IN-WONDER WAVE	مزج الهواء بالماء
RIM LESS	تصميم بلا حواف
DEODORIZER	إمتصاص الروائح الكريهة
HEATED SEAT	تسخين سطح المقعد
DRAYER	مجفف
AUTO OPEN / CLOSE & AUTO FLUSH	فتح و غلق و تصريف تلقائي
SOFT LIGHT	إضاءة خافتة
WATER SAVING	توفير الماء



NEOREST® AS

Smart Toilet
Hybrid Ecology System

Bowl	CS921VT
Seat Cover	TCF85510GAA
Flush System	Tornado Flush
Water Use	3.8L / 3.0L
Rough-in	305mm (S-TRAP)
Bowl Shape	Elongated
Size	386W X 691D X 528H mm
Power Rating	220~240V, 50/60Hz, 843~852W
Body Colour	White
Remote Colour	Silver

NOTE :

S-TRAP BOWL No : CS921VT
P-TRAP BOWL No : CS921PVT



Silver



TECHNOLOGIES

التقنيات

TORNADO FLUSH		تصريف كالإعصار
CEFIONTECT		سطح ناعم
PREMIST		رش ذاتي
EWATER+ BOWL & WAND & UNDER SEAT		ماء معالج كهربائياً للوعاء و عصا التسطيف و أسفل المقدمة
AIR-IN-WONDER WAVE		مزج الهواء بالماء
RIM LESS		تصميم بلا حواف
DEODORIZER		إمتصاص الروائح الكريهة
HEATED SEAT		تسخين سطح المقدمة
DRAYER		مجفف
AUTO OPEN / CLOSE & AUTO FLUSH		فتح و غلق و تصريف تلقائي
SOFT LIGHT		إضاءة خافتة
WATER SAVING		توفير الماء

NEOREST® XH I

Smart Toilet
Hybrid Ecology System

Bowl	CW992VA
Seat Cover	TCF992WA
Flush System	Tornado Flush
Water Use	3.8L / 3.0L
Rough-in	305mm (S-TRAP)
Bowl Shape	Elongated
Size	448W X 820D X 527H mm
Power Rating	220~240V , 50/60Hz , 841~851W
Body Colour	White
Remote Colour	Silver



Silver



TECHNOLOGIES	التقنيات
TORNADO FLUSH	تصريف كالإعصار
CEFIONTECT	سطح ناعم
PREMIST	رش ذاتي
EWATER+ BOWL & WAND	ماء معالج كهربائيا للوعاء و عصا التسطيف
RIM LESS	تصميم بلا حواف
DEODORIZER	إمتصاص الروائح الكريهة
HEATED SEAT	تسخين سطح المقعد
DRAYER	مجفف
AUTO OPEN / CLOSE & AUTO FLUSH	فتح و غلق و تصريف تلقائي
SOFT LIGHT	إضاءة خافتة
WATER SAVING	توفير الماء

NEOREST® AH

Smart Toilet
Hybrid Ecology System

Bowl	CS989VL
Seat Cover	TCF9788WZ
Flush System	Tornado Flush
Water Use	3.8L / 3.0L
Rough-in	305mm (S-TRAP)
Bowl Shape	Elongated
Size	386W X 691D X 528H mm
Power Rating	220~240V , 50/60Hz , 820~839W
Body Colour	White
Remote Colour	Silver



Silver



TECHNOLOGIES

التقنيات

TORNADO FLUSH		تصريف كالإعصار
CEFIONTECT		سطح ناعم
PREMIST		رش ذاتي
EWATER+ BOWL & WAND		ماء معالج كهربائياً للوعاء و عصا التسطيف
AIR-IN-WONDER WAVE		مزج الهواء بالماء
RIM LESS		تصميم بلا حواف
DEODORIZER		إمتصاص الروائح الكريهة
HEATED SEAT		تسخين سطح المقعد
DRAYER		مجفف
AUTO OPEN / CLOSE & AUTO FLUSH		فتح و غلق و تصريف تلقائي
SOFT LIGHT		إضاءة خافتة
WATER SAVING		توفير الماء

NEOREST® RS

Smart Toilet
Hybrid Ecology System

Bowl	CS921VT
Seat Cover	TCF83410GAA
Flush System	Tornado Flush
Water Use	3.8L / 3.0L
Rough-in	305mm (S-TRAP)
Bowl Shape	Elongated
Size	386W X 690D X 515H mm
Power Rating	220~240V, 50/60Hz, 843~852W
Body Colour	White
Remote Colour	White

NOTE :

S-TRAP BOWL No : CS921VT

P-TRAP BOWL No : CS921PVT



White



reddot winner 2022



TECHNOLOGIES	التقنيات
TORNADO FLUSH	تصريف كالإعصار
CEFIONTECT	سطح ناعم
PREMIST	رش ذاتي
EWATER+ BOWL & WAND	ماء معالج كهربائيا للوعاء و عصا التسطيف
RIM LESS	تصميم بلا حواف
DEODORIZER	إمتصاص الروائح الكريهة
HEATED SEAT	تسخين سطح المقعد
DRAYER	مجفف
AUTO OPEN / CLOSE & AUTO FLUSH	فتح و غلق و تصريف تلقائي
SOFT LIGHT	إضاءة خافتة
WATER SAVING	توفير الماء

طريقة استخدام وحدة التحكم عن بعد سهلة ومرحة للاستخدام

HOW THE REMOTE CONTROL WORKS Easy and Convenient to Use.



NEOREST® LS, WX and AS models

reddot winner 2022



1	Full flush	تدفق كامل	1
2	Light flush	تدفق خفيف	2
3	Cleans the wand with "EWATER+"	تنظيف العصا بـ EWATER+	3
4	Personal setting lock	قفل الإعداد الشخصي	4
5	Opening and closing the toilet seat	فتح وإغلاق مقعد المرحاض	5
6	Opening and closing the toilet Lid	فتح وإغلاق غطاء المرحاض	6
7	Stops operation.	توقف العملية	7
8	Rear Cleansing	التطهير الخلفي	8
9	Soft rear cleansing	تنظيف خلفي ناعم	9
10	Front Cleansing	تنظيف أمامي	10
11	Wide Front Cleansing	تنظيف أمامي واسع	11
12	Water Pressure Adjustment from 5 different water pressure levels	تعديل ضغط الماء (خمس مستويات)	12
13	Wand position Adjustment from 5 different wand position levels	تعديل موضع العصا (خمس مستويات)	13
14	Warm air Drying	تجفيف بالهواء الدافئ	14
15	Oscillate Pulsate	تنظيف شامل بالنبضات مع تأرجح العصا	15

TOILET PAPER HOLDER (STAND TYPE)

ستاند وحامل مناديل ولوحة التحكم

YH63SDT1
YH63SDV1BN

Size: 290W x 260D x 830H mm

Color: Brushed Nickel

Chrome




HOW THE REMOTE CONTROL WORKS طريقة استخدام وحدة التحكم عن بعد

Easy and Convenient to Use.

سهلة ومرحة للاستخدام

NEOREST



1	Full flush	تدفق كامل	1
2	Light flush	تدفق خفيف	2
3	Cleans the wand with "EWATER+"	تنظيف العصا بتقنية EWATER+	3
4	Personal setting lock	قفل الإعداد الشخصي	4
5	Opening and closing the toilet seat	فتح وإغلاق مقعد المرحاض	5
6	Opening and closing the toilet Lid	فتح وإغلاق غطاء المرحاض	6
7	Stops operation.	توقف العملية	7
8	Rear Cleansing	التطهير الخلفي	8
9	Soft rear cleansing	تنظيف خلفي ناعم	9
10	Front Cleansing	تنظيف أمامي	10
11	Water Pressure Adjustment from 5 different water pressure levels	تعديل ضغط الماء (خمس مستويات)	11
12	Wand position Adjustment from 5 different wand position levels	تعديل موضع العصا (خمس مستويات)	12
13	Warm air Drying	تجفيف بالهواء الدافئ	13
14	Oscillate Pulsate	تنظيف شامل بالنسبات مع تأرجح عصا التنظيف	14

NEOREST

NEOREST LS

CS911VL / TCF87120GAA

Flush System : Tornado Flush
Water Use : 3.8L / 3L
Rough-in : 305 mm (S- Trap)

Smart Toilet
Hybrid Ecology System
Bowl Shape : D-Shape
Power Rating : 220~240V, 50/60Hz ,835~863W
Size : 411W X 725D X 497H mm
Remote : Silver

CS911PVL / TCF87120GAA

Flush System : Tornado Flush
Water Use : 4.5L / 3L
Rough-in : 120-130 mm (P- Trap)



Chrome



NEOREST LS

CS911VL / TCF87220GAA

Flush System : Tornado Flush
Water Use : 3.8L / 3L
Rough-in : 305 mm (S- Trap)

Smart Toilet
Hybrid Ecology System
Bowl Shape : D-Shape
Power Rating : 220~240V, 50/60Hz ,835~863W
Size : 411W X 725D X 497H mm
Remote : Black

CS911PVL / TCF87220GAA

Flush System : Tornado Flush
Water Use : 4.5L / 3L
Rough-in : 120-130 mm (P- Trap)



Black



NEOREST LS

CS911VL / TCF87320GAA

Flush System : Tornado Flush
Water Use : 3.8L / 3L
Rough-in : 305 mm (S- Trap)

Smart Toilet
Hybrid Ecology System
Bowl Shape : D-Shape
Power Rating : 220~240V, 50/60Hz ,835~863W
Size : 411W X 725D X 497H mm
Remote : Nickel

CS911PVL / TCF87320GAA

Flush System : Tornado Flush
Water Use : 4.5L / 3L
Rough-in : 120-130 mm (P- Trap)



Nickel



NEOREST AS

CS921VT / TCF85510GAA

Flush System : Tornado Flush
Water Use : 3.8L / 3L
Rough-in : 305 mm (S- Trap)

Smart Toilet
Hybrid Ecology System
Bowl Shape : Elongated
Power Rating : 220~240V, 50/60Hz ,846~854W
Size : 386W X 692D X 512H mm
Remote : Silver

CS911PVT / TCF85510GAA

Flush System : Tornado Flush
Water Use : 4.5L / 3L
Rough-in : 120-155 mm (P- Trap)



Silver



NEOREST RS

CS921VT / TCF83410GAA

Flush System : Tornado Flush
Water Use : 3.8L / 3L
Rough-in : 305 mm (S- Trap)

Smart Toilet
Hybrid Ecology System
Bowl Shape : Elongated
Power Rating : 220~240V, 50/60Hz ,843~852W
Size : 386W X 690D X 515H mm
Remote : White

CS911PVT / TCF83410GAA

Flush System : Tornado Flush
Water Use : 4.5L / 3L
Rough-in : 120-155 mm (P- Trap)



White



NEOREST®

NEOREST WX CW927PZT / TCF95380GAA

Wall Hung Smart Toilet

- Flush System : Tornado Flush
- Water Use : 4.5L / 3.0L
- Rough-in : 180 mm (P-Trap)
- Bowl Shape : D-Shape
- Power Rating : 220~240V, 50/60Hz , 848~859W
- Size : 449W X 675D X 447H
- Concealed Tank : WH175AEAT
- Flush Plate : MB177M
- Remote : Silver



Required Accessories



WH175AEAT

NEOREST LE1 CW994P / TCF994WA

Wall Hung Smart Toilet

- Flush System : Tornado Flush
- Water Use : 4.5L / 3.0L
- Rough-in : 180 mm (P-Trap)
- Bowl Shape : Elongated
- Power Rating : 220~240V, 50/60Hz , 839~849W
- Size : 423W X 675D X 460H
- Concealed Tank : WH036D
- Flush Plate : MB005DGN
- Remote : Silver



Required Accessories



WH036D

NEOREST NX1 CS900VL / CS900VL

Smart Toilet

- Flush System : Tornado Flush
- Water Use : 3.8L / 3.0L
- Rough-in : 305 mm (S-Trap)
- Bowl Shape : Elongated
- Power Rating : 220~240V, 50/60Hz ,835~845W
- Size : 468W X 800D X 565H
- Remote : Silver



Silver

NEOREST XH1 CW992VA / TCF992WA

Smart Toilet

- Flush System : Tornado Flush
- Water Use : 3.8L / 3.0L
- Rough-in : 305 mm (S-Trap)
- Bowl Shape : Elongated
- Power Rating : 220~240V, 50/60Hz ,841~851W
- Size : 448W X 820D X 527H
- Remote : Silver



Silver

NEOREST AH CS989VL / TCF9788WZ

Smart Toilet

- Flush System : Tornado Flush
- Water Use : 3.8L / 3.0L
- Rough-in : 305 mm (S-Trap)
- Bowl Shape : Elongated
- Power Rating : 220~240V, 50/60Hz ,830~839W
- Size : 389W X 705D X 547H mm
- Remote : Silver



Silver



washlet +



TECHNOLOGIES

washlet® + / washlet®



التقنيات



PREMIST



CEFIONTECT



RIMLESS

بلا حواف




EWATER+
FOR BOWL

تنظيف
جسم الخوض



EWATER+
FOR WAND

تنظيف
الشطاف الداخلي



EWATER+
FOR UNDER SEAT

تنظيف
اسفل المقعد



AIR-IN
WONDER WAVE

مزج الهواء
بالماء



AUTO
OPEN/CLOSE LID

فتح / غلق
أوتوماتيكي



AUTO FLUSH

تصريف تلقائي




HEATED SEAT

مقعد دافئ



DEODORIZER

إزالة الروائح
الكريهة



WARM AIR
DRYING

تجفيف بالهواء
الدافئ



TORNADO
FLUSH

تصريف
كالاعصار



WATER SAVING

موفر للماء



نظرة عامة على وظائف الواشنلت washlet®+ / washlet®

Concealed Connection With Auto Flush + Kit

Concealed Connection Without Auto Flush

washlet® + / washlet®

OVERVIEW OF WASHLET FUNCTIONS

PRODUCT NAME	اسم المنتج	WASHLET RW / SW		WASHLET S7	
PRODUCT IMAGE	صورة المنتج				
BOWL SHAPE شكل الوعاء		TCF801CZ	TCF802C2Z	—	—
SQUARE SHAPE		TCF803CZ	TCF804C2Z	—	—
ELONGATED		—	—	TCF4911EZ	TCF47360GAA
REQUIRED ITEM منظبات	موديل السيفون	WH172AUD	WH172AUDAT	○ WH172AUD ● WH172AUDAT+TCA464	○ WH172AUD ● WH172AUDAT+TCA546
MATCHING BOWL	موديل الكرسي		CW542HME5UNW1 CW522HME5UNW1	CW812 CW822	CW812REA CW822REA
CLEANSING FUNCTIONS وظائف التنظيف	AIR-IN WONDER WAVE مجز الهواء بالماء	—	—	●	●
Rear Cleansing	التشطيف الخلفي	●	●	●	●
Rear Soft Cleansing	التشطيف الخلفي ناعم	●	●	●	●
Front Cleansing	التشطيف الأمامي	●	●	●	●
Oscillating Cleansing	تغير موضع التشطيف	●	●	●	●
Pulsating Cleansing	التشطيف بالنبض	●	●	●	●
Nozzle Position Adjustment	تعديل فوهة التشطيف	●	●	●	●
COMFORT FUNCTIONS وظائف الراحة	Soft Close Seat & Lid فتح / إغلاق ناعم	●	●	●	●
AUTO OPEN / CLOSE LID فتح / إغلاق تلقائي		●	●	●	●
AUTO FLUSH تصرير تلقائي		—	●	● ○	● ○
HEATED SEAT تدفئة المقعد		●	●	●	●
DRYER تجفيف		●	●	●	●
DEODORIZER إزالة الروائح الكريهة		●	●	●	●
SOFT LIGHT ضوء خافت		●	●	●	●
Temperature (Water) درجة حرارة الماء		●	●	●	●
Water Pressure ضغط الماء		●	●	●	●
Remote Control جهاز التحكم عن بعد		●	●	●	●
Personal Setting الإعداد الشخصي		●	●	●	●
HYGIENE FUNCTIONS وظائف العمق	EWATER+ For Bowl الماء المعالج للوحظ	●	●	●	●
EWATER+ For Wand الماء المعالج لعصا التشطيف		●	●	●	●
EWATER+ For Under Seat الماء المعالج تحت المقعد		—	—	—	●
PREMIST الرش الذاتي قبل الاستخدام		●	●	●	●
SELF-CLEANING WAND عصا التنظيف الذاتي		●	●	●	●
Self-Cleaning Button زر التنظيف الذاتي		●	●	●	●
Clean Resin الراتنج النظيف		●	●	●	●
Removeable Lid غطاء قابل للإزالة		●	●	●	●
One-Touch Removeable Unit وحدة قابلة للإزالة بلمسة واحدة		●	●	●	●
Antibacterial Surface مضاد للجراثيم		●	●	●	●
ENERGY SAVING	Energy Saver موفر الطاقة	●	●	●	●

● Concealed Connection With Auto Flush + Kit

○ Concealed Connection Without Auto Flush

CLEANSING SPRAY PATTERNS



Pulsating Cleansing

تنظيف بالنبضات

Rhythmically pulsating stream of cleansing warm water.

تيار مياه نابض للتنظيف بالماء الدافئ

Water Pressure Adjustment



Oscillating Cleansing

The back-and-forth movement of the wand ensures thorough cleansing of the entire area.

تنظيف متذبذب



Wand Position Adjustment

تعديل موضع العصا

You can easily set the wand position according to your

إمكانية ضبط عصا الشطاف حسب الرغبة

CLEAN MATERIAL

الريزون مادة عالية الجودة فهو يصد النفايات والأوساخ ويقاوم البقع ويحافظ على نظافة الأسطح. High-quality resin repels waste and dirt and resists staining, keeping surfaces clean.



EWATER+ SELF-CLEANING TECHNOLOGY

وضع الاستعداد
During Stand byبعد الاستخدام
After Useأثناء الاستخدام
During use

تنظيف ذاتياً من الداخل والخارج
EWATER+
باستخدام EWATER+
Self-cleanses inside and out with EWATER+

تنظيف ذاتياً من الداخل والخارج
باستخدام EWATER+
Self-cleans inside and out with EWATER+

تنظيف ذاتي بالماء
Self-cleans with water

تنظيف ذاتي بالماء
Self-cleans with water

Always Keeping Conditions Clean

Made of high-quality waste-resistant resin and automatically sprayed with EWATER+ after each use, the wand is extremely resistant to waste and stains. What's more, the wand attaches to the seat, not the bowl, so waste is less likely to even reach it. Though the wand is self-cleaning, you appreciate how easily you can reach it and wipe spotless.



المحافظة على النظافة في جميع الظروف

الريزون مادة عالية الجودة فهو يصد النفايات والأوساخ وبينما رشها تلقائياً بعد كل استخدام، كما أنها العصا متصلة بالمقعد وليس الوعاء لذلك من غير المرجح أن تصل النفايات على الرغم من أن العصا قابلة للتنظيف الذاتي إلا أنه يمكنك الوصول إليها بسهولة ومسحها بشكل يدوي.

طريقة عمل الماء المعالج كهربائياً في التنظيف

هو نظام تنظيف عصا التسليط تلقائياً بالماء المعالج كهربائياً الذي ينبع عنه ذبذبات تقضي على البكتيريا قبل وبعد كل استخدام أو كل 8 ساعات في حالة عدم الاستخدام.

How to EWATER+ works

It is a system for cleaning the rinse stick automatically with electro-treated water that produces vibrations eliminate bacteria before and after each use, or every 8 hours when not in use.

ما هو الماء المعالج كهربائياً

ينبع EWATER+ عن طريق التحليل الكهربائي للكلوريد في ماء الصنبور. وهو مطهر فعال للغاية، فهو خال تماماً من المواد الكيميائية وعوامل التنظيف. ومع مرور الوقت يعود EWATER+ إلى حالته الأصلية من المياه العادي، مما يجعله صديقاً للبيئة تماماً.

What is EWATER +

Produced by electrolysis of the chloride in tap water, EWATER+ is a highly effective sanitizer. It is completely free of chemicals and cleaning agents. Over time EWATER+ returns to its original state of ordinary water, making it completely environmentally friendly.

PREMIST



رش ذاتي

هو نظام تلقائي لرش الماء على وعاء المرحاض قبل وبعد الاستخدام، مما يجعل من الصعب التصاق الأوساخ.

It is an automatic system to spray water on the toilet bowl before and after use, making it difficult for dirt to stick.



wASHLET® SW

CW522HME5UNW1

Concealed Connection

- with Auto Flush
- without Auto Flush

CW522HME5UNW1

CW522HME5UNW1

TCF804C2Z

TCF803C2Z

WH172AUDAT

WH172AUD

Wall Hung Toilet with WASHLET SW

Flush System : Tornado Flush

Water Use : 4.5L / 3L

Bowl Shape : Square Shape

Size : 380W x 580D x 335H mm

Rough-in : 180mm (P-Trap)

WASHLET RW

Size : 383W x 579D x 108H mm

Water Pressure : 0.05MPa~0.75MPa

Power Rating : 220~240V, 50/60Hz, 834~845W



WALL HUNG TOILET
CW522HME5UNW1



WASHLET SW
 ● TCF804C2Z - With Auto Flush
 ○ TCF803C2Z - With out Auto Flush



● WH172AUDAT Concealed Tank
 ○ WH172AUD Concealed Tank

Required
Push Plate

TECHNOLOGIES	التقنيات	TECHNOLOGIES	التقنيات
TORNADO FLUSH	تصريف كالإعصار	DEODORIZER	امتصاص الروائح الكريهة
CEFIONTECT	سطح ناعم	HEATED SEAT	تسخين سطح المقد
PREMIST	رش ذاتي	DRAYER	مجفف
EWATER+ BOWL & WAND	ماء معالج كهربائيا للوعاء وعصا التشطيف	AUTO OPEN / CLOSE	فتح و غلق تلقائي
● AUTO FLUSH	تصريف تلقائي	WATER SAVING	توفير الماء
RIM LESS	تصميم بلا حواف		



washlet® RW

CW542HME5UNW1

Concealed Connection

- with Auto Flush
- without Auto Flush

CW542HME5UNW1

CW542HME5UNW1

TCF802C2Z

TCF801C2Z

WH172AUDAT

WH172AUD

Wall Hung Toilet with WASHLET RW

Flush System : Tornado Flush

Water Use : 4.5L / 3L

Bowl Shape : D-Shape

Size : 380W x 580D x 335H mm

Rough-in : 180mm (P-Trap)

WASHLET RW

Size : 383W x 579D x 108H mm

Water Pressure : 0.05MPa~0.75MPa

Power Rating : 220~240V, 50/60Hz, 834~845W



WALL HUNG TOILET
CW542HME5UNW1



WASHLET RW
 TCF802C2Z - With Auto Flush
 TCF801C2Z - With out Auto Flush



WH172AUDAT Concealed Tank
 WH172AUD Concealed Tank

Required Push Plate

TECHNOLOGIES	التقنيات	TECHNOLOGIES	التقنيات
TORNADO FLUSH	تصريف كالإعصار	DEODORIZER	امتصاص الروائح الكريهة
CEFIONTECT	سطح ناعم	HEATED SEAT	تسخين سطح المقد
PREMIST	رش ذاتي	DRAYER	مجفف
EWATER+ BOWL & WAND	ماء معالج كهربائيا للوعاء وعصا التسطيف	AUTO OPEN / CLOSE	فتح و غلق تلقائي
● AUTO FLUSH	تصريف تلقائي	WATER SAVING	توفير الماء
RIM LESS	تصميم بلا حواف		

wASHLET® S5

CW553EA

Concealed Connection

- with Auto Flush ○ without Auto Flush

CW553EA

TCF35470GAA

KIT : TCA502

WH172AUDAT

CW553EA

TCF34320GAA

TCF33370GAA

WH172AUD

Wall Hung Toilet with WASHLET S5

Flush System : Tornado Flush

Water Use : 4.5L / 3L

Bowl Shape : D-Shape

Size : 380W x 540D x 335H mm

Rough-in : 180mm (P-Trap)

WASHLET S5

Size : 383W x 540D x 130H mm

Water Pressure : 0.05MPa~0.75MPa

Power Rating : 220~240V, 50/60Hz, 834~845W



WALL HUNG TOILET
CW553EA



WAHLET S5
 ● TCF34570GAA+TCA502 - With Auto Flush
 ○ TCF34320GAA / TCF33370GAA - With out Auto Flush



KIT : TCA502



Required Push Plate

- WH172AUDAT Concealed Tank
- WH172AUD Concealed Tank

TECHNOLOGIES	التقنيات	TECHNOLOGIES	التقنيات
TORNADO FLUSH	تصريف كالاعصار	DEODORIZER	امتصاص الروائح الكريهة
CEFIONTECT	سطح ناعم	HEATED SEAT	تسخين سطح المقد
PREMIST	رش ذاتي	DRAYER	مجفف
EWATER+ BOWL & WAND	ماء معالج كهربائيا للوعاء وعصا التشطيف	RIM LESS	تصميم بلا حواف
● AUTO FLUSH	تصريف تلقائي	WATER SAVING	توفير الماء

wASHLET® S7

CW812REA

Concealed Connection

- with Auto Flush
- without Auto Flush

CW812REA

TCF47360GAA

WH172AUDAT

Kit : TCA546

CW812REA

TCF47360GAA

WH172AUD

Wall Hung Toilet with WASHLET S7

Flush System : Tornado Flush

Water Use : 4.5L / 3L

Bowl Shape : Elongated

Rough-in : 180mm (P-Trap)



Water Pressure: 0.05MPa~0.75MPa

Power Rating : 220~240V , 50/60Hz, 830~839W

Length of Power : 1.2M

Card

Size: 380W x 595D x 335H mm



- Concealed Connection With Auto Flush + Kit

- Concealed Connection Without Auto Flush

CW822REA

Concealed Connection

- with Auto Flush
- without Auto Flush

CW822REA

TCF47360GAA

WH172AUDAT

Kit : TCA546

CW822REA

TCF47360GAA

WH172AUD

Wall Hung Toilet with WASHLET S7

Flush System : Tornado Flush

Water Use : 4.5L / 3L

Bowl Shape : Elongated

Rough-in : 180mm (P-Trap)


Water Pressure: 0.05MPa~0.75MPa

Power Rating : 220~240V , 50/60Hz, 830~839W

Length of Power : 1.2M

Card

Size : 380Wx540Dx330H mm



- Concealed Connection With Auto Flush + Kit

- Concealed Connection Without Auto Flush



CLEAN SYNERGY



TECHNOLOGIES

التقنيات

TORNADO FLUSH



تصريف كائلاعصار

CEFIONTECT



سطح ناعم

PREMIST



رش ذاتي

EWATER+
BOWL & WAND & UNDER SEAT



ماء معالج كهربائيا
للوعاء وعصا التسطيف

AIR-IN WONDER WAVE



مزج الهواء بالماء

RIM LESS



تصميم بلا حواف

TECHNOLOGIES

التقنيات

DEODORIZER



إمتصاص الروائح الكريهة

HEATED SEAT



تسخين سطح المقدمة

DRAYER



مجفف

AUTO OPEN / CLOSE



فتح و غلق تلقائي

● AUTO FLUSH




● تصريف تلقائي

WATER SAVING



توفير الماء

WASHLET® + / WASHLET®

CONCEALED CONNECTION WITH AUTO FLUSH	تصريف تلقائي	CONCEALED CONNECTION WITHOUT AUTO FLUSH	تصريف عادي
<u>TCF802CZ</u>	WASHLET - RW	<u>TCF801CZ</u>	WASHLET - RW
<p>WASHLET - RW with Concealed Tank Bowl Shape: D-Shape Water Pressure : 0.05MPa~0.75MPa Length of Power Card : 0.9m Size : 383W x 579D x 108H mm Power Rating : 220~230V, 50/60Hz, 826~837W Concealed Tank : WH172AUDAT</p> 		<p>WASHLET - RW with Concealed Tank Bowl Shape: D-Shape Water Pressure: 0.05MPa~0.75MPa Length of Power Card : 0.9m Size: 383W x 579D x 108H mm Power Rating: 220~240V , 50/60Hz , 826~837W Concealed Tank : WH172AUD</p> 	
  CLEAN SYNERGY  		  CLEAN SYNERGY  	
<u>TCF804CZ</u>	WASHLET - SW	<u>TCF803CZ</u>	WASHLET - SW
<p>WASHLET - SW with Concealed Tank Bowl Shape: Square Shape Water Pressure : 0.05MPa~0.75MPa Length of Power Card : 0.9 m Size : 383W x 579D x 108H mm Power Rating : 220~240V , 50/60Hz , 826~837W Concealed Tank : WH172AUDAT</p> 		<p>WASHLET - SW with Concealed Tank Bowl Shape: Square Shape Water Pressure: 0.05MPa~0.75MPa Length of Power Card : 0.9 m Size: 383W x 579D x 108H mm Power Rating: 220~240V , 50/60Hz , 826~837W Concealed Tank : WH172AUD</p> 	
  CLEAN SYNERGY  		  CLEAN SYNERGY  	
<u>TCF47360GAA</u>	WASHLET - S7	<u>TCF47360GAA</u>	WASHLET - S7
<p>WASHLET - S7 with with Concealed Tank + Kit Bowl Shape: Elongated Water Pressure : 0.05MPa~0.75MPa Length of Power Card : 1.2 m Size : 383W x 530D x 103H mm Power Rating : 220~240V , 50/60Hz,830~839W Concealed Tank : WH172AUDAT Kit : TCA546</p> 		<p>WASHLET - S7 with with Concealed Tank + Kit Bowl Shape: Elongated Water Pressure : 0.05MPa~0.75MPa Length of Power Card : 1.2 m Size : 383W x 530D x 103H mm Power Rating : 220~240V , 50/60Hz,830~839W Concealed Tank : WH172AUD</p> 	
  CLEAN SYNERGY  		  CLEAN SYNERGY  	
<u>TCF4911EZ</u>	WASHLET - S7	<u>TCF34320GAA</u>	WASHLET - S5
<p>WASHLET S7 with Concealed Tank + Kit Bowl Shape: Elongated Water Pressure : 0.05MPa~0.75MPa Length of Power Card : 1.2 m Size : 383W x 532D x 125H mm Power Rating : 220~240V , 50/60Hz,830~839W Concealed Tank : WH172AUDAT Kit : TCA464</p> 		<p>WASHLET - S5 with Concealed Tank Bowl Shape: D-Shape Water Pressure : 0.05MPa~0.75MPa Length of Power Card : 1.2m Size : 383W X 540D x 130H mm Power Rating : 220~240V, 50/60Hz, 826~837W Concealed Tank : WH172AUD</p> 	
  CLEAN SYNERGY  		  CLEAN SYNERGY  	
<u>TCF34570GAA</u>	WASHLET - S5	<u>TCF33370GAA</u>	WASHLET - S2
<p>WASHLET - S5 with Concealed Tank + Kit Bowl Shape: D-Shape Water Pressure : 0.05MPa~0.75MPa Length of Power Card : 1.2m Size : 380W x 540D x 130H mm Power Rating : 220~240V, 50/60Hz, 826~837W Concealed Tank : WH172AUDAT Kit : TCA502</p> 		<p>WASHLET - S5 with Concealed Tank Bowl Shape: D-Shape Water Pressure : 0.05MPa~0.75MPa Length of Power Card : 1.2m Size : 462W X 540D x 130H mm Power Rating : 220~240V, 50/60Hz, 826~837W Concealed Tank : WH172AUD</p> 	
  CLEAN SYNERGY  		  CLEAN SYNERGY  	

● Concealed Tank : WH172AUDAT : تصريف تلقائي

○ Concealed Tank : WH172AUD : تصريف عادي




WALL HUNG TOILET - SET

CW274JWS ALISEI




Wall Hung Toilet w/ Invisible Fixing Kit
 Flush System : TORNADO (4.5/3L)
 Bowl Shape : Square Elongated
 Rough-in : 180 mm (P-Trap)
 Seat & Cover : TC273SJ
 Size : 404W x 590D x 330H mm
 with CEFIONTECT



BW274JWS ALISEI




Wall Hung Bidet w/ Invisible Fixing Kit
 Bowl Shape : Square Elongated
 Size : 404W x 590D x 325H mm



CW553EA




Wall Hung Toilet
 Flush system : Tornado Flush
 Bowl Shape : D-Shape
 Rough-in : 180mm (P-Trap)
 Seat & Cover : TC513A
 Size : 380W X 540D X 335H mm
 with CEFIONTECT



B552E




Wall Hung Bidet
 Bowl Shape : D-Shape
 Size : 380W x 540D x 290H mm
 with CEFIONTECT



CW542ME5




Wall Hung Toilet
 Flush System : TORNADO (4.5/3L)
 Bowl Shape : D-Shape
 Rough-in : 180 mm (P-Trap)
 Seat & Cover : TC513A (Made in Germany)
 Size : 380W x 580D x 335H mm
 with CEFIONTECT



B552E




Wall Hung Bidet
 Bowl Shape : D-Shape
 Size : 380W x 540D x 290H mm
 with CEFIONTECT



CW822NJWS AVANTE



Wall Hung Toilet
 Flush System : Wash Down
 Bowl Shape : Elongated
 Rough-In : 180mm (P-Trap)
 Seat & Cover : TC281SJ
 Size : 360W X 540D X 330H mm



CW822RA

Flush System : TORNADO (4.5/3L)
 Size : 380W x 540D x 330H mm



WATER SAVING




TORNADO FLUSH

BW822NJ AVANTE



Wall Hung Bidet
 Size : 360W x 540D x 320H mm



RIM LESS




CEFIONTECT

WALL HUNG TOILET - SET

CW951JWS TOJA




Wall Hung Toilet
Flush System : Wash Down
Bowl Shape : European
Rough-In : 180mm (P-Trap)
Seat Cover : TC950SJ
Size : 366W X 595D X 351H mm



BW951J TOJA




Wall Hung Bidet
Size : 365W X 595D X 260H mm



CW812RA LE MUSE




Wall Hung Toilet
Bowl Shape : Elongated
Rough-In : 180mm (P-Trap)
Seat & Cover : TC811SJ
Flush System : TORNADO (4.5/3L)
Size : 380W X 595D X 335H mm



BW812J LE MUSE



Wall Hung Bidet
Size : 380W X 595D X 315H mm




WALL FACED TOILET - SET

CW275JWS ALISEI




Wall Faced Closet Toilet
Flush System : Tornado Flush
Bowl Shape : Elongated
Rough-In : 180mm (P-Trap)
Seat & Cover : TC273SJ
Size : 404W X 590D X 400H mm



BW275JWS ALISEI




Wall Faced Bidet w/ Invisible Fixing Kit
Bowl Shape : Square Elongated
Size : 404W x 590D x 422H mm



CW824NPJWS AVANTE




Wall Faced Closet Toilet
Flush System : Wash Down
Bowl Shape : Round
Rough-In : 180 mm (P-Trap)
Seat & Cover : TC282SJ
Size : 360W X 525D X 490H mm



BW823NJ AVANTE



Floor Mounted Bidet
Size : 435W X 650D X 390H mm



WATER SAVING



TORNADO FLUSH



RIM LESS




CEFIONTECT

WALL HUNG TOILET

CW512YR / 7EE0007 / TC501CVK RENESSE




Wall Hung Toilet
Flush system : Tornado
Bowl Shape : Elongated
Rough-in : 180mm (P-Trap)
Size : 392W X 582D X 339H mm
Soft Close Seat & Cover - TC501CVK
with CEFIONTECT



CW182ME5




Wall Hung Toilet
Flush System : Wash Down
Bowl Shape : D-Shape
Rough-In : 180mm (P-Trap)
Seat & Cover : TC506VS
Size : 355W X 520D X 344H mm



CW522A




Wall Hung Toilet
Flush System : TORNADO (4.5/3L)
Bowl Shape : Square Elongated
Rough-in : 180 mm (P-Trap)
Seat & Cover : TC512A (Made in Germany)
Size : 380W x 580D x 335H mm
with CEFIONTECT



CW162Y URBANIQUE




Wall Hung Toilet
Flush System : Tornado
Bowl Shape : D-Shape
Rough-In : 180mm (P-Trap)
Seat Cover : TC390CVK
Size : 394W X 530D X 339H mm
with CEFIONTECT



CW875NJ OMNI+




Wall Hung Toilet
Flush System : Wash Down
Bowl Shape : D-Shape
Rough-In : 180mm (P-Trap)
Seat & Cover : TC811SJ
Size : 360W X 545D X 344H mm



CW142Y



Wall Hung, Barrier-Free
Flush system : Tornado Flush
Rough-in : 180mm (P-Trap)
Seat & Cover : VC140V1 (Made in Germany)
Size : 355W X 710D X 400H mm
with CEFIONTECT



WATER SAVING



TORNADO FLUSH



RIM LESS



CEFIONTECT


WALL - MOUNTED FLUSHOMETER TOILET - AUTOMATIC

CW708EV AUTOMATIC


Product Name : Wall Hung Toilet
 Flush System : Automatic Flush
 Water Use : 4.8L / Colour : White
 Rough-in : 180mm (P-Trap)
 Water Pressure : 0.07MPa ~ 0.75MPa
 Size : 385W x 622D x 334H mm

• CT708EV

Commercial wall-mounted toilet with 1-1/2" back spud inlet, less seat .




CW822RFVA AUTOMATIC



TREF25U2A Concealed Toilet Sensor Flush Valve



TREF35L2A Concealed Toilet Sensor Flush Valve



WALL - MOUNTED FLUSHOMETER TOILET - MANUAL


CW708E MANUAL

Product Name : Wall Hung Toilet
 Flush System : Wash Down , Siphon jet
 Water Use : 4.8L / Colour : White
 Rough-in : 180mm (P-Trap)
 Water Pressure : 0.07MPa ~ 0.75MPa
 Size : 385W x 622Dx 334H mm




• CT708E

Commercial wall-mounted toilet with 1-1/2" top spud inlet, less seat .



CW705ENJ


Single Bowl Toilet (for The Disabled)
 Flush Valve W/Vacuum Breaker
 for (CW705, CW705L (TV150NSV7J))
 Bowl Shape : Elongated
 Rough-In : 280mm (S-Trap)
 Size : 360W X 680D X 445H mm



SC534 Elongated Commercial Toilet Seat Cover

Features :

- Elongated open front toilet seat
- Mounting hardware included
- Material : Polypropylene
- Colour : White
- SIZE : 375W X 473D X 76.2H



Made in U.S.A

TV150NSJ Exposed Manual Toilet




Product Name : Flush Valve with Vacuum Breaker
 Flush System : Siphon - Jet
 Water Use : 4.8L / Colour : Chrome
 Flow Rate : 54.0 Lpm
 Water Pressure : 0.07MPa ~ 0.75MPa


Consistent Flushing Performance

Constant flow EFV Stabilizes flush volume even when water pressure fluctuates

Design




Features



New Flushing Technology

When there are water pressure fluctuations, a spring contracts to maintain water volume and force at a constant level.


* Only applicable to TREF35



Environment Factors	Current Situation		New Flushing Technology	
	Disturbance	Flushing Performance	Disturbance	Flushing Performance
Water Supply Pumps Specifications	 	 	 Constant Flow Rate Technology	
Simultaneous Serial Flushes			 Disturbance Impact Reduction	


Flushing Volume Chart

Constant flow EFV stabilizes flush volume even when water pressure fluctuates



CLOSE COUPLED TOILET

CW273PJWS



Close Couple Toilet

Flush System : Tornado Flush

Bowl Shape : Elongated

Rough-In : 220 mm (THX918) - (S-Trap)


Seat & Cover : TC273SJ

Size : 410W X 725D X 875H mm

Matching Socket : THX918



CW960JWSSA



Close Couple Toilet

Flush system : Wash Down (Dual)

Bowl Shape : Elongated


Rough-In : 305mm (S-Trap)

Seat & Cover : TC950SJ

Size : 380W X 760D X 820H mm



C320E1#W



Close Coupled Toilet

Flush System : Siphon

Bowl Shape : Elongated

Rough-In : 180mm (P-Trap)


305mm (S-Trap)

Seat & Cover : TC385VS

Size : 379W X 695D X 763H mm



CW896JWS



Close Couple Toilet

Flush system : Wash Down

Bowl Shape : D-Shape


Rough-In : 305mm (S-Trap)

Seat & Cover : TC880SJ

Size : 385W X 740D X 730H mm



CW635PJWS



Close Coupled Toilet

Flush System : Wash Down

Bowl Shape : Elongated

Rough-In : 180mm (P-Trap)

250mm (S-Trap)

Seat & Cover : TC635SJ

Size : 400W X 690D X 723H mm

Matching Socket : THX918



WATER SAVING



TORNADO FLUSH




RIM LESS



CEFIONTECT

ONE-PIECE TOILET

CW823RA AVANTE



One piece toilet


Flush System : Tornado Flush
Bowl Shape : Elongated
Rough-In : 305mm (S-Trap)
Seat & Cover : TC281SJ
Size : 510W X 750D X 640H mm

Optional Parts :

WASHLET : TCF4911EZ
Auto Flush Motor : TCA438
Floor Flange : T53P100V5



CW840JW




One-Piece Toilet

Flush System : Wash Down
Bowl Shape : Elongated
Rough-In : 305mm (S-Trap)
Seat & Cover : TC840SJ
Size : 510W X 755D X 630H mm



C636DE#XW




Matching Socket : TCP16



One-Piece Toilet

Flush System : Tornado Flush
Bowl Shape : Elongated
Rough-In : 305mm (S-Trap)
Seat & Cover : TC393VS
Size : 490W X 740D X 670H mm

CW895JW OMNI +



One-Piece Toilet

Flush system : Wash Down
Bowl Shape : Elongated
Rough-In : 305mm (S-Trap)
Seat & Cover : TC880SJ
Size : 360W X 720D X 660H mm



WATER SAVING



TORNADO FLUSH



RIM LESS



CEFIONTECT


CONCEALED TANK

WH036D

Product Name : Concealed tank with Frame
 Flush System : Sensor / Auto Flush
 Water Use : 4.8L / 3L
 Water Pressure : 0.1MPa ~ 0.75MPa
 Width : 500 mm
 Depth : 190~220 mm
 Height : 1000~1120 mm


FEATURES :

Flush panel can be installed in front of the tank, can also be installed on the tank top, used for different occasions



MB005DGN

Product Name : Flush Panel
 Flush System : Auto Dual Flush
 Colour : Glass White
 Material : Glass/ ABS
 Size : 220W X 11D X 150H (mm)



NOTE :


Suitable Toilet :
NEOREST LE 1 CW994P

WH175AEAT

Product Name : Concealed tank with Frame
 Flush System : Sensor / Auto Flush
 Water Use : 6.0L / 4.8L
 Water Pressure : 0.1MPa ~ 0.75MPa
 Width : 500 mm
 Depth : 150~225 mm
 Height : 1000~1120 mm



FEATURES :

Flush panel can be installed in front of the tank, can also be installed on the tank top, used for different occasions.



MB177M

Product Name : Flush Panel
 Flush System : Auto Dual Flush
 Colour : Matt Silver
 Material : Stainless Steel (SUS)
 Size : 243W X 11.8D X 159H (mm)



NOTE :


Suitable Toilet :
NEOREST WX CW927PZT

WH005

Product Name : Concealed Frame
 Width : 500 mm
 Depth : 165~220 mm
 Height : 520~680 mm

FEATURES :


- > Foot height is adjustable in 220mm range for a different installation requirements
- > Simple installation Operation



CONCEALED TANK

WH172AUDAT

Product Name : Concealed tank with Frame
 Flush System : Sensor
 Water Use : 4.5L / 3.0L
 Water Pressure : 0.05Mpa~0.75Mpa
 Width : 500 mm
 Depth : 190~220 mm
 Height : 1000~1120 mm




FEATURES :

- * Dual Flush System
- * WATER SAVING
- * Auto-Flushing Feature
- * Compatible with WASHLET+

WH172AUD

Product Name : Concealed tank with Frame
 Water Use : 4.5L / 3.0L
 Water Pressure : 0.05Mpa~0.75Mpa
 Width : 500 mm
 Depth : 190~220 mm
 Height : 1000~1120 mm



FEATURES :

- * Dual Flush System
- * WATER SAVING

FLUSH PANEL

MB003CPR2



Flush System : Dual
 Colour : Matt Silver
 Material : ABS
 Size : 242W X 36D X 156H (mm)

MB170P#SS



Flush System : Dual
 Colour : Matt Silver
 Material : Stainless Steel (SUS)
 Size : 243W X 25D X 159H (mm)

MB174P#SS




Flush System : Dual
 Colour : Matt Silver
 Material : Stainless Steel (SUS)
 Size : 243W X 25D X 159H (mm)

MB171M#SS




Flush System : Dual
 Colour : Matt Silver
 Material : Stainless Steel (SUS)
 Size : 242W X 11.8D X 159H (mm)

MB175M#SS



Flush System : Dual
 Colour : Matt Silver
 Material : Stainless Steel (SUS)
 Size : 242W X 11.8D X 159H (mm)

MB174P#SS




Flush System : Dual
 Colour : Glass White
 Material : Glass / ABS
 Size : 220W X 11D X 150H (mm)

LAVATORIES

LW951CJW TOJA




Console Lavatory
605W x 455D x 100H mm



LW631JW




Console Lavatory
710W x 410D x 125H mm



LW952JW TOJA




Console Lavatory
570W X 355D X 100H mm



LW630JW




Console Lavatory
600W x 370D x 110H mm



LW953JW TOJA




Console Lavatory
700W X 350D X 109H mm



LW819




Vessel Lavatory
800W X 370D X 150H mm



L710CTRE




Console Lavatory
500W X 450D X 135H mm



LW896JW




Console Lavatory
620W X 430D X 130H mm



LW573JW




Console Lavatory
420W x 420D x 125H mm



LW574JW



Console Lavatory
420W x 420D x 125H mm




LAVATORIES

LW651JK1




Round Under Counter Lavatory
570W x 423D x 300H mm



L505E




Under Counter Lavatory
528W x 365D x 185H mm



LW569ME5T1




Round Under Counter Lavatory
432W X 355D X 200H mm



LW647CJ




Square Semi Recessed Lavatory
520W X 420D X 300H mm



LW587JW




Round Under Counter Lavatory
539W x 437D x 190H mm




LW595J




Square Under Counter Lavatory
635W X 315D X 200H mm



L548




Round Under Counter Lavatory
600W x 420D x 215H mm



LW540JK2




Square Under Counter Lavatory
450W X 360D X 200H mm




L501CE




Round Self Rimming Lavatory
508W x 432D x 25H mm



LW542MUNW1



Under Counter Lavatory
315W X 480D X 206H mm



PUBLIC



التقنيات

TOTO urinals come with several features that make them a preferred choice for public spaces and luxurious homes.

What is EWATER+ technology?

- EWATER+ (Electrolyzed Water) is a chloride-mixed water solution that creates a mildly acidic compound with natural cleaning and disinfecting properties.
- It is generated through a simple electrical process without the need for additional chemicals.
- The system automatically and periodically sprays the solution inside the urinal to maintain cleanliness without manual intervention.
- This reduces the buildup of bacteria and dirt while effectively eliminating odor-causing elements.
- As a result, it minimizes the use of chemical cleaners, enabling a natural and eco-friendly cleaning process without the need for strong detergents.
- This ensures that the urinal remains clean and free from germs between uses.

Let me know if you need further adjustments!

مبولات TOTO تتميز بعدة خصائص جعلها خياراً مفضلاً في الأماكن العامة والمنازل الفاخرة. فيما يلي أهم المميزات:



ما هي تقنية EWATER+؟

- EWATER+ هو محلول مائي مزوج بالكلوريد ينتج مركبًا حمضيًا ضعيفًا يتميز بخصائص تنظيف وتعقيم طبيعية.
- يتم إنتاجه عبر عملية كهربائية بسيطة دون الحاجة إلى إضافة مواد كيميائية.
- يقوم النظام برش المحلول تلقائياً وبشكل دوري داخل المبولة لحفظها على نظافتها دون تدخل يدوي.
- يساهم ذلك في تقليل تراكم البكتيريا والأوساخ، كما يقضي بفعالية على مسببات الروائح الكريهة.
- يؤدي ذلك إلى تقليل استخدام المواد الكيميائية. ما يوفر عملية تنظيف طبيعية وصديقة للبيئة دون الحاجة إلى منظفات قوية.
- هذا يضمنبقاء المبولة نظيفة وخالية من الجراثيم بين الاستخدامات.

SUPPRESSES bacteria growth in the trap of urinal




Regularly spray EWATER+ to effectively inhibit pollution in the trap area

يمنع نمو البكتيريا في فخ المبولة

رش EWATER+ بانتظام يمنع بشكل فعال التلوث في منطقة الصرف

Urinal Automatic Interval Flush




Every 2 hours, it will flush automatically

كل ساعتين. سيتم التنظيف تلقائياً

What is CEFIONTECT technology?

CEFIONTECT is an advanced innovation by TOTO used in ceramic products, including urinals, to ensure maximum hygiene and durability.

هي ابتكار متقدم من TOTO يستخدم في منتجات السيراميك، بما في ذلك المبولات، لضمان أعلى مستويات النظافة والمتانة.



Benefits of CEFIONTECT Technology in TOTO Urinals:

- Super Smooth Surface: The coating creates an ultra-smooth surface that prevents dirt and bacteria from adhering to the urinal.
- Stain Resistance: It prevents the buildup of lime-scale and germs, making cleaning quicker and easier.
- Eco-Friendly: The clean surface reduces the need for harsh chemical cleaners.
- Long-Lasting Durability: The corrosion-resistant coating ensures the urinal maintains its appearance over time.
- Permanent Shine: CEFIONTECT provides a lasting glossy finish, enhancing the urinal's aesthetic appeal.

مزایا تقنية CEFIONTECT في مبولات TOTO:

- سطح أملس للغاية: يتميز الطلاء بسلامة فائقة تمنع التصاق الأوساخ والبكتيريا على سطح المبولة.
- مقاومة تراكم البقع: تمنع تراكم الرواسب الكلسية والجراثيم، مما يجعل التنظيف أسهل وأسرع.
- صديقة للبيئة: بفضل السطح النظيف، يمكن تقليل الحاجة إلى استخدام مواد التنظيف الكيميائية القوية.
- متانة طويلة الأمد: الطلاء المقاوم للتآكل يضمن الحفاظ على مظهر المبولة لفترة طويلة.
- مظهر لامع دائم: يوفر طلاء CEFIONTECT معاً دائمًا ما يعزز من جمال المبولة.

WALL HUNG URINAL & FLUSH VALVE

USWN900AET3#XW

Product Name : Wall Hung Urinal with Built-in Sensor

(AC Type) with CEFIONTECT

Flush System : Sensor

Flush Volume : 0.5L

Water Pressure : 0.07MPa~0.75MPa

Size : 380W X 420D X 920H mm



USWN902AET3#XW

Product Name : Wall Hung Urinal with Built-in Sensor

(AC Type) with CEFIONTECT

Flush System : Sensor

Flush Volume : 0.5L

Water Pressure : 0.07MPa~0.75MPa

Size : 380W X 390D X 660H mm



USWN925AET3#XW

Product Name : Wall Hung Urinal with Built-in Sensor


(AC Type) with CEFIONTECT

Flush System : Sensor

Flush Volume : 0.5L

Water Pressure : 0.07MPa ~ 0.75MPa

Size : 380W x 400D x 590H mm




UW447HJT1 + DUE126UK

Product Name : Wall Hung Urinal (Back Inlet)

Type W/ Built-in Sensor AC 220V Operated

Flush System : Sensor / Flush Volume : 0.4L

Size : 444W X 356D X 685H mm



UW104HJ + DUE126UK

Product Name : Wall Hung Urinal - (Back Inlet)

Flush System : Sensor / Flush Volume : 0.8L

Size : 326W X 355D X 545H mm



UW58HJW + DUE126UK

Product Name : Wall Hung Urinal - (Back Inlet)

Flush System : Sensor / Flush Volume : 0.8L

Size : 330W X 365D X 690H mm




U57

Product Name : Wall Hung Urinal - (Top Inlet)

Flush System : Manual

Flush Volume : 0.8L

Size : 330W X 310D X 605H mm



T60RN


Product Name : Urinal Flush Valve

Min Water Pressure : 0.05 MPa

Max Water Pressure : 0.75 MPa

Flow Rate : 15.0 Lpm

Made in : STI - Indonesia



DUE126UK

Product Name : In-wall Sensor Urinal Flush Valve

Flush System : Sensor /

Flush Volume : 0.5L


Power Source : "DC" Battery

Panel Material : Stainless steel panel

Water Pressure : 0.05MPa ~ 0.75MPa

Size : 115W X 7D X115H mm

Sensing Distance : 800mm away from the front of inductive window




LAVATORIES

LW103CJ+TX709AV4N




Wall Hung Lavatory
580W X 550D X 850H mm



LW240CJ+THX1A-3N




Wall Hung Lavatory
500W X 350D X 850H mm



LW286CME5+LW286HFME5




Wall Hung Lavatory
550W X 430D X 860H mm



LW240CJ+LW240HFJ




Wall Hung Lavatory
500W X 350D X 820H mm



LW300CME5+LW300HFME5




Wall Hung Lavatory
500W X 430D X 850H mm



LW241CJ+LW242HFJ




Wall Hung Lavatory
580W X 500D X 820H mm



LW820CJ+LW820HFJ




Wall Hung Lavatory
700W X 550D X 850H mm



LW242CJ+LW242HFJ




Wall Hung Lavatory
660W X 545D X 850H mm



LW898CJW OMNI +




Wall Hung Lavatory
600W X 345D X 850H mm



SKW322B



Service Sink W/ back hanger + Pedestal
560W X 456D X 883H mm (Incl.Drain Waste)



BABY CHAIR



YKA15VC

Size : 300W X 250D X 950H (mm)

FEATURES

- > The fixed seat is designed as a fully surrounded one so that babies can get seated comfortably.
- > Smooth surface is easy to clean.

ATTENTION:

- > Please strictly follow the installation manual to install the product.
- > Only installing on a concrete floor allowed.
- > To assure a safe use, please do a good daily checking work.
- > The baby chair is designed for babies aged from 5 to 30 months who can get seated independently.

الميزات

- المقعد الثابت مصمم بشكل مريح جلوس الأطفال.
- سطح أملس سهل التنظيف.



تعليمات السلامة :

- يرجى اتباع دليل التثبيت بدقة لثبيت المنتج.
- يسمح فقط بالتركيب على أرضية خرسانية.
- لضمان استخدام آمن ، يرجى القيام بعمل فحص يومي جيد.
- كرسي الأطفال مصمم للأطفال من سن 5 إلى 30 شهراً.
- يمكن أن يجلس بشكل مستقل.


BABY BED

YKA25VC

Using time : W:780×D:560×H:950(mm) / Folding time : W:780×D:135×H:1145(mm)

FEATURES

- > Protection bars are designed in case babies may turn over or stretch legs when sleeping.
- > Fixing waist belt available to protect a fast-asleep baby.
- > The height of the bed is convenient for changing a baby's napkin.



ATTENTION:

- > Please strictly follow the installation manual to install the product.
- > Only installing on a concrete floor allowed.
- > To assure a safe use, please do a good daily checking work.
- > The baby bed is designed for babies aged from 1 to 24 months.

الميزات :

- تم تصميم قضبان الحماية في حالة انقلاب الطفل.
- حزام الخصر لحماية الطفل.
- ارتفاع السرير مناسب لتغيير حفاضات الطفل.

معلومات السلامة :

- يرجى اتباع دليل التثبيت بدقة لثبيت المنتج.
- يسمح فقط بالتركيب على أرضية خرسانية.
- لضمان استخدام آمن ، يرجى القيام بعمل فحص يومي جيد.
- سرير الأطفال مصمم للأطفال من سن 1 إلى 24 شهراً.



TOUCHLESS FAUCET



AUTO FAUCET - (ECO POWER)



The automatic faucet feature an almost invisible sensor in the spout. It registers every hand movement precisely and is tamper-proof.



TOTO offers a wide range of faucets for washbasins, in addition to a unique, environmentally friendly faucet system. Self Power technology incorporates a micro-sensor and a small generator that make Self Power faucets self-sufficient in terms of energy use.

SELFPOWER incorporates two technologies for public facilities. They work together to ensure optimum power- and water-saving performance.

The first is an **automatic microsensor** – one of the world's smallest – positioned at the tip of the spout. Accurate hand detection means only the minimum necessary amount of water is used.

Located inside the unit is the second technology, a **Generator** that harnesses the energy from water flowing through the tap to make the micro-sensor energy-self-sufficient.

Features

- * A faster, more convenient experience for users .
- * Hands-free means superior hygiene .
- * Self-generated power saves electricity .
- * Aerated flow is water-efficient .
- * Sensor ensures that the tap is never left running .

يتميز الصنبور الأوتوماتيكي بمستشعر غير مرئي تقريرًا في الفوهة. يسجل كل حركة يد بدقة ولا يمكن العبث بها.



تقدم TOTO مجموعة واسعة من الحنفيات لأحواض الغسيل ، بالإضافة إلى نظام صنابير فريد وصديق للبيئة. تشمل تقنية Self Power على مستشعر Self Power دقيق ومولد صغير يجعل صنابير الطاقة الذاتية مكتفية ذاتياً من حيث استخدام الطاقة.



يتضمن **SELFPOWER** تقنيتين للمرافق العامة. يعملون معًا لضمان الأداء الأمثل لتوفير الطاقة والمياه.

أولاً جهاز الاستشعار:

هو جهاز استشعار دقيق تلقائي - أحد أصغر أجهزة الاستشعار في العالم - يتم وضعه على طرف الفوهة. فالمستشعر الدقيق يقلل من كمية الماء المستخدمة.

ثانياً المولد الذاتي :

يوجد داخل الوحدة تقنية أخرى وهي مولد يستخدم الطاقة من المياه المتدفقة عبر الصنبور لجعل المستشعر الدقيق ذاتي الاكتفاء .

المميزات

- * بحرية أسرع وأكثر ملاءمة للمستخدمين .
- * عدم استخدام اليدين يعني نظافة فائقة .
- * الطاقة المولدة ذاتياً توفر الكهرباء .
- * التدفق الهوائي فعال في توفير المياه .
- * يضمن المستشعر عدم ترك الصنبور قيد التشغيل .

Micro Sensor

Integrated into the tip of the spout for accurate movement sensing.

مستشعر دقيق

مدمج في طرف الفوهة لاستشعار دقيق للحركة

Aerated Water

Reduces water consumption by 50%

مياه مضغوطة بالهواء

يقلل من استهلاك المياه بنسبة 50%

Power Generator

Water turns the power generator's turbine, creating an electrical current .

مولد الطاقة

يدبر الماء توربينات مولد الطاقة .



ما يخلق تياراً كهربائياً

Solenoid Vale

Activated by electricity from the power generator

الصمام التولبي

يتم تشغيله بالكهرباء المولدة من قوة دفع الماء .



Mixing Air with Water


خلط الهواء بالماء

Air enters thru the cap

مدخل للهواء من خلال الغطاء

SELF POWER
المولد الذاتي للطاقة

Thermostat
التحكم بالحرارة




AUTO FAUCET

DLE110 series



DLE110A2NM Tall

Auto Faucet (Spout Only)
Flow Rate : 2L/Min
Required Parts : A & B
Spout Opening
Distance : Height : 255 mm
Length : 123 mm



DLE110A1NM Semi-Tall


Auto Faucet (Spout Only)
Flow Rate : 2L/Min
Required Parts : A & B
Spout Opening
Distance : Height : 165mm
Length : 123mm



DLE110ANM Short



Auto Faucet (Spout Only)
Flow Rate : 2L/Min
Required Parts : A & B
Spout Opening
Distance : Height : 96mm
Length : 123mm



DLE106ANM

Auto Faucet (Spout Only)

Flow Rate : 2L/Min

Required Parts : A & B

Spout Opening

Distance : Height : 95mm

Length : 126mm




DLE127BEM

Integrated Auto Faucet

Flow Rate : 2L/Min

Spout Opening

Distance : H89mm
L125mm



DLE127BEM : Operated Electricity 220V

A : OPTION

1. DLE124DH (Self Power 2L)
2. DLE124DE (AC 1.5L) Electricity 220V
3. DLE124DK ("DC" Battery 1.5L)



B : DLE424SMA - SMA THERMO VALVE

This " Thermo Valve " suitable for below mentioned Auto Faucets



Controller

You can choose from your preference

	Self Powered Controller Flow Rate: 2.4L / min		AC Operated Controller Flow Rate: 1.84L / min		AC Operated Controller Flow Rate: 2.5L / min		Battery Operated Controller Flow Rate: 2.5L / min	
	TN78-9 V900 (Cold Water)	DLE124DH/ DLE424SMA (Thermost)	TN78-9 V910 (Cold Water)	DLE124DE/ DLE424SMA (Thermostat)	TTLE101A2L (Cold Water)	TTLE101B2L (Cold Water)		
DLE110AN	—	●	—	●	—	—	—	—
DLE110A1N	—	●	—	●	—	—	—	—
DLE110A2N	—	●	—	●	—	—	—	—
	A		B		C			

TOUCHLESS FAUCET

TLE24 series




GREEN
GOOD DESIGN
AWARD
2021




TLE24001D

Desk Mounted (Short)
Touchless Faucet (Spout Only)
Flow Rate : 1.3L/Min
Required Parts : A & B & C
Spout Opening
Distance : H146mm
L138mm




TLE24002D

Desk Mounted (Semi Tall)
Touchless Faucet (Spout Only)
Flow Rate : 1.3L/Min
Required Parts : A & B & C
Spout Opening
Distance : H180mm
L160mm




TLE24003D

Desk Mounted (Tall)
Touchless Faucet (Spout Only)
Flow Rate : 1.3L/Min
Required Parts : A & B & C
Spout Opening
Distance : H230mm
L164mm



TLE24005D

Wall Mounted
Touchless Faucet (Spout Only)
Flow Rate : 1.3L/Min
Required Parts : A & B & C
Spout Opening
Distance : H150mm
L225mm



A: OPTION

1. TLE03501H (Eco Powered)
2. TLE01501H (AC Operated)
3. DLE124DK (Battery Operated)



B: TLE 05701A (Thermostat) MADE IN JAPAN

This " Thermostat " must purchase all Touchless Faucets



C: TLN 01103A (Stop Valve Set)

Cartoon In Side :

2 Pcs - Stop Valve , 3 Pcs - Flexible Hose

TOUCHLESS FAUCET

GC series


TLE21001D



Made in Japan



Deck Mounted
Touchless Faucet (Spout Only)
Flow Rate : 2.0L/Min
Required Parts : A & B & C
Spout Opening
Distance : H114mm
L136mm



TLE25 series



reddot winner 2021
best of the best




TLE25001D




Deck Mounted
Touchless Faucet (Spout Only)
Flow Rate : 2.0L/Min
Required Parts : A & B & C
Spout Opening
Distance : H116mm
L124mm

TLE25005D



Wall Mounted
Touchless Faucet (Spout Only)
Flow Rate : 2.0L/Min
Required Parts : A & B & C
Spout Opening
Distance : H150mm
L225mm



TOUCHLESS FAUCET

TLE26 series




reddot winner 2021



GREEN
GOOD DESIGN
AWARD
2021



TLE26005D



TLE27 series



DESIGN
AWARD
2021



GREEN
GOOD DESIGN
AWARD
2021




TLE27001D



Deck Mounted

Touchless Faucet (Spout Only)
Flow Rate : 1.3L/Min

Required Parts : A & B & C
Spout Opening
Distance : H128mm
L110mm



TLE28 series



DESIGN
AWARD
2021




GREEN
GOOD DESIGN
AWARD
2021



TLE28001D



Desk Mounted
Touchless Faucet (Spout Only)
Flow Rate : 1.3L/Min
Required Parts : A & B & C
Spout Opening
Distance : H230mm
L164mm





Auto Function



Eco Power



Soft Flow




Eco Cap



GREEN GOOD DESIGN AWARD 2021

TOUCHLESS FAUCET

Replete with advanced functions for everything from environmental friendliness to comfort
 مليء بالوظائف المتقدمة من الصداقة البيئية إلى الراحة



This ECOPOWER touchless faucet uses the flowing water to generate the electricity it needs to operate. There is no need for electrical wiring, making installation and renovation easier.

ECOPOWER : يستخدم الخلاط بدون لمس المياه المتدفقة لتوليد الكهرباء التي يحتاجها التشغيل وليس هناك حاجة لأسلاك الكهربائية ما يجعل التركيب والتجديف أسهل.



Bacteria & Viruses may be present on restroom fixtures used by large number of people. Touching the fixtures can transfer the bacteria or viruses to your hands. Our touchless faucets let you easily wash your hands without ant need to touch the fixture.

قد توجد البكتيريا والفيروسات في قهيزات الحمامات التي يستخدمها عدد كبير من الأشخاص، يمكن أن يؤدي لمس الترقيبات إلى نقل البكتيريا أو الفيروسات إلى يديك. تتيح لك منتجاتنا من الخلاطات المحسنة غسل يديك دون الحاجة إلى لمس أصابعك للخلاط.



وظائف تلقائية



just placing your hand under the spout will start the water flow, and the water will stop when you take your hand away.

مجرد وضع يدك تحت فوهة الخلاط سيبدأ تدفق الماء وسيتوقف الماء عندما ترفع يدك بعيداً عنه

ECO POWER



قوة اقتصادية



This sensor-activated TOUCHLESS FAUCET generates its own electricity. ECOPOWER technology requires no external power source, has no minimum daily usage requirement, and is capable of generating its own power at the ultra-low flow water volume is only 1.3L/min. ECOPOWER is environmentally sustainable.

عندما يبدء عمل الخلاط بواسطة المستشعر الكهربائي والذي لا يتطلب أي مصدر طاقة خارجي وذلك بسبب تقنية ECO POWER فهي قادرة على توليد قوتها الخاصة بكمية قليلة من ضغط الماء / دقيقة فقط

SOFT FLOW



تدفق ناعم



Elegant streams of water from SOFT FLOW faucets gently touch skin. A premium calming experience. Soft and soothing. Sensor-operation eliminates the need for levers or buttons to touch, offering a new level of cleanliness for your health and wellbeing.

SOFT FLOW : تلامس تيارات المياه الهادئة للبشرة بلطافة متميزة وهادئة . تعمل المستشعرات على التخلص من الحاجة إلى أزرار للماء . مما يوفر مستوى جديداً من النظافة لصحتك ورفاهيتك.

Applicable Model : TLE21 , TLE24



ECO CAP is an air-injection technology, which reduces water consumption. Aerating the water increases its volume, so you can wash your hands with full stream while using less water.

ECO CAP هي تقنية حقن الهواء . مما يقلل من استهلاك المياه . يؤدي تهوية الماء إلى زيادة حجمه . لذا يمكنك غسل يديك باستخدام كمية أقل من الماء

Applicable Model : TLE27 , TLE28



TOUCHLESS SOAP DISPENSER

موزع صابون بدون لمس




Functions and durability that prevents malfunction and trouble due to misuse or vandalism.

وظائف عديدة ومتانة تمنع حدوث الأعطال والمشاكل بسبب سوء الاستخدام أو التخريب.

A wide variety of people utilize public spaces, from small children to adults, and misuse or vandalism can lead to malfunctions and other troubles. TOTO's automatic soap dispensers have functions and durability to minimize breakdowns and troubles, regardless of the circumstances.

تستخدم شركه واسعة من الناس الأماكن العامة بدءاً من الأطفال الصغار حتى البالغين ومن الممكن أن يؤدي سوء الاستخدام أو التخريب إلى أعطال ومشاكل. لذا تميز الصباتات الأوتوماتيكية من TOTO بالوظائف العديدة والمثانة التي تقلل من الأعطال والمشاكل.



A spot structure designed for strength difficult to break

هيكل موضعي مصمم بقوه يصعب كسره

Assuming that strong forces might be applied to the spout tip, we inserted a pipe within the base for increased strength. Even if the spout is damaged, this prevents cracking and breaking at the base.

افتراضياً أنه قد يتم استخدام قوى قوية على طرف الصبانية. لذا قمنا بإدخال أنبوب داخل فوهة الصبانية لزيادة القوة. حتى لو كانت الفوهة تالفه، فإن هذا يمنع التشقق والانكسار في القاعدة.




LIQUID & FOAM SOAP DISPENSER



DSE101EP Short


Automatic Soap Dispenser
AC : 100 - 240V Operated
Soap Volume : 0.8ml - 1.2ml
Tank Capacity : 1500ml
Soap Type : Liquid
41W X 131D X 114H mm



Another Model Available :
DSE101KP : Battery Operated


DSE102EP Semi Tall

Automatic Soap Dispenser
AC : 100 - 240V Operated
Adapter Plug : Type "BF"
Soap Volume : 0.8ml - 1.2ml
Tank Capacity : 1500 ml
Soap Type : Liquid
36W X 131D X 157H mm




DSE103EP Tall

Automatic Soap Dispenser
AC : 100 - 240V Operated
Adapter Plug : Type "BF"
Soap Volume : 0.8ml - 1.2ml
Tank Capacity : 1500 ml
Soap Type : Liquid
36W X 131D X 242H mm




TX728AEV1Z

Deck Type Soap Dispenser
Dispenser - (Bottom Refil)
Soap Type : Liquid
66W X 105D X 347H mm




DS715R

Deck Type Soap Dispenser
Dispenser - (Bottom Refil)
Soap Type : Liquid
70W X 105D X 294H mm




TLK07001G Short

Automatic Foam Dispenser
AC : 100 - 240V Operated
Soap Volume : 1.2ml
Tank Capacity : 3L
Soap Type : Foam
40W X 140D X 77H mm




TLK07002G Tall

Automatic Foam Dispenser
AC : 100 - 240V Operated
Soap Volume : 1.2ml
Tank Capacity : 3L
Soap Type : Foam
40W X 140D X 180H mm




TLK08001G Short

Automatic Foam Dispenser
AC : 100 - 240V Operated
Soap Volume : 1.2ml
Tank Capacity : 3L
Soap Type : Foam
38W X 140D X 83H mm




TLK08002G Tall

Automatic Foam Dispenser
AC : 100 - 240V Operated
Soap Volume : 1.2ml
Tank Capacity : 3L
Soap Type : Foam
38W X 140D X 186H mm



TLK09001G

Automatic Foam Dispenser
AC : 100 - 240V Operated
Soap Volume : 1.2ml
Tank Capacity : 1L
Soap Type : Foam
48W X 134D X 130H mm



Matching Tank Unit

Tank	1L Tank for 1 Spout		3L Tank for 1 Spout	
Spout	TLK01104A Type BF Adapter Plug	TLK01104T Type C Adapter Plug	TLK01101A Type BF Adapter Plug	TLK01101T Type C Adapter Plug
TLK07001G	●	●	●	●
TLK07002G	●	●	●	●
TLK08001G	●	●	●	●
TLK08002G	●	●	●	●
TLK09001G	●	●	●	●



Touchless Soap Dispenser



FAUCET



GO series



GS series



GR series



GC series



GA series

GA series



reddot award 2018
winner



reddot winner 2022
Matte Black



POLISHED CHROME



MATT BLACK
MBL



BRUSHED NICKEL
BN



POLISHED FRENCH GOLD
PFG




BRUSHED FRENCH GOLD
BFG

GA - SERIES

TLG04301DA

Single Lavatory Faucet with Popup



TLG04304DA

Single Lavatory Faucet with Popup (Medium)



TLG04307DA

Single Lavatory Faucet With Pop Up (Tall)



TBG04302D

Exposed Mixing Faucet
(Bath & Shower Mixer)




TBG04301B

Exposed Mixing Faucet
(Shower Mixer)




TRG04301D

Bidet Faucet




TLG04309D

Wall Mounted Single Lavatory Faucet
(Short) (w/o Waste Fitting)



TLG04310DA

Wall Mounted SingleLavatory Faucet
(Long) (w/o Waste Fitting)




TLG04201D

Wide Spread Faucet
Two Handle Lavatory Faucet




TBG04303B

Concealed Shower Mixer (With Panel)
* Need TBN01001D




TBG04304BB

Concealed Shower Mixer (With Panel)
* Need TBN01001D



TBG02001D

Bath Spout




GC series




reddot award 2019
winner




POLISHED CHROME



MATT BLACK
MBL



BRUSHED NICKEL
BN



POLISHED FRENCH GOLD
PFG




BRUSHED FRENCH GOLD
BFG



GC - SERIES


TLG08301D

Single Lever Lavatory Faucet w/ Pop-up Waste (Short)




TLG08303D

Single Lever Lavatory Faucet w/ Pop-Up Waste (Middle)




TLG08305D

Single Lever Lavatory Faucet w/ Pop-up Waste (Tall)




TBG08302B

Exposed Single Lever Bath & Shower Mixer




TBG08301B

Exposed Single Lever Shower Mixer




TRG08301D

Bidet Faucet w/ pop-up waste




TLG08307D

Wall Mounted Single Lever Lavatory Faucet w/o Pop-Up Waste (Short)




TLG08308D

Wall Mounted Single Lever Lavatory Faucet w/o Pop-Up Waste (Long)




TLG08201D

2 Handle Lavatory Faucet (3-Holes) w/ Pop-up Waste




TBG08303B

Concealed Shower Mixer (With Panel)
*Need TBN01001D




TBG08304B

Concealed Shower Mixer (With Panel)
*Need TBN01001D



TBG08001B

Bath Spout



GO series



reddot award 2017
best of the best



POLISHED CHROME

MATT BLACK
MBL

BRUSHED NICKEL
BN

POLISHED FRENCH GOLD
PFG

BRUSHED FRENCH GOLD
BFG

GO - SERIES

TLG01301D

Single Lavatory Faucet with Popup



TLG01304D

Single Lavatory Fucet With Pop Up (Middle)



TLG01307D

Single Lavatory Faucet with Popup (Tall)



TBG01302D

Exposed Mixing Faucet (bath shower -M)



TBG01301B

Exposed Mixing Faucet shower Mixer




TRG01301D

Bidet Faucet with Popup



TLG01310D

Wall Mounted Single Lavatory Faucet (Short) (w/o Waste Fitting)



TLG01311D

Wall Mounted Single Lavatory Faucet (Long) (w/o Waste Fitting)



TLG01201D

Wide Spread Faucet - Two Handle Lavatory Faucet



TBG01303B

Concealed Shower Mixer with Diverter
*Need TBN01001D




TBG01304B

Concealed Bath & Shower Mixer with Diverter
*Need TBN01001D



TBG01001D

Bath Spout



GR series



reddot award 2017
best of the best



POLISHED CHROME



MATT BLACK
MBL



BRUSHED NICKEL
BN



POLISHED FRENCH GOLD
PFG




BRUSHED FRENCH GOLD
BFG

GR - SERIES


TLG02301DA

Single lever Lavatory Faucet
W/ Pop-Up Waste



TLG02304DA

Single lever Lavatory Faucet
for Sami-tall Vessel W/ Pop-Up Waste



TLG02307DA

Single lever Lavatory Faucet
for Tall Vessel W/ Pop-Up Waste



TBG02302D

Single lever Shower Mixer



TBG02301B

Single lever Shower Mixer



TRG02301D

Single lever Bidet Faucet
W/ Pop-Up Waste



TLG02310D

Wall Mounted Lavatory Faucet
(Short Spout)



TLG02311DA

Wall Mounted Lavatory Faucet
(Long Spout)



TLG02309D

Single lever Lavatory Faucet
W/ Pop-Up Waste (Side Handle)



TBG02303B

Single Lever Shower Mixer
***Need TBN01001D**



TBG02304BB

Single Lever Bath & Shower Mixer
W/ Diverter ***Need TBN01001D**



TBG02001D

Bath Spout



GS series



reddot award 2018
winner



reddot winner 2022
Matte Black



POLISHED CHROME



MATT BLACK
MBL



BRUSHED NICKEL
BN



POLISHED FRENCH GOLD
PFG



BRUSHED FRENCH GOLD
BFG

GS - SERIES

TLG03301D

Single lever Lavatory Faucet
W/ Pop-Up Waste




TLG03303D

Single lever Lavatory Faucet
for Sami-tall Vessel W/ Pop-Up Waste



TLG03305D

Single lever Lavatory Faucet
for Tall Vessel W/ Pop-Up Waste



TBG03302D

Single lever
Bath & Shower Mixer



TBG03301B

Single lever
Shower Mixer



TRG03301D

Single lever Bidet Faucet
W/ Pop-Up Waste



TLG03307D

Wall Mounted Lavatory Faucet
(Short Spout)




TLG03308D

Wall Mounted Single Lavatory Faucet (Long)
- 24.5cm




TBG01001D

Bath Spout




TBG03304B

Single Lever Bath & Shower Mixer
W/ Diverter *Need TBN01001D



TBG03303B

Single Lever Shower Mixer
*Need TBN01001D




LC series



LC - SERIES


TLS03301D

Single Lavatory Faucet With Pop UP




TLS03303D

Single Lever Washbasin Faucet (Semi-tall Vessel) With Pop-Up



TLS03305D

Single Lever Washbasin Faucet (Tall Vessel) With Pop-Up



TBS03302D

Exposed Mixing Faucet (Bath Mixer)




TBS03301B

Exposed Mixing Faucet Shower



TRS03301D

Single lever Bidet Faucet With Pop Up



TLS03307D

Wall Mounted Single Lavatory Faucet (Short) (w/o Waste Fitting)




TLS03308D

Wall Mounted Single Lavatory Faucet (Long)




TBS03001D

Bath Spout



TBS03303B

Concealed Shower Mixer (with valve)



TBS03304B

Exposed Mixing Faucet (Shower Mixer)



LN series



LN - SERIES


TLS02301D

Single Lavatory Faucet With Pop Up



TLS02303D

Single Lavatory Faucet With Pop Up(Middle)



TLS02305D

Single Lavatory Faucet With Pop Up(Tall)



TBS02302D

Exposed Mixing Faucet (bath & Shower)




TBS02301B

Exposed Mixing Faucet Shower



TRS02301D

Single lever Bidet Faucet.



TLS02307D

Wall Mounted Single Lavatory Faucet (Short) (w/o Waste Fitting)



TLS02308D

Wall Mounted Single Lavatory Faucet (Long) (w/o Waste Fitting)




TLS02201D

Wide Spread Faucet -Two Handle Lavatory Faucet




TBS02303B

Concealed Shower Mixer (with Valve)



TBS02304B

Concealed Shower Mixer (with Valve)



TBS02001D

Bath Spout





LF - SERIES


TLS04301D

Single Lavatory Faucet With Pop Up




TLS04304D

Single Lavatory Faucet With Pop Up(Middle)




TLS04307D

Single Lavatory Faucet With Pop Up(Tall)



TBS04302D

Exposed Mixing Faucet (Bath & Shower)




TBS04301

Exposed Mixing Faucet (Shower)



TRS04301D

Bidet Faucet



TLS04308D

Wall Mounted Single Lavatory Faucet (Short) (w/o Waste Fitting)




TLS04309D

Wall Mounted Single Lavatory Faucet (Long) (w/o Waste Fitting)




TBS03001D

Bath Spout




TBS04303

Concealed Shower Mixer (with Valve)



TBS04304B

Concealed Bath & Shower Mixer with Diverter (with Valve)



Matte Black



Stunning beauty and remarkable hardness from **PVD**



ما هو الأسود المطفي

What is MATT BLACK


This stunning Matte Black finish adds sophistication and depth to our elegant faucet designs. Its silky sheen and delicate color gradation create a sense of luxury like no other.

Our "shot-blast processing" forms a chrome plating by physical vapor deposition (PVD) on faucet fixture surface irregularities. The result is a gorgeous Matte Black finish with a lustrous sheen and fine colour nuances.

PVD finished surfaces are harder than coated surfaces

Compared to coated products, PVD products are less prone to peeling or scratches that would reveal the base material on the surface.

Pencil testing for surface hardness



Coated Surface

The conventional painted surface shows visible scratch marks when Use different hardness pencils.

• السطح المطلي:

يظهر السطح المطلي التقليدي علامات خدش واضحة عند استخدام أقلام صلابة مختلفة.

PVD Matte Black finish won't be scratched even with a hard pencil

هذا الطلاء الأسود المطفي المذهل يضيف الأناقة والعمق لتصاميم خلاطاتنا الفاخرة. سطحه الناعم ولمعانه الحريري مع التدرجات الدقيقة في اللون يخلق شعوراً بالفخامة لا مثيل له.

عملية "Shot-Blast" تشكل طلاء كروم من خلال تقنية الترسيب الفيزيائي للبخار (PVD) على أسطح خلاطات المياه لتغطية التعرجات. والنتيجة هي طلاء أسود مطفي رائع بلمعان متألق وتدرجات لونية دقيقة.

الأسطح النهائية بتقنية PVD أقوى من الأسطح المطلية التقليدية. بالمقارنة مع المنتجات المطلية، فإن منتجات PVD أقل عرضة للتقصير أو الخدوش التي قد تكشف المادة الأساسية على السطح. اختبار القلم لتحديد صلابة السطح:

PVD Surface

The matte black PVD surface does not scratch even with Use a high hardness pen.

• سطح PVD:

سطح PVD الأسود المطفي لا يتعرض للخدش حتى مع استخدام قلم ذو صلابة عالية.

الطلاء PVD باللون الأسود غير الالامع لن يتعرض للخدش حتى باستخدام قلم رصاص صلب.

شروط الاختبار:

تم إجراء اختبارات القلم وفقاً للمعايير: JIS K5600 5.4, ISO 15184, ASME D3363, JIS K5600-5-4, ISO 15184 and GB T6739) was performed on the coating/PVD in our test site.

ـ PVD في موقع اختبار الطلاء/تقنية

Manufacturing process :

What is Matte Black by TOTO?

The PVD surface includes metallics deposited at the atomic level, making it stronger. This dark, rich finish and sleek texture will add beauty for years to come.



ما هو اللون الأسود المطفي من TOTO؟

يشتمل سطح PVD على معادن متربطة على المستوى الذري، مما يجعلها أقوى. هذا اللون الداكن والغني والملموس الأنique سيضفي جمالاً لسنوات قادمة.












المنتج المغلفة المعطف لديه الرانج السطحي، مما يجعله أضعف



عملية التصنيع :



CONCEALED THERMOSTAT

TBV01407B Concealed Thermostat and Volume Control Valve(Standard Type)*   <p>*Need TBN01001</p>  	TBV02405B Concealed Thermostat and Push Button Shut Off Valve (Contemporary Type) *   <p>*Need TBN01001</p>  	TBV02403B Concealed Thermostat and Volume Control Valve (Contemporary Type)   <p>*Need TBN01001</p>  
TBV01408B Concealed Thermostat and Diverter Valve with Shut Off (Standard Type) *   <p>*Need TBN01001</p>  	TBV02406B Concealed Thermostat and Push Button Shut Off Valve (Contemporary Type) *   <p>*Need TBN01001</p>  	TBV02404B Concealed Thermostat and Diverter Valve with Shut Off (Contemporary Type) *   <p>*Need TBN01001</p>  
TBV01406B Concealed Thermostat Valve (Standard Type)   <p>*Need TBN01001</p>   + TBV01102B 3 Way Diverter for Thermostat 3 Outlet   <p>*Need TBN01101</p>	TBV02401B Concealed Thermostat Valve (Contemporary Type)   <p>*Need TBN01001</p>   + TBV02102B 3 Way Diverter for Thermostat 3 Outlet   <p>*Need TBN01101</p>	TBV02402B Concealed Thermostat Valve (Contemporary Type)   <p>*Need TBN01001</p>   + TBV02105B 3 Way Diverter for Thermostat 3 Outlet Use Switch Type *1   <p>*Need TBN01001</p> 



SHOWER



HEAD SHOWER



Control the water's flow interior.

باستخدام هيكل داخلي فريد، يتم التحكم في تدفق المياه دون تناول. وهي جريبة استحمام جديدة تماماً، تدفق جسمك بشكل منحنٍ ويفصل دون تناول. و هي جريبة استحمام أكثر سلاسة. توفر تجربة استحمام أكثر سلاسة.

التحكم في تدفق المياه.

عمرود واحد من الماء الدافئ يجري بهدوء من طاسة الدش. وعندما يلامس الماء الجسم و يتبع منحنٍ جسمك ويغلفه دون تناول. وهي جريبة استحمام جديدة تماماً، تدفق جسمك بشكل فعال.

A brand new shower system. Water like a warm cloak.

The feeling of a warm bath, in a shower. This is the power of WARM SPA. A single pillar of warm water running quietly from the showerhead. When water hits the body, it follows the curves and envelops it without a splash. A completely new shower experience, warming your body efficiently.

نظام دش جديد . تغطية فعالة من الماء دافئ.


- الشعور بالحمام الدافئ أثناء الاستحمام، هذه هي قوة WARM SPA.

- عود واحد من الماء الدافئ يجري بهدوء من طاسة الدش. وعندما يلامس الماء الجسم و يتبع منحنٍ جسمك ويغلفه دون تناول. وهي جريبة استحمام جديدة تماماً، تدفق جسمك بشكل فعال.

TOTO الجودة:




تصور الصورة كيف ترتفع درجة حرارة الجسم. تظهر المنطقية الحرارة الأجزاء الدافئة من الجسم، بالمقارنة مع طاسات الدش التقليدية . من الواضح أن WARM SPA يسخن الجسم بشكل أكثر كفاءة.



Choose your ideal showering experience at the touch of a switch.

For the hand shower we installed a switch right at your fingertip. In hand shower you can change easily between WARM SPA / COMFORT WAVE / ACTIVE WAVE. Feel free to enjoy the perfect shower for your mood.



اختر جريبة الاستحمام المثالية الخاصة بك بلمسة مفتاح

بالنسبة للاستحمام اليدوي ، قمنا بتنبيث مفتاح في متناول يدك. يمكنك التبديل بسهولة بين WARM SPA / COMFORT WAVE / ACTIVE WAVE . لا تتردد في الاستمتاع باستحمام مثالي لمزاجك.



Create a pleasant shower experience that is safe for everyone.

TOTO uses a unique structure developed through continuous research to prevent the various risks associated with taking a shower.

اصنع جريبة استحمام ممتعة وآمنة للجميع.

تستخدم TOTO بنية فريدة من نوعها صنعت من خلال البحث المستمر لنوع مختلف المخاطر المرتبطة بالاستحمام.

SHOWER

TBW01003D

Wall-Mount Shower Head *3
(1 Modes)



*3 Fall Prevention Feature

TBW01004D

Wall-Mount Shower Head *3
(2 Modes)



*3 Fall Prevention Feature

TBW01003D1

Ceiling Mount Shower Head
Diameter : 220mm



TBW02003D

Wall-Mount Over Head Shower *3
(1 Modes)



*3 Fall Prevention Feature

TBW02004D

Wall-Mount Shower Head *3
(2 Modes) *3 Fall Prevention Feature




TBW02003D1

Ceiling Mount
Shower Head
Diameter 210x210mm




TX491SNK

Ceiling Mount Shower Head
(L= 200 mm, Ø= 250 mm) (Wall Type)
(L= 400 mm, Ø= 250 mm) (Wall Type)



TX488SZ

Fixed Shower Head W/Pipe
(L= 400 mm, Ø= 250 mm) (Wall Type)



TBW01013D

Fixed Shower Head (Wall Type)
(Multi mode)

*3 Fall Prevention Feature


Another Model :

TBW01012D (1 Mode)



TBW08002D

Over Head Shower - (Wall Type)
(1 Modes)




MATT BALCK
#MBL

POLISHED FRENCH GOLD
#PFG

BRUSHED FRENCH GOLD
#BFG

TBW08003D


Over Head Shower - (Wall Type)
(1 Modes)



BRUSHED FRENCH GOLD
#BFG

TBW02001A

Shower Column
w/ Shower Head (Square)
w/ 2 Mode Fixed




SHOWER

TBW01008D

Wall-Hung Hand Shower
(1 Modes)

MATT BALCK # MBL




TBW01010D

Wall-Hung Hand Shower *4
(3 Modes)



TBW02005D


Wall-Hung Hand Shower *4
(1 Modes)



*4 Safety Design Resin Hanger

TBW01018B

Hand Shower Set
(w/ Hand Shower, Hose & Holder)
(5 Modes)



TBW02006D

Wall-Hung Hand Shower *4
(3 Modes)



*4 Safety Design Resin Hanger


TBW07009D

Hand Shower
(3 Modes)




THX118SRR

Hand Shower
(3 Modes)



TBW02017D

Hand Shower
(1 mode)



ACTIVE WAVE




INTENSE WAVE+

SHOWER

Stimulating to body and mind.
Awakening to the senses.



HAND SHOWER



BODY SHOWER



BODY SHOWER


TBW07017D

Body Shower
(2 mode)



TBW08008D


Gyrostream Body Shower
(1 mode)



WALL OUTLET


TBW07020A

Wall Outlet
w/o Shower Hanger




TX472SESMV1

Wall Outlet




TBW01014T

Wall Outlet




TBW008009A

Wall Outlet
w/o Shower Hanger




TX472SIVI

Wall Outlet



TBW02013B


Wall Outlet



SHOWER SLIDING BAR


TBW01016B

Sliding Rail *4
Durable Quality



TBW02012B


Sliding Rail *4



*4 Safety Design Resin Hanger

TBW07019A


Sliding Rail *4
Durable Quality



*4 Safety Design Resin Hanger





DS740R

Sliding Rail *4
Durable Quality








*4 Safety Design Resin Hanger

L" SELECTION ACCESSORIES - ROUND

<u>YS406N5C</u>	<u>YRH406C</u>	<u>YH406RC</u>
	<p>Robe Hook Size : 40 X 55D mm</p> 	<p>Paper Holder Size : 165W X 55D X 83H mm</p> 
<u>YTT406C</u>	<u>YTS406BC</u>	<u>YT406S6RC - YT406S4RC</u>
<p>Towel Ring Size : 145 X 55D mm</p> 	<p>Towel Shelf Size : 560W X 200D X 90H mm</p> 	<p>Towel Bar S6 Size : 650W X 55D X 40H mm</p>  <p>Towel Bar S4 Size : 400W X 55D X 40H mm</p> 


L" SELECTION ACCESSORIES - SQUARE

<u>YS408N5C</u>	<u>YRH408C</u>	<u>YH408RC</u>
	<p>Robe Hook Size : 40 X 55D mm</p> 	<p>Paper Holder Size : 165W X 55D X 83H mm</p> 
<u>YTT408C</u>	<u>YTS408BC</u>	<u>YT408S6RC - YT408S4 RC</u>
<p>Towel Ring Size : 229W X 55D X 99H mm</p> 	<p>Towel Shelf Size : 560W X 200D X 90H mm</p> 	<p>Towel Bar S6 Size : 650W X 55D X 40H mm</p>  <p>S4 Size Size : 400W X 55D X 40H mm</p> 

ACCESSORIES

YRH902C

Robe Hook




YH902C

Paper Holder



YTT902C

Towel Ring




YTS903BC

Towel shelf with Rail

Size :

628W X 201D X 100Hmm




YT902S6C

Towel Bar

Size :

628W X 44D X 25Hmm




DISABLED TOILET AREA -(MULTIPURPOSE HANDRAIL- S.S)

T113B6 V1

GRAB BAR

90W X 600D X 86H mm



Another Model :

T113B8


GRAB BAR

90W X 800D X 86H mm

T113HK7 V1

GRAB BAR


160W X 700D X 262H mm



T113BL9 V1

GRAB BAR


700W X 700D X 90H mm



T113BU2 V1

HAND RAIL FOR URINAL


600W X 550D X 480H mm



PAPER HOLDER


DS713U # S.S

Product Name : Small embedded Stainless Steel Paper Holder & Tissue Dispenser + Bin
 Material : SUS304
 Size : 350W X 150D X 1200H mm




DS712U # S.S

Product Name : Small embedded Stainless Steel Paper Holder & Tissue Dispenser + Bin
 Material : SUS304
 Size : 340W X 140D X 750H mm



YKT300MN

Product Name : Paper Towel Holder
 Material : Steel
 Size : 300W X 116D X 265H mm




YH63GWS

Product Name : Roll Holder
 Material : Glass & Brass
 Size : 360W X 120D X 113H mm



DSP70W


Product Name : Paper Holder
 Material : Brass
 Size : 285W X 79D X 46H mm



HAND DRYER


TYC423WC

Product name : Clean Dry High Speed Hand Dryer without Heater (Double-side)
 Power : 230v
 Weight : 7.4 kg
 Material : PP Plastic
 Size : 300W X 186D X 550H mm



TYC322M


Product name : High Speed Hand Dryer
 Air Heater : On / Off
 Drying Time : 5 - 9 Sec
 Power : AC 220 - 240V
 Weight : 3kg
 Material : Aluminium
 Size : 245W X 134D X 226H mm



SHOWER SPRAY


THX20MMDV

Luxury Metal 2 Mode
Shower Spray (Bubble & Spray)




THX20MCRB - SA

Shower Spray
(Chrome)




TX403SECR - SA

Shower Spray With
Safety Valve - (Chrome)




THX20NB#N5

Shower Spray
(Black)




THX20SECR

Shower Spray
(Chrome)



Shower Spray
(White)




STOP VALVE

TX 277SV1

Stop Valve


Size : 1/2 "



HAP004A

Stop Valve With Heavy Duty Flexible Hose


Size : 1/2 "



WASTE FITTINGS

THX1B1N


P-TRAP for Bidet - (288mm)



Another Model Available
THX1A-2N (308mm)
THX1A-3N (352mm)

THX1A-3N

P-TRAP for Lavatory for 1 1/4" Pop-up waste Lavatory Faucet (262mm)



Another Model Available
THX1A-5N (308mm)
THX1A-6N (352mm)

DL501SR S-TRAP




DL501P2S P-TRAP



T6JV6


Pop up Waste For Basin



Squatting Toilet

CW10J#W


Squatting Toilet
430W X 535D X 310H mm



FLOOR DRAIN


TX1DB

Floor Drain W/ Square Flange
(for 2" G.I Pipe)
(115 X 115 mm)




TX1DBV1

Floor Drain W/ Square Flange
(for 2" G.I Pipe)
(115 X 115 mm)




TX1DA

Floor Drain (for 2" G.I. Pipe)
(Ø= 100.5 mm)




TX1DAV1

Floor Drain (for 2" G.I. Pipe)
(Ø= 100.5 mm)



TX1CV2

Floor Drain With Mosquito Trap
(131 X 131 mm)









BATHTUBS



BATH TUB

PJYD2200PWE#GW

Product Name : FLOTATION TUB WITH ZERO DIMENSION
Capacity : 293L
Size : 1050W x 2200D x 780H mm



FEATURES :

1. ZERO DIMENSION gives you comfort, calm and indulgence in a moment of relaxation meditation.
2. Dynamic hydromassage randomly flowing around the target muscles encouraging a deep feeling of relaxation.
3. Variable cushion positions ensure stability and comfort.
4. AIR-JET, volatile streams of air bubbles envelop the body in a soothing sensation.
5. LED lighting creates a dream-like atmosphere in the outdoor surroundings of the aquarium base.


1. تمنحك ميزة ZERO DIMENSION الشعور بالراحة والهدوء والانغماس في لحظة التأمل من الاسترخاء .
2. تدليك مائي ديناميكي يتدفق بشكل عشوائي حول العضلات المستهدفة مما يشجع على الشعور العميق بالاسترخاء
3. أوضاع متغيرة تضمن الاستقرار والراحة
4. AIR-JET تيارات متقلبة من فقاعات الهواء التي تغلف الجسم بإحساس مهدي
5. توفر إضاءة LED أجياد تشبه الحلم في المحيط الخارجي لقاعدة الحوض



ZERO DIMENSION

The posture of an astronaut resting in space

ZERO DIMENSION bathing brings freedom from gravity, releasing stress on joints and encouraging ultimate relaxation.



السباحة في الفضاء

الاستحمام مع خاصية ZERO DIMENSION يشعرك بانعدام الجاذبية و التخلص من الضغط على المفاصل والتشجيع على الاسترخاء .

The brain in a state of tranquility

Research has shown that the ZERO DIMENSION bathing posture reduces activity in the part of the brain that houses the language function. This is the reason ZERO DIMENSION bathing feels calming and relaxing.


أظهرت الأبحاث أن وضعية الاستحمام ذات البعد صفر تقلل من النشاط في جزء من الدماغ الذي يضم وظيفة الإشارات هذا هو السبب في أن الاستحمام بتقنية ZERO DIMENSION يشعر بالهدوء والاسترخاء .



RECLINE COMFORT

Nestled in comfort feel your body and mind release into a state of tranquility :

The weight of the head releases into the headrest the body receives the sensation of a comforting embrace. The natural S-curve of the spine is maintained all along the neck and down the back, encouraging deep release. This position provides a deep sensation of ease and tranquility. It is a bathing experience that brings relaxation beyond expectations.



الراحة : يجعل جسدك وعقلك في حالة من الهدوء

ينتشر وزن الرأس في مسند الرأس ويستعيد الجسم الإحساس باختضان مريح . ويتم الحفاظ على الانحناء الطبيعي للعمود الفقري على طول العنق وأسفل الظهر . مما يشجع على إطلاق عميق . ويوفر هذا الوضع إحساساً عميقاً بالراحة . والهدوء . إنها بُرقة الاستحمام التي تخلب الاسترخاء إلى ما هو أبعد من التوقعات .

BATH TUB

PJYD2200PWE#GW

Exclusive features that make every bathing experience a luxurious occasion.

مميزات حصرية تجعل كل حمام مناسبة فاخرة.



NECK BATH

With variable pillow positions ensuring stability, people of all body shapes can enjoy the warmth of the bath from above the shoulders to the neck.

وسادة المغطس

مع أوضاع الوسائل المتغيرة التي تضمن الاستقرار، يمكن للأشخاص مختلف الأحجام الاستمتاع بدفع الحمام من فوق الكتفين إلى الرقبة.



AIR-JET

Fluctuating streams of air bubbles rise from below and envelop the body with a soothing sensation.

فقاعات الهواء

تتصاعد تيارات متقلبة من فقاعات الهواء من الأسفل وتغلف الجسم بإحساس هادئ.



LED LIGHTING

In the outer perimeter of the tub's base, LED LIGHTING supplies a dream-like ambience.

الانارة LED

في المحيط الخارجي لقاعدة الحوض، توفر إضاءة LED أجواء تشبه الحلم.



HYDRO HANDS

Deeply stimulating water massage gives the feeling of real hands kneading tired muscles.



تدليك مائي

تدليك مائي محفز بعمق ينحني شعوراً وكأن أيدي حقيقية تضغط على العضلات المتعبة.“



CONTROLLER

The electrostatic CONTROLLER is operated by the slightest touch.

التحكم

يتم تشغيل وحدة التحكم بأدنى لمسة.




GALALATO MATERIAL

Offering outstanding durability, the tub is made of GALALATO artificial marble and constructed using TOTO's innovative sandwich configuration.

المواد المستخدمة




المادة المستخدمة توفر متانة رائعة حيث أن الحوض مصنوع من رخام GALALATO المكون من عدة طبقات.



BATH TUB




PJY1724WHPWE#GW

Product Name : GALALATO Freestanding Bathtub (w/o Hand Grip)
Capacity : 209L
Material : Reinforced Marble
Size : W:1700 X D:800 X H:565 mm
Pop-up Waste : Included






PJY1734HPWE#GW

Product Name : GALALATO Freestanding Bathtub (w/o Hand Grip)
Capacity : 229L
Material : Reinforced Marble
Size : W:1700W X D:855 X H:640 mm



PJY1744WHPWE#GW


Product Name : GALALATO Freestanding Bathtub (w/ Hand Grip - Silver)
Capacity : 229L
Material : Reinforced Marble
Size : W:1695 X D:835 X H:565 (mm)
Pop-up Waste : Included



BATH TUB


FBYN1816CHPTE#W

Product Name	: Enameled Cast Iron Free Standing Bathtub (w/ Hand Grip)
Capacity	: 210L
Material	: Enameled Cast Iron
Size	: W:1800 X D:800 X H:537 (mm)
Pop-up Waste	: Included (Metal Waste Fitting)



FBYN1816DHPTE#W


Product Name	: Enameled Cast Iron Apron Bathtub (w/ Hand Grip)
Capacity	: 210L
Material	: Enameled Cast Iron
Size	: W:1800 x D:800 x H:537 mm
Pop-up Waste	: Included (Metal Waste Fitting)



FLOOR STANDING BATH & SHOWER SET



TBG02306DA + TBN01105B

Series Name	: GR series
Item Name	: Floor Standing Bathub Faucet
Material	: Brass
Finish	: Chrome



TBG11306DA + TBN01105B

Series Name	: GO series
Item Name	: Floor Standing Bathub Faucet
Material	: Brass
Finish	: Chrome




SPARE PARTS

THX919




Slip-In Connector for S-Trap Toilet



THX918




Slip-In Connector for S-Trap Toilet




THX917




Slip-Connector for S-Trap Toilet



TCP16





Matching with Water Closet Model : C636





T53P100

Wall Flange With Seal Gasket




Matching with Water Closet Model's : CW992 - CW989




T64BW

Wall Flange With Seal Gasket




Slip-In Connector



TL510ER


Brackets & Screws



Matching With Lavatory Model :
LW286

Hangers & Screws


Matching With Lavatory Model :
LW103



TL220D

Bracket & Screws

Matching With Lavatory Model :
LW651, LW569
LW587, LW549
LW595, LW540



TSPO225W

RECOMMEND



NEOREST - AH



CS 989VT / TCF9788WZ

FREE STANDING
BATH TUB



PJY1744HPWE

CONSOLE LAVATORY



LAVATORY FAUCET



FLOOR STANDING BATH & SHOWER SET



TBG02306A / TBN01105B

ACCESSORIES



TBV02406B / TBN01001B



TBW02004BA



YRH903C



TBW02006A



YT903S6C

RECOMMEND



NEOREST - NX



CS 901KVT

FLOTATION TUB



PJYD2200PWE

CONSOLE LAVATORY



LW4724E

FLOOR STANDING BATH & SHOWER SET



AUTO FAUCET



TLP01701J / TLP01702S

TBP01301A / TBN01105B

SHOWER



TBW01005B / TBN01002B

ACCESSORIES



YT902S6C



TBW02017A



YH902C



TBV02105B / TBN01001B




TBV02402B / TBN01001B

RECOMMEND



NEOREST - NH I 	NEOREST - LE II 
CW992VA / TCF992WA	CW996P / TCF996WA
CONSOLE LAVATORY	
 LW3716HY	 LW4716RE
LAVATORY FAUCET 	FREE STANDING BATH TUB 
TLP02304B	PJY1886HPWMNE
SHOWER 	FLOOR STANDING BATH & SHOWER SET 
TBW01005B/TBN01002B	TBP02303B1/ TBN01001B
ACCESSORIES	
 TBV02105B / TBN01001B	 YH903S6C
 TBV02402B / TBN01001B	 YH903C

RECOMMEND



NEOREST - WX



CW927PZT / TCF95380GAA



FLOTATION TUB



PJYD2200PWE



PAPER HOLDER



YH63SDT1 / YH63SDV1BN

CONSOLE LAVATORY



LW4724E

FLOOR STANDING BATH & SHOWER SET



TBP01301A / TBN01105B

AUTO FAUCET



TLP01701J / TLP01702S



CERTIFICATE OF REGISTRATION



This is to certify that Quality Management System of

ABDULRAHMAN & ABDULKAREEM ALOMRAN TRADING COMPANY

4362 Al Imam Muslim - Al Marwah 14722 Riyadh Kingdom of Saudi Arabia

is in accordance with the requirements of the following standard

ISO 9001:2015

(Quality Management System)

SCOPE

Trading of sanitary ware, Ceramics and Porcelain

(IAF Code: 29)

Certificate Number : **130824019605**

To verify certificate, visit at
www.uafaccreditation.org
www.iafcertsearch.org

Initial Registration Date : **13-Aug-2024**

1st Surveillance Date: **13-Jul-2025**

2nd Surveillance Date: **13-Jul-2026**

Certificate Expiry Date : **12-Aug-2027**

Issued by ARS

Managing Director



Accreditation No. : **51901390123**



UAF Address : 400, North Center Dr, STE 202, Norfolk, VA 23502, United States of America :

TOTO IN 80 AIRPORTS AROUND THE WORLD

Flughäfen auf der ganzen Welt nutzen die Technologien von TOTO - um Reisen sauberer und öffentliche Waschräume ansprechender zu gestalten. Airports around the world use TOTO, to bring cleanliness to travel and make public bathrooms more enjoyable.



GERMANY

1. Frankfurt International Airport

CANADA

2. Calgary International Airport
3. Vancouver International Airport

UNITED STATES

4. Oakland International Airport
5. Baltimore-Washington International Airport
6. Norman Y. Mineta San Jose International Airport
7. San Francisco International Airport
8. Phoenix Sky Harbor International Airport
9. General Edward Lawrence Logan International Airport
10. Hartsfield-Jackson Atlanta International Airport
11. George Bush Intercontinental Airport
12. Bradley International Airport
13. Minneapolis-Saint Paul International Airport
14. John F. Kennedy International Airport
15. Seattle-Tacoma International Airport
16. Valley International Airport
17. Bill and Hillary Clinton National Airport
18. Tulsa International Airport
19. Minneapolis-Saint Paul International Airport
20. General Mitchell International Airport
21. Rochester International Airport
22. Kansas City International Airport
23. Los Angeles International Airport
24. Marlin 5iale Airport
25. Newport News/Williamsburg International Airport
26. Norfolk International Airport
27. McGhee Tyson Airport
28. Charleston International Airport
29. William P. Hobby Airport
30. Lynden Pindling International Airport

GUAM

31. Guam International Airport

GUATEMALA

32. La Aurora International Airport

PANAMA

33. Tocumen International Airport

COLOMBIA

34. El Dorado International Airport

PARAGUAY

35. Silvio Pettirossi International Airport

VENEZUELA

36. Simón Bolívar International Airport

MEXICO

37. Monterrey International Airport

KENYA

38. Mombasa Moi International Airport

CHINA

39. Shanghai Pudong International Airport
40. Shanghai Hongqiao International Airport
41. Beijing Capital International Airport
42. Quanzhou Jinjiang Airport
43. Sanming Shaxian International Airport
44. Wuhan Tianhe International Airport
45. Nanjing Lukou International Airport
46. Halal Luogang International Airport
47. Tianjin Binhai International Airport
48. Xi'an Xianyang International Airport
49. Chongqing Jiangbei International Airport
50. Xiamen Gaoqi International Airport

JAPAN

51. Tokyo International Airport
52. Kansai International Airport
53. New Chitose Airport
54. Quanzhou Jinjiang Airport
55. yonaga Airport
56. Narita International Airport
56. Fukuoka Airport
57. Chubu Centrair International Airport

MACAU

58. Macau International Airport

HONG KONG

59. Hong Kong International Airport

THAILAND

60. Suvarnabhumi Airport

VIETNAM

61. Tân Sơn Nhất International Airport

62. Da Nang International Airport

63. Cần Thơ International Airport

64. Nội Bài International Airport

BANGLADESH

65. Shah Amanat International Airport

SINGAPORE

66. Singapore Changi Airport

INDIA

67. Chhatrapati Shivaji International Airport
68. Rajiv Gandhi International Airport
69. Bengaluru International Airport
70. Indira Gandhi International Airport
71. Cochin International Airport
72. Coimbatore International Airport

SRI LANKA

73. Bandaranaike International Airport

U.A.E

74. Dubai International Airport

TAIWAN

75. Taiwan Taoyuan International Airport

INDONESIA

76. Jakarta Airport

CAMBODIA

77. Phnom Penh International Airport

KUWAIT

78. Kuwait International Airport

OMAN

79. Salalah International Airport

80. Muscat International Airport

TOTO IN COMMERCIAL & HOSPITAL & MALL RESIDENTIAL & PROJECT REFERENCE AROUND THE WORLD



COMMERCIAL	HOSPITAL	MALL	RESIDENTIAL
  <p>UAE - DUBAI Dubai Police Forensic Lab Emirates Towers Office Tower Jafza Twin Towers - Jafza View Dubai Metro Stations SBG Mosque</p>	   <p>UAE - ABU DHABI Cleveland Clinic Arzanaha Medical Complex Mafraq Dailusis Centre Mafraq Hospital</p> <p>SAUDI ARABIA Dr.Sulaiman Al Habib Hospital Riyadh Hospital Dammam Hospital</p> <p>KUWAIT Urology Hospital</p> <p>QATAR Sidra Hospital Hamad medical Cetre</p>	 <p>UAE - ABU DHABI Abu Dhabi Mall IKEA & YAS Island YAS Mall & YAS Island Marina Squire - Reem Island</p> <p>UAE - DUBAI The Mall - Al-Ain Dubai Mall Dubai Festival City - Mall Dubai Marina Mall Emirates Mall Avenue Mall</p> <p>BAHRAIN Moda Mall</p>	    <p>UAE - DUBAI Discovery Gardens Nuami Tower Golf Tower - The Views Sulafa Tower</p> <p>BAHRAIN Riffa Views Ministry of Housing Projects Residence For K.S.A Ambassador</p> <p>OMAN Silver House - Ghala</p>



TOTO IN HOTEL PROJECT REFERENCE AROUND THE WORLD

Flughafen auf der ganzen Welt nutzen die Technologien von TOTO - um Reisen sauberer und öffentliche Waschräume ansprechender zu gestalten. Airports around the world use TOTO, to bring cleanliness to travel and make public bathrooms more enjoyable.



Accor Hotels

DUBAI

Pullman Emirates Mall - Dubai
IBIS Emirates Mall - Dubai
Novotel Sheikh Zayed - Dubai

THAILAND

Sofitel Bangkok - Sukhumvit
Hotel Novotel - Suvarnabhumi Airport
Pullman Bangkok King Power

VIETNAM

Sofitel Plaza - Hanoi
Sofitel Plaza - Saigon
Novotel Garden Plaza - Saigon

InterContinental Hotels Group

DUBAI

Crowne Plaza Yas Island - Abu Dhabi
Crowne Plaza Dubai Festival City
InterContinental Dubai Festival City

SINGAPORE

InterContinental - Singapore

CHINA

InterContinental - Shenzhen
InterContinental - Shanghai
InterContinental - Suzhou
InterContinental - Nanjing
InterContinental - Ningbo

Carlson Rezidor Hotel Group

DUBAI

Radisson Royal - Dubai

INDIA

Radisson Hotel - Chennai

Shangri-La Hotels and Resorts

FRANCE

Shangri-La Hotel - Paris

QATAR

Traders Hotel - Doha

INDIA

Shangri-La Hotel - Mumbai

CHINA

Shangri-La Hotel - Beijing
China World Hotel - Beijing
Traders Hotel - Beijing
Shangri-La Hotel - Pudong
Shangri-La Hotel - Chengdu
Shangri-La Hotel - Zhongshan
Shangri-La Hotel - Manzhouli
Shangri-La Hotel - Ningbo

JAPAN

Shangri-La Hotel - Tokyo

Hong Kong

Island Shangri-La - Hong Kong
Kowloon Shangri-La - Hong Kong

SINGAPORE

Shangri-La Hotel - Singapore

Hilton Hotels Corporation

DUBAI

Conrad Hotel - Dubai

JAPAN

Conrad Hotel - Tokyo

CHINA

Conrad Hotel - Bangkok
Millenium Hilton - Bangkok

ISLAND IN INDONESIA

Conrad Hotel - Bali

SINGAPORE

Conrad Hotel - Singapore
Hilton Hotel - Singapore

Jumeirah International

DUBAI

World Trade Centre Residence - Dubai
Jumeirah Health Care City Hotel - Dubai
Emirates Towers - Dubai

CHINA

Jumeirah Shanghai

U.S.A

Jumeirah Shanghai

Starwood Hotels and Resorts Worldwide

CHINA

St.Regis - Beijing
Sheraton Hotel - Guiyang
Sheraton Hotel - Ningbo
Sheraton Hotel - Shanghai
Le Meridien - Xiamen
Le Meridien - Shanghai
Royal Meridien - Shanghai

U.S.A

"W" Hotel - Seattle

SOUTH KOREA

"W" Hotel - Seoul

CANADA

"W" Hotel - Montreal

NEW YORK

"W" Hotel - New York

SINGAPORE

St.Regis - Singapore

KINGDOM OF BORA BORA

St.Regis - Bora Bora

INDIA

Le Meridien - Chennai

THAILAND

Sheraton Hotel - Hanoi

Sheraton Hotel - Sukhumvit - Bangkok

Westin Grande - Sukhumvit - Bangkok

INDONESIA

St.Regis - Indonesia

TOTO IN HOTEL PROJECT REFERENCE AROUND THE WORLD

Flughäfen auf der ganzen Welt nutzen die Technologien von TOTO – um Reisen sauberer und öffentliche Waschräume ansprechender zu gestalten.

Airports around the world use TOTO, to bring cleanliness to travel and make public bathrooms more enjoyable.



Hyatt HYATT



FRANCE

Park Hyatt - Paris

CHINA

Park Hyatt - Shanghai
Grand Hyatt - Guangzhou
Hyatt Regency - Jing JIn

DUBAI

Park Hyatt - Abu Dhabi

INDIA

Park Hyatt - Hyderabad

SOUTH KOREA

Park Hyatt - Seoul

VIETNAM

Park Hyatt - Saigon

THAILAND

Grand Hyatt Erawan Hotel - Bangkok

SINGAPORE

Grand Hyatt Hotel - Singapore

JAPAN

Park Hyatt - Tokyo
Grand Hyatt - Tokyo

U.S.A

Andaz - California
Hyatt Regency - Washington
Hyatt Regency - San Francisco
Hyatt Regency - California
Hyatt Regency - Chicago
Grand Hyatt - Georgia
Park Hyatt - Colorado
Hyatt Regency - Florida

Marriott International



CHINA

Renaissance Hotel - Shanghai Yuyuan
Marriott Hotel - Shanghai
Marriott Hotel - Ningbo
Marriott Hotel - Beijing
Marriott Hotel - Shenzhen

BAHRAIN

The Ritz Carlton - Bahrain

U.S.A

The Ritz Carlton - New York
Marriott Hotel - San Francisco

SOUTH KOREA

The Ritz Carlton - Seoul

JAPAN

The Ritz Carlton - Tokyo

SINGAPORE

The Ritz Carlton Millenia - Singapore
Marriott Hotel - Singapore

INDONESIA

" JW " Marriott - Jakarta
The Ritz-Carlton - Jakarta
The Ritz Carlton - Jakarta Pacific Place
Bvlgari Hotel - Bali

Four Seasons Hotels and Resorts




FOUR SEASONS HOTEL :

SAUDI ARABIA
DOHA
MUMBAI
HANGZHOU
TOKYO
MACAO
BANGKOK
BALI AT JIMBARAN BAY
SINGAPORE
MALAYSIA



World wide Our Key Clients :



وتـد



World wide Our Key Clients :



NOTE





شركة عبد الرحمن وعبد الكريم العمار للكوادر الصحية
AL-OMRAN TRADING CO. FOR SANITARY WARE

الرقم الموحد : 8001240343

Email : info@alomran.sa - project@alomran.sa



كتالوجات
Catalogue



فروعنا
Branches