
شركة عبد الرحمن وعبد الكريم العمران للأدوات الصحية

AL-OMRAN TRADING CO. FOR SANITARY WARE

TOTO

Life Anew



GENERAL CATALOGUE

2026

TOTO HISTORY



2013 — TOTO Asia Oceania's first Singapore Technical Center display the latest products and industry-leading technologies.



2008 — TOTO Asia Oceania Pte Ltd. is established as the regional headquaters of the Middle East, South Asia, South East Asia and Oceania.



1993 — The NEOREST toilet integrates WASHLET technology and TOTO's premier innovations, embodying the pinnacle of Clean Technology.



1980 — TOTO launches WASHLET providing consumers with a whole new level of cleanliness and comfort.



1946 — After World War II, TOTO begins producing metal fittings and faucets in addition to ceramic.



1923 — The Great Kanto Earthquakes strikes devastating Tokyo. A sewage system is built during the reconstruction, leading to a rapid growth in demand for sanitary wares.



1917 — TOYO TOKI CO. LTD. was established by Kazuchika Okura, which is later renamed TOTO.



1912 — Established ceramic sanitary ware laboratory and began manufacturing sanitary ware.

2015 — To mark the 100th Anniversary, TOTO opened the museum in Kitakyushu mapping the rise of Japanese bathroom culture, connecting with its clients.



2017 — TOTO brought its latest innovations to ISH 2017, the world's largest sanitaryware expo.



2018 — Al-Omran SanitaryWare became the authorized distributor of TOTO products in Saudi Arabia and opened dedicated TOTO showrooms across the Kingdom.



2019 — Continuously refined since the 1980s, WASHLET reached a major milestone by 2019 with over 50 million units sold worldwide.



2021 — Launched as a CLEANOVATION pillar, "Security of Touchless" ensures hygiene, sustainability, and peace of mind.



2022 — Continuously refined since the 1980s, WASHLET reached a major milestone by 2022 with over 60 million units sold worldwide.



2024 — TOTO has expanded its CMF and PVD palette ensuring seamless bathroom coordination across ceramics and fittings



2025 — By 2025, NEOREST shipments passed 4 million units, marking a pinnacle for TOTO's 'Clean Technology'.



Continuously refined since the 1980s, WASHLET reached a major milestone by 2025 with over 70 million units sold worldwide.



TOTO

Life Anew

"INNOVATIVE"
throughout the Next Century

TOTO HISTORY

"INNOVATIVE"
throughout the Next Century

TOTO

Life Anew

Introduction :

Al-Omran Sanitary Ware Company is one of the leading providers of sanitary ware and plumbing solutions in Saudi Arabia and the Middle East. The company is part of Abdulrahman & Abdulkarim Saleh Al-Omran Group for Trade and Industry. For more than five decades, Al-Omran has been committed to delivering the latest technologies and global innovations while maintaining the highest standards of quality, reliability, and customer satisfaction.

Through its extensive experience and strong market presence, Al-Omran has earned the trust of customers, developers, consultants, and contractors across the Kingdom. The company's vision is to provide comprehensive sanitary ware and plumbing solutions that combine superior quality, innovative technology, and outstanding design through partnerships with leading international brands.

The Group also operates one of the region's largest industrial platforms, manufacturing a wide range of building materials, ceramic and porcelain products, water heaters, plastic pipes, and fittings, reflecting its long-standing commitment to supporting industrial and urban development in Saudi Arabia.

As part of its commitment to offering world-class solutions, Al-Omran is proud to distribute TOTO products in Saudi Arabia. TOTO is globally recognized as one of the most innovative brands in the sanitary ware industry, renowned for pioneering technologies that enhance hygiene, comfort, sustainability, and water efficiency.

Since its establishment in Japan in 1917, TOTO has continuously redefined the modern bathroom experience by combining advanced technology, elegant design, and intelligent functionality. Its groundbreaking innovations have elevated standards of cleanliness, comfort, and performance worldwide, making TOTO a preferred choice in international airports, luxury hotels, residential developments, commercial projects, and public facilities across the globe.

Together, Al-Omran and TOTO continue to deliver advanced solutions that meet the evolving needs of residential, commercial, hospitality, and healthcare projects while promoting a future built on quality, innovation, sustainability, and improved quality of life

المقدمة :

تعد شركة العمران للأدوات الصحية إحدى الشركات الرائدة في مجال الأدوات الصحية وحلول السباكة في المملكة العربية السعودية والشرق الأوسط، وهي إحدى شركات مجموعة عبدالرحمن وعبدالكريم صالح العمران للتجارة والصناعة. ومنذ تأسيسها قبل أكثر من خمسين عاماً، التزمت الشركة بتقديم أحدث التقنيات والابتكارات العالمية، مع التركيز على الجودة والموثوقية وتلبية احتياجات العملاء في مختلف القطاعات.

حافظت شركة العمران على مكانتها كشركة سعودية رائدة بفضل خبرتها الطويلة وشبكة أعمالها الواسعة، مما أكسبها ثقة العملاء والمطورين والاستشاريين والمقاولين في المملكة. وتتمثل رؤية الشركة في توفير منتجات وحلول متكاملة للأدوات الصحية والسباكة تجمع بين الجودة العالية والتصميم المتميز والتقنيات الحديثة، بالتعاون مع نخبة من العلامات التجارية العالمية الرائدة.

كما تمتلك المجموعة قاعدة صناعية متكاملة تُعد من الأكبر في المنطقة، حيث تنتج مجموعة متنوعة من مواد البناء والسيراميك والبورسلان وسخانات المياه وأنظمة الأنابيب والوصلات البلاستيكية، بما يعكس التزامها المستمر بدعم التنمية العمرانية والصناعية في المملكة.

وفي إطار حرصها على تقديم أفضل الحلول العالمية لعملائها، حصلت شركة العمران على حق توزيع منتجات TOTO في المملكة العربية السعودية. وتُعد TOTO إحدى أبرز العلامات التجارية العالمية في مجال الأدوات الصحية، حيث تشتهر بريادتها في الابتكار وتطوير تقنيات متقدمة تعزز مستويات النظافة والراحة والاستدامة وترشيد استهلاك المياه والطاقة.

ومنذ تأسيسها في اليابان عام 1917، كرّست TOTO جهودها لإعادة تعريف تجربة الحمام الحديثة من خلال الجمع بين التكنولوجيا المتطورة والتصميم الراقي والوظائف الذكية. وقد ساهمت ابتكاراتها الرائدة في رفع معايير الجودة والنظافة والراحة في الأسواق العالمية، لتصبح الخيار المفضل في العديد من المطارات الدولية والفنادق الفاخرة والمشاريع السكنية والتجارية والمرافق العامة حول العالم.

وتواصل شركة العمران بالتعاون مع TOTO تقديم أحدث الحلول والتقنيات التي تلبي متطلبات المشاريع السكنية والتجارية والضيافة والرعاية الصحية، بما ينسجم مع رؤية مستقبلية ترتكز على الجودة والابتكار والاستدامة وتحسين جودة الحياة.

TOTO WASHLET

70 MILLION

UNITS SOLD WORLDWIDE

Always Innovating to Spread a Culture of Everyday Comfort and Cleanliness.

Since its launch in the 1980s, WASHLET has continually evolved through the invention of countless innovative clean technologies.This is also our history of creating and spreading around the world a new culture of comfort and cleanliness.TOTO will continue pursuing technological innovation and design development to make the lives of people every where fresher and richer.

نسعى دائماً إلى الابتكار لنشر ثقافة الراحة والنظافة اليومية.

منذ إطلاقها في الثمانينيات، تطورت منظومة أغطية WASHLET باستمرار من خلال اختراع عدد لا يحصى من التقنيات النظيفة المبتكرة. وهذا أيضًا هو تاريخنا في إنشاء ونشر ثقافة جديدة من الراحة والنظافة حول العالم. وستواصل TOTO متابعة الابتكار التكنولوجي وتطوير التصميم لتحقيق وجعل حياة الناس في كل مكان أكثر نضارة وثراء.



The Birth of a Revolutionary Product

1980



Exceeds 20 million units

2005



Exceeds 40 million units

2015



Exceeds 60 million units

2022



Exceeds 10 million units

1998



Exceeds 30 million units

2011



Exceeds 50 million units

2019



Exceeds 70 million units

2025



NEOREST RS NEOREST AS NEOREST LS NEOREST NX NEOREST WX

COMFORT TECHNOLOGY



TECHNOLOGIES

التقنيات

TORNADO FLUSH

Powerfully ejects a stream of waster from a spout near the rear of the toilet bowl, which is where waste accu-mulate most easily, throughly cleansing this area and than washing the entire bowl.



تصريف كالأعصار

هو عباره عن فتحتين فى الجزء العلوي الداخلي من المرحاض تولد قوة دفع قوية تؤدي الي تنظيف بقوة دفع عاليه تغطي كافة اجزاء المرحاض بأقل كمية من الماء ويعمل تلقائياً بعد كل استخدام وكذلك يعمل يدوياً فى حالة انقطاع التيار الكهربائي عن طريق ضغطة داخلية.


CEFIONTECT

Glass layers are burned onto conventional glaze, making CEFIONTECT an extremely durable material. Hydrophilic describes organisms and materials that attract water. CEFIONTECT is hydrophilic.Water spreads easily over the toilet bowl,so waste particles easily wash away.




سطح ناعم

طبقة صقل خاصة تطبق قبل عميلة حرق السيراميك وتعالج كلياً مع السراميك في عملية الحرق وينتج عنه سطح فائق النعومة ويمنع تراكم الأوساخ ، مما يجعل السيراميك يحافظ على لمعانه لفترات زمنية طويلة ، و يساعد على سهولة التنظيف واستهلاك أقل من مواد التنظيف




CEFIONTECT toilet micrograph *1Qm=0.001mm





PREMIST

It is an automatically system to spray water on the toilet bowl before and after use, making it difficult for dirt to stick.





رش ذاتي

هو نظام رش رذاذ الماء أتوماتيكياً على جسم الكرسي من الداخل قبل وبعد الاستخدام مما يجعل من الصعب التصاق الأوساخ على جسم الكرسي



RIM LESS

The unique RIMLESS design not only leaves no place for waste and germs to hide.It also makes for a much easier to clean toilet.



تصميم بلا حواف

تم تصميم الجزء الداخلي بلا حواف مما يجعل امكانية الوصول لكافة الأجزاء الداخلية للكرسي اسهل مما يسهل عميلة التنظيف ويمنع تراكم البكتريا والأوساخ .

EWATER +
BOWL & WAND & UNDER SEAT


It is a system for cleaning the Wand and Bowl and Under seat the using EWATER+ technology, which is electrically treated water that produces vibrations that eliminate bacteria before and after each use, or every 8 hours when not in use.



ماء معالج كهربائيا
للحوض والعصاء وتحت المقعد

هو نظام لتنظيف عصاء التشطيف وحوض الكرسي وتحت المقعد بتقنية EWATER+ وهي ماء معالج كهربائياً ينتج عنه ذبذبات تقضي على البكتريا قبل وبعد كل استخدام أو كل 8 ساعات في حالة عدم الاستخدام.

BOWL



WAND



UNDER SEAT



TECHNOLOGIES

التقنيات

AIR-IN WONDER WAVE

AIR-IN WONDERWAVE technology enriches water with air to create larger and softer water droplets, providing a comfortable and effective cleansing experience while reducing water consumption.



وحدة التشطيف

تقنية مزج الماء بالهواء : تمزج الماء بالهواء لتوفير قطرات ماء أكبر وأكثر نعومة تمنح تجربة تنظيف مريحة وفعالة مع تقليل استهلاك المياه.

DEODORIZER

Highly- effective deodorizing automatically takes place inside the toilet bowl both during and immediately after use, eliminating unwanted odors.



مزيل الروائح الكريهة

تتم عملية إزالة الروائح الكريهة عالية الفعالية تلقائيًا داخل حوض المرحاض أثناء الاستخدام وبعده مباشرة، مما يساهم في التخلص من الروائح غير المرغوب فيها.

HEATED SEAT

The moment you approach the toilet, the seat begins rapidly warming to a comfortable temperature.



تدفئة سطح المقعد

بمجرد أن تقترب من المرحاض يبدأ المقعد بالتسخين للوصول إلى درجة حرارة مناسبة

WARM AIR DRYING

The individually adjustable dryer follows the warm water spray to ensure a dry, clean overall feeling.



تجفيف بالهواء الدافئ

يعمل المجفف القابل للتعديل بعد رذاذ الماء الدافئ ليضمن نظافة كاملة وشعورًا مريحًا بالجفاف.

AUTO OPEN / CLOSE & FLUSH

Eliminating the need to touch the toilet surfaces, the lid automatically opens and closes when the toilet approached and departed,and Auto Flush when you move away from the toilet



فتح / غلق – تصريف اتوماتيكي

عندما تقترب من الكرسي يفتح بشكل تلقائي وسلس وعند الانتهاء يتم غلقه بشكل هادئ وبدون إزعاج و بدون لمس مما يجعله صحي أكثر ، كما أنه يتم التصريف تلقائياً عند الابتعاد عن المرحاض

SOFT LIGHT

Subdued lighting switches on when the toilet is approached, so users do not have to disturb themselves at night with a bright bathroom light.



إضاءة خافتة

تضيء الإضاءة الخافتة عند الاقتراب من المرحاض حتى لا يضطر المستخدمون إلى إزعاج أنفسهم في الليل بإضاءة الحمام الساطعة.

WATER SAVING

TOTO conserves water through efficient flushing technology, dirt-resistant coating, smart faucets, and water-saving toilets.



توفير استهلاك الماء

تعمل TOTO على الحفاظ على المياه من خلال تقنيات التدفق الفعال و الطلاء المقاوم للأوساخ والحنفيات الذكية، والمراحيض الموفرة للمياه

NEOREST OVERVIEW OF NEOREST FUNCTIONS

			NEOREST - WX	NEOREST - WX	NEOREST - WX	NEOREST - LE I	NEOREST - NX II
	PRODUCT MODEL	الموديل	CWT927PZT TCF95380GAA	CWT927PMZT-MBL TCF95380GAA-MBL	CWT927PMZT-MW TCF95380GAA-MW	CWT994P TCF994WA	CS902VL
	PRODUCT IMAGE	صورة المنتج					
	REMOTE CONTROL	لوحة التحكم					
CLEANSING التطهير	AIR-IN WONDERWAVE	مزج الهواء بالماء	●	●	●	●	●
	REAR CLEANSING	تنظيف خلفي	●	●	●	●	●
	SOFT REAR CLEANSING	تنظيف خلفي ناعم	●	●	●	●	●
	FRONT CLEANSING	تنظيف أمامي	●	●	●	●	●
	WIDE FRONT CLEANSING	تنظيف أمامي واسع	●	●	●	●	●
	OSCILLATING CLEANSING	التنظيف المتذبذب	●	●	●	●	●
	PULSATING CLEANSING	تنظيف بالنبض	●	●	●	●	●
	INSTANTANEOUS WATER HEATING	تسخين المياه الفوري	●	●	●	●	●
	WATER PRESSURE CONTROL	التحكم بضغط الماء	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
	WATER TEMPERATURE CONTROL	التحكم بدرجة حرارة الماء	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
	WAND POSITION ADJUSTMENT	ضبط موضع العصا	●	●	●	●	●
AIR الهواء	AIR PURIFIER (DEODORIZER)	امتصاص الروائح الكريهه	●	●	●	●	●
	WARM AIR DRYING	مجفف	●	●	●	●	●
	AIR TEMPERATURE CONTROL	التحكم بدرجة حرارة الهواء	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
SEAT المقعد	HEATED SEAT	مقعد دافئ	●	●	●	●	●
	HEATED SEAT - TEMPERATURE CONTROL	التحكم بدرجة حرارة المقعد	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
	INSTANT HEATED SEAT	مقعد دافئ فوري	●	●	●	●	●
	SoftClose ® SEAT AND LID	غلق ناعم للغطاء	●	●	●	●	●
SENSOR الحساس	SEAT SENSOR	مستشعر المقعد	●	●	●	●	●
	AUTOMATIC LID OPEN & CLOSE	فتح / غلق اتوماتيكي	●	●	●	●	●
	AUTOMATIC FLUSH	تصريف تلقائي	●	●	●	●	●
	SOFT LIGHT	ضوء خافت	●	●	●	●	●
REMOTE CONTROL	REMOTE CONTROLLED SEAT	وحدة تحكم المقعد	●	●	●	●	●
الصحه HYGIENE	REMOTE CONTROL COLOUR	لون وحدة التحكم	SILVER	SILVER	SILVER	SILVER	SILVER
	CEFIONTECT®	سطح مصقول	●	●	●	●	●
	EWATER+® For Bowl	تنظيف وعاء الكرسي	●	●	●	●	●
	EWATER+® For Wand	تنظيف العصا	●	●	●	●	●
	EWATER+® Under Seat	تنظيف لغطاء الكرسي	●	●	●	—	●
	PREMIST®	رش ذاتي	●	●	●	●	●
	RIMLESS	تصميم بلا حواف	●	●	●	●	●
	BOWL CLEANING MODE	وضع تنظيف الوعاء	●	●	●	●	●
	WAND CLEANING MODE	وضع تنظيف العصا	●	●	●	●	●
	SELF-CLEANING WAND	عصا التنظيف الذاتي	●	●	●	●	●
	ANTIBACTERIAL SURFACE	سطح مضاد للبكتريا	●	●	●	●	●
FLUSH SYSTEM	FLUSHING TYPE	نوع التصريف	TORNADO FLUSH	TORNADO FLUSH	TORNADO FLUSH	TORNADO FLUSH	TORNADO FLUSH
	WATER USE	مقدار ماء التصريف	4.5L/3.0L	4.5L/3.0L	4.5L/3.0L	3.8L/3.0L	3.8L/3.0L
ENERGY SAVING	ENERGY- SAVING TIMER	استهلاك الطاقة	6, 9 HOURS	6, 9 HOURS	6, 9 HOURS	6, 9 HOURS	6, 9 HOURS
	AUTO ENERGY SAVER	توفير الطاقة	●	●	●	●	●
	ON/OFF BUTTON	قفل / فتح	●	●	●	●	●

NEOREST نظرة عامة على وظائف كراسي

NEOREST - LS	NEOREST - LS	NEOREST - LS	NEOREST - AS	NEOREST - RS
CS911VT TCF87120GAA	CS911VT TCF87220GAA	CS911VT TCF87320GAA	CS921VT TCF85510GAA	CS921VT TCF83410GAA
				
				
●	●	●	●	—
●	●	●	●	●
●	●	●	●	●
●	●	●	●	●
●	●	●	●	—
●	●	●	●	●
●	●	●	●	●
●	●	●	●	●
5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
●	●	●	●	●
●	●	●	●	●
●	●	●	●	●
5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
●	●	●	●	●
5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
●	●	●	—	—
5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
●	●	●	—	—
●	●	●	●	●
●	●	●	●	●
●	●	●	●	●

EWATER+

EWATER+ للوعاء

يمنع تراكم الفضلات على وعاء المرحاض، تعمل المياه المحللة كهربائياً على تقليل الفضلات والأوساخ التي لا يمكنك رؤيتها.



EWATER+

يغسل حوض المرحاض، حيث تتراكم الفضلات وتتنج بقعاً يمكن أن تصبح دائمة.

باستخدام أي مواد كيميائية أو عوامل تنظيف لا يترك +EWATER للنفايات المجهرية مكاناً للاختباء ويوفر راحة البال اليومية.

كيف يقوم +EWATER بالتنظيف



أثناء وضع الاستعداد	قبل الاستخدام	أثناء الاستخدام	بعد الاستخدام
يتم رش +EWATER تلقائياً كل ٨ ساعات من الاستخدام الأخير	يتم إستخدام +EWATER لغسل العصا ووعاء المرحاض وإزالة النفايات	نظراً لان النفايات أقل قدرة على الالتصاق بالسطح المبلل فمن السهل غسلها	PREMIST يتم رش رذاذ ناعم من الماء العادي داخل المرحاض

يعود إلى الماء الطبيعي مع مرور الوقت

لا يستخدم أي منظفات او مواد كيميائية

تتولد من ماء الصنبور

EWATER+ عصا التشطيف

يمنع تراكم الفضلات على العصا وتغسل العصا نفسها من الداخل والخارج باستخدام تقنية EWATER+ للحفاظ على الظروف الصحية



EWATER+

بعد كل استخدام يتم غسل العصا تلقائياً باستخدام+EWATER

يتم إجراء هذا التشطيف داخل العصا وكذلك حول الجزء الخارجي بالكامل حتى عندما لا يتم استخدام المرحاض، تقوم العصا بغسل نفسها بشكل دوري لضمان النظافة المستمرة وعدم تراكم البكتريا.





آلية التنظيف الذاتي



الحفاظ دائماً على النظافة

العصا مصنوعة من مواد عالية الجودة ومقاومة للنفايات كما أن يتم رشها تلقائياً بـ +EWATER بعد كل إستخدام، العصا مقاومة للغاية للنفايات والبقع، علاوة على ذلك تلتصق العصا بغطاء الكرسي وليس بالوعاء لذا فإن إحتمالية وصول النفايات إليها أقل، على الرغم من أن العصا ذاتية التنظيف فسوف تفدر مدى سهولة الوصول إليها ومسحها حتى تصبح نظيفة.

EWATER+ اسفل المقعد

تعمل تقنية +EWATER على منع تراكم الفضلات التي يصعب رؤيتها أسفل مقعد المرحاض.



EWATER+

يتم رش مياه +EWATER على الجزء الأمامي من الجزء الخلفي لمقعد المرحاض والذى يتسخ بسهولة

يساعد ذلك على منع البول والنفايات الأخرى من التحول إلى بقع صفراء للحصول على نظافة تدوم طويلاً.

يسمح لك الرش اليدوي السريع قبل التنظيف بإزالة النفايات بمسحة خفيفة.




دراسة استقصائية: تقييم النفايات الموجودة في الجزء الأمامي من الجزء الخلفي من مقعد المرحاض مع أو بدون استخدام +EWATER

شروط الاستخدام: عدد مرات الاستخدام لمدة أسبوعين من قبل أسرة مكونة من أربعة أفراد (بدون تنظيف)

تختلف النتائج وفقاً للاستخدام والظروف البيئية. جميع البيانات تم جمعها بواسطة TOTO توضح الخطوط المنقطة التي تم رش +EWATER عليها.

كيف يقوم +EWATER بالتنظيف

أثناء وضع الاستعداد	قبل الاستخدام	أثناء الاستخدام	بعد الاستخدام
يتم رش +EWATER تلقائياً كل ٨ ساعات من الاستخدام الأخير	يتم تطبيق +EWATER لغسل العصا ووعاء المرحاض وإزالة النفايات	نظراً لان النفايات أقل قدرة على الالتصاق بالسطح المبلل فمن السهل غسلها	PREMIST يتم رش رذاذ ناعم من الماء العادي داخل المرحاض



يصل +EWATER إلى أسفل مقعد المرحاض

يتم رش +EWATER في جميع أنحاء وعاء المرحاض، مع قطرات كبيرة تغطي سطح الوعاء وقطرات صغيرة تحملها تيارات الهواء وتصل إلى القسم الأمامي من الجزء الخلفي من مقعد المرحاض

EWATER+

EWATER+ for BOWL



Suppresses the accumulation of waste on the toilet bowl.
Electrolyzed water reduces waste and dirt you can't see.

EWATER+

WASHES THE TOILET BOWL, WHERE WASTE TENDS TO
ACCUMULATE AND PRODUCE STAINS THAT CAN BECOME PERMENANT.

Using no chemicals or cleaning agents, EWATER+ leaves microscopic waste no place to hide and provides everyday peace of mind.

How EWATER+ Cleans



PREMIST, a fine mist of water is sprayed inside the toilet

Since waste is less able to adhere to a wet surface, it is more easily washed away

EWATER+ is applied to wash the wand and toilet bowl and remove waste

EWATER+ automatically sprayed 8 hours after the last use





EWATER+ for WAND



Suppresses the accumulation of waste on the wand.
The wand washes itself inside and out with EWATER+ to maintain hygienic conditions.

EWATER+

AFTER EACH USE,
THE WAND AUTOMATICALLY WASHES ITSELF WITH EWATER+.

This thorough cleaning occurs inside thewand as well as all around the exterior.
Even when the toilet is not being used, the wand periodically washes itself to ensure constant clean conditions.



Always Keeping Conditions Clean

Made of high-quality, waste-resistant resin and automatically sprayed with EWATER+ after each use, the wand is extremely resistant to waste and stains. What's more, the wand attaches to the seat, not the bowl, so waste is less likely to even reach it. Though the wand is self cleaning, you will appreciate how easily you can reach it and wipe it spotless



Self-Cleaning Mechanism



EWATER+ for UNDER SEAT




EWATER+ suppresses hard-to-see waste underneath the toilet seat.

EWATER+

EWATER+ IS SPRAYED ON THE EASILY FOULED FRONT SECTION
OF THE BACKSIDE OF THE TOILET SEAT.

This helps suppress urine and other waste from becoming yellow stains,
for long-lasting cleanliness. A quick manual spray before cleaning allows you to remove waste with a light wipe.



+ Survey : Evaluation of waste on the front section of the backside of the toilet seat with and without use of EWATER+
+ Usage conditions: A number of uses equivalent to usage for two weeks by a family of four (without cleaning)
+ Results vary according to usage and environmental conditions.A II data collected by TOTO. The dotted lines in the figure showth e area over with EWATER+ is sprayed.

How EWATER+ Cleans


PREMIST, a fine mist of water is sprayed inside the toilet

Since waste is less able to adhere to a wet surface, it is more easily washed away

EWATER+ is applied to wash the wand and toilet bowl and remove waste

EWATER+ automatically sprayed 8 hours after the last use





EWATER+ reaches underneath the toilet seat.

EWATER+ is sprayed throughout the toilet bowl, with large droplets covering the bowl surface and small droplets carried by air currents reaching the front section of the backside of the toilet seat

NEOREST® WX

NEOREST
WX

CW927PZT / TCF95380GAA - WHITE



CW927PMZT#MBL / TCF95780GAA - MBL



CW927PMZT#MW / TCF95780GAA - MW



Wall Hung Smart Toilet

Flush System	:	Tornado Flush
Water Use	:	4.5L / 3.0L
Rough-in	:	180mm (P-TRAP)
Bowl Shape	:	Elongated
Size	:	449W X 675D X 447H mm
Power Rating	:	220~240V, 50/60Hz, 834~845W
Body Colour	:	White - Matte Black - Matte White
Remote Colour	:	White - Matte Black - Matte White

Required Items



WH175AEAT



MB177M

GOOD DESIGN GREEN GOOD DESIGN AWARD 2023

iF DESIGN AWARD 2023


reddot winner 2023

TECHNOLOGIES		التقنيات
TORNADO FLUSH		تصريف كالإعصار
CEFIONTECT		سطح ناعم
PREMIST		رش ذاتي
EWATER+ BOWL & WAND & UNDER SEAT		ماء معالج كهربائيا للوعاء و عصا التنظيف و اسفل المقعد
AIR-IN-WONDER WAVE		مزج الهواء بالماء
RIM LESS		تصميم بلا حواف
DEODORIZER		إمتصاص الروائح الكريهة
HEATED SEAT		تسخين سطح المقعد
DRAYER		مجفف
AUTO OPEN / CLOSE & AUTO FLUSH		فتح و غلق و تصريف تلقائي
SOFT LIGHT		إضاءة خافتة
WATER SAVING		توفير الماء





CW927PZT / TCF95380GAA - WHITE





CW927PMZT#MW / TCF95780GAA#MBL - MATTE BLACK





CW927PMZT#MBL / TCF95780GAA#MW - MATTE WHITE

NEOREST
LE I

Wall Hung Smart Toilet

Bowl	CW994P
Seat Cover	TCF994WA
Flush System	Tornado Flush
Water Use	4.5L / 3.0L
Rough-in	180mm (P-TRAP)
Bowl Shape	Elongated
Size	423W X 675D X 460H mm
Power Rating	220~240V, 50/60Hz, 839~849W
Body Colour	White
Remote Colour	Silver



Silver

GOOD DESIGN GREEN GOOD DESIGN AWARD 2023

Required Items



WH036D



MB005DGN





TECHNOLOGIES		التقنيات
TORNADO FLUSH		تصريف كالإعصار
CEFIONTECT		سطح ناعم
PREMIST		رش ذاتي
EWATER+ BOWL & WAND		ماء معالج كهربائيا للوعاء و عصا التشطيف
AIR-IN-WONDER WAVE		مزج الهواء بالماء
RIM LESS		تصميم بلا حواف
DEODORIZER		إمتصاص الروائح الكريهة
HEATED SEAT		تسخين سطح المقعد
DRAYER		مجفف
AUTO OPEN / CLOSE & AUTO FLUSH		فتح و غلق و تصريف تلقائي
SOFT LIGHT		إضاءة خافتة
WATER SAVING		توفير الماء

NEOREST
NX II

Smart Toilet
Hybrid Ecology System

Bowl	CS902VL
Flush System	Tornado Flush
Water Use	3.8L / 3.0L
Rough-in	305mm (S-TRAP)
Bowl Shape	Elongated
Size	468W X 800D X 565H mm
Power Rating	220~240V, 50/60Hz, 835~845W
Body Colour	White
Remote Colour	Silver



Silver

GOOD DESIGN GREEN GOOD DESIGN AWARD 2018

iF DESIGN AWARD 2018

reddot award 2018 winner







TECHNOLOGIES		التقنيات
TORNADO FLUSH		تصريف كالإعصار
CEFIONTECT		سطح ناعم
PREMIST		رش ذاتي
EWATER+ BOWL & WAND & UNDER SEAT		ماء معالج كهربائيا للوعاء و عصا التشطيف و اسفل المقعد
AIR-IN-WONDER WAVE		مزج الهواء بالماء
RIM LESS		تصميم بلا حواف
DEODORIZER		إمتصاص الروائح الكريهة
HEATED SEAT		تسخين سطح المقعد
DRAYER		مجفف
AUTO OPEN / CLOSE & AUTO FLUSH		فتح و غلق و تصريف تلقائي
SOFT LIGHT		إضاءة خافتة
WATER SAVING		توفير الماء

NEOREST
LS

CS911VL / TCF87320GAA - NIKEL 

CS911VL / TCF87220GAA -BLACK 

CS911VL / TCF87120GAA-SILVER 

Smart Toilet
Hybrid Ecology System

Flush System	:	Tornado Flush
Bowl Shape	:	D-Shape
Size	:	411W X 725D X 497H mm
Rough-in	:	H=305mm - (S-TRAP)
Water Use	:	3.8L / 3.0L
Power Rating	:	220~240V, 50/60Hz, 835~863W

NOTE :
S-TRAP BOWL No : CS911VL
P-TRAP BOWL No : CS911PVL

GOOD DESIGN GREEN GOOD DESIGN AWARD 2023 · iF DESIGN AWARD 2022 · reddot winner 2022

TECHNOLOGIES	التقنيات
TORNADO FLUSH	تصريف كالإعصار
CEFIONTECT	سطح ناعم
PREMIST	رش ذاتي
EWATER+ BOWL & WAND & UNDER SEAT	ماء معالج كهربائيا للوعاء و عصا التشطيف و اسفل المقعد
AIR-IN-WONDER WAVE	مزج الهواء بالماء
RIM LESS	تصميم بلا حواف
DEODORIZER	إمتصاص الروائح الكريهة
HEATED SEAT	تسخين سطح المقعد
DRAYER	مجفف
AUTO OPEN / CLOSE & AUTO FLUSH	فتح و غلق و تصريف تلقائي
SOFT LIGHT	إضاءة خافتة
WATER SAVING	توفير الماء





CS911VL / TCF87320GAA - NIKEL





CS911VL / TCF87220GAA - BLACK





CS911VL / TCF87120GAA - SILVER

NEOREST
AS

Smart Toilet
Hybrid Ecology System

Bowl	CS921VT
Seat Cover	TCF85510GAA
Flush System	Tornado Flush
Water Use	3.8L / 3.0L
Rough-in	305mm (S-TRAP)
Bowl Shape	Elongated
Size	386W X 691D X 528H mm
Power Rating	220~240V, 50/60Hz, 843~852W
Body Colour	White
Remote Colour	Silver

NOTE :
S-TRAP BOWL No : CS921VT
P-TRAP BOWL No : CS921PVT



Silver







TECHNOLOGIES		التقنيات
TORNADO FLUSH		تصريف كالإعصار
CEFIONTECT		سطح ناعم
PREMIST		رش ذاتي
EWATER+ BOWL & WAND & UNDER SEAT		ماء معالج كهربائيا للوعاء و عصا التشطيف و اسفل المقعد
AIR-IN-WONDER WAVE		مزج الهواء بالماء
RIM LESS		تصميم بلا حواف
DEODORIZER		إمتصاص الروائح الكريهة
HEATED SEAT		تسخين سطح المقعد
DRAYER		مجفف
AUTO OPEN / CLOSE & AUTO FLUSH		فتح و غلق و تصريف تلقائي
SOFT LIGHT		إضاءة خافتة
WATER SAVING		توفير الماء

NEOREST
RS

Smart Toilet
Hybrid Ecology System

Bowl	CS921VT
Seat Cover	TCF83410GAA
Flush System	Tornado Flush
Water Use	3.8L / 3.0L
Rough-in	305mm (S-TRAP)
Bowl Shape	Elongated
Size	386W X 690D X 515H mm
Power Rating	220~240V, 50/60Hz, 843~852W
Body Colour	White
Remote Colour	White

NOTE :
S-TRAP BOWL No : CS921VT
P-TRAP BOWL No : CS921PVT



White

GOOD DESIGN GREEN GOOD DESIGN AWARD 2023

reddot winner 2022







TECHNOLOGIES	التقنيات
TORNADO FLUSH	تصريف كالإعصار
CEFIONTECT	سطح ناعم
PREMIST	رش ذاتي
EWATER+ BOWL & WAND	ماء معالج كهربائيا للوعاء و عصا التشطيف
RIM LESS	تصميم بلا حواف
DEODORIZER	إمتصاص الروائح الكريهة
HEATED SEAT	تسخين سطح المقعد
DRAYER	مجفف
AUTO OPEN / CLOSE & AUTO FLUSH	فتح و غلق و تصريف تلقائي
SOFT LIGHT	إضاءة خافتة
WATER SAVING	توفير الماء


HOW THE REMOTE CONTROL WORKS طريقة استخدام وحدة التحكم عن بعد

Easy and Convenient to Use.

سهلة ومريحة للاستخدام

NEOREST. LS, WX and AS models

reddot winner 2022



1	Full flush	تدفق كامل	1
2	Light flush	تدفق خفيف	2
3	Cleans the wand with “EWATER+”	تنظيف العصا بتقنية EWATER+	3
4	Personal setting lock	قفل الإعداد الشخصي	4
5	Opening and closing the toilet seat	فتح وإغلاق مقعد المرحاض	5
6	Opening and closing the toilet Lid	فتح وإغلاق غطاء المرحاض	6
7	Stops operation.	توقف العملية	7
8	Rear Cleansing	التطهير الخلفي	8
9	Soft rear cleansing	تنظيف خلفي ناعم	9
10	Front Cleansing	تنظيف أمامي	10
11	Wide Front Cleansing	تنظيف أمامي واسع	11
12	Water Pressure Adjustment from 5 different water pressure levels	تعديل ضغط الماء (خمس مستويات)	12
13	Wand position Adjustment from 5 different wand position levels	تعديل موضع العصا (خمس مستويات)	13
14	Warm air Drying	تجفيف بالهواء الدافئ	14
15	Oscillate Pulsate	تنظيف شامل بالنبضات مع تأرجح عصا التنظيف	15

TOILET PAPER HOLDER (STAND TYPE)

ستاند وحامل مناديل ولوحة التحكم


YH63SDT1
YH63SDV1BN

Size: 290W x 260D x 830H mm
Color: Brushed Nickel
Chrome



HOW THE REMOTE CONTROL WORKS طريقة استخدام وحدة التحكم عن بعد

Easy and Convenient to Use. سهلة ومريحة للاستخدام



1	Full flush	تدفق كامل	1
2	Light flush	تدفق خفيف	2
3	Cleans the wand with “EWATER+”	تنظيف العصا بتقنية EWATER+	3
4	Personal setting lock	قفل الإعداد الشخصي	4
5	Opening and closing the toilet seat	فتح وإغلاق مقعد المرحاض	5
6	Opening and closing the toilet Lid	فتح وإغلاق غطاء المرحاض	6
7	Stops operation.	توقف العملية	7
8	Rear Cleansing	التطهير الخلفي	8
9	Soft rear cleansing	تنظيف خلفي ناعم	9
10	Front Cleansing	تنظيف أمامي	10
11	Water Pressure Adjustment from 5 different water pressure levels	تعديل ضغط الماء (خمس مستويات)	11
12	Wand position Adjustment from 5 different wand position levels	تعديل موضع العصا (خمس مستويات)	12
13	Warm air Drying	تجفيف بالهواء الدافئ	13
14	Oscillate Pulsate	تنظيف شامل بالنبضات مع تأرجح عصا التنظيف	14

NEOREST

NEOREST LS

CS911VT / TCF87120GAA

Flush System : Tornado Flush
Water Use : 3.8L / 3L
Rough-in : 305 mm (S- Trap)

CS911PVT / TCF87120GAA

Flush System : Tornado Flush
Water Use : 4.5L / 3L
Rough-in : 120-130 mm (P- Trap)

Smart Toilet
Hybrid Ecology System
Bowl Shape : D-Shape
Power Rating : 220~240V, 50/60Hz ,835~863W
Size : 411W X 725D X 497H mm
Remote : Silver





Chrome

NEOREST LS

CS911VT / TCF87220GAA

Flush System : Tornado Flush
Water Use : 3.8L / 3L
Rough-in : 305 mm (S- Trap)

CS911PVT / TCF87220GAA

Flush System : Tornado Flush
Water Use : 4.5L / 3L
Rough-in : 120-130 mm (P- Trap)

Smart Toilet
Hybrid Ecology System
Bowl Shape : D-Shape
Power Rating : 220~240V, 50/60Hz ,835~863W
Size : 411W X 725D X 497H mm
Remote : Black





Black

NEOREST LS

CS911VT / TCF87320GAA

Flush System : Tornado Flush
Water Use : 3.8L / 3L
Rough-in : 305 mm (S- Trap)

CS911PVT / TCF87320GAA

Flush System : Tornado Flush
Water Use : 4.5L / 3L
Rough-in : 120-130 mm (P- Trap)

Smart Toilet
Hybrid Ecology System
Bowl Shape : D-Shape
Power Rating : 220~240V, 50/60Hz ,835~863W
Size : 411W X 725D X 497H mm
Remote : Nickel





Nickel

NEOREST AS

CS921VT / TCF85510GAA

Flush System : Tornado Flush
Water Use : 3.8L / 3L
Rough-in : 305 mm (S- Trap)

CS911PVT / TCF85510GAA

Flush System : Tornado Flush
Water Use : 4.5L / 3L
Rough-in : 120-155 mm (P- Trap)

Smart Toilet
Hybrid Ecology System
Bowl Shape : Elongated
Power Rating : 220~240V, 50/60Hz ,846~854W
Size : 386W X 692D X 512H mm
Remote : Silver





Silver

NEOREST RS

CS921VT / TCF83410GAA

Flush System : Tornado Flush
Water Use : 3.8L / 3L
Rough-in : 305 mm (S- Trap)

CS911PVT / TCF83410GAA

Flush System : Tornado Flush
Water Use : 4.5L / 3L
Rough-in : 120-155 mm (P- Trap)

Smart Toilet
Hybrid Ecology System
Bowl Shape : Elongated
Power Rating : 220~240V, 50/60Hz ,843~852W
Size : 386W X 690D X 515H mm
Remote : White





White

NEOREST®

NEOREST WX CW927PZT / TCF95380GAA

Silver

Wall Hung Smart Toilet

Flush System	:	Tornado Flush
Water Use	:	4.5l / 3.0L
Rough-in	:	180 mm (P-Trap)
Bowl Shape	:	Elongated
Power Rating	:	220~240V, 50/60Hz , 848~859W
Size	:	449W X 675D X 447H
Concealed Tank	:	WH175AEAT
Flush Plate	:	MB177M
Body Colour	:	White
Remote Colour	:	Silver





Required Accessories



WH175AEAT



MB177M

NEOREST WX CW927PMZT# MW / TCF95380GAA # MW

Matte White

Wall Hung Smart Toilet

Flush System	:	Tornado Flush
Water Use	:	4.5l / 3.0L
Rough-in	:	180 mm (P-Trap)
Bowl Shape	:	Elongated
Power Rating	:	220~240V, 50/60Hz , 848~859W
Size	:	449W X 675D X 447H
Concealed Tank	:	WH175AEAT
Flush Plate	:	MB177M
Body Colour	:	Matte White
Remote Colour	:	Matte White





Required Accessories



WH175AEAT



MB177M

NEOREST WX CW927PMZT # MBL / TCF95380GAA # MBL

Matte Black

Wall Hung Smart Toilet

Flush System	:	Tornado Flush
Water Use	:	4.5l / 3.0L
Rough-in	:	180 mm (P-Trap)
Bowl Shape	:	Elongated
Power Rating	:	220~240V, 50/60Hz , 848~859W
Size	:	449W X 675D X 447H
Concealed Tank	:	WH175AEAT
Flush Plate	:	MB177M
Body Colour	:	Matte Black
Remote Colour	:	Matte Black





Required Accessories



WH175AEAT



MB177M

NEOREST LE1 CW994P / TCF994WA

Silver

Wall Hung Smart Toilet

Flush System	:	Tornado Flush
Water Use	:	4.5l / 3.0L
Rough-in	:	180 mm (P-Trap)
Bowl Shape	:	Elongated
Power Rating	:	220~240V, 50/60Hz , 839~849W
Size	:	423W X 675D X 460H
Concealed Tank	:	WH036D
Flush Plate	:	MB005DGN
Remote	:	Silver





Required Accessories



WH036D



MB005DGN

NEOREST NXII CS902VL

Smart Toilet

Flush System	:	Tornado Flush
Water Use	:	3.8L / 3.0L
Rough-in	:	305 mm (S-Trap)
Bowl Shape	:	Elongated
Power Rating	:	220~240V, 50/60Hz ,835~845W
Size	:	468W X 800D X 565H
Remote	:	Silver





Silver



WASHLET® +



TECHNOLOGIES

WASHLET+ / WASHLET

التقنيات



PREMIST رش ذاتي



CEFIONTECT سطح ناعم




RIMLESS بلا حواف



EWATER+ FOR BOWL تنظيف جسم الحوض



EWATER+ FOR WAND تنظيف الشطاف الداخلي



EWATER+ FOR UNDER SEAT تنظيف اسفل المقعد



AIR -IN WONDER WAVE مزج الهواء بالماء



AUTO OPEN/CLOSE LID فتح / غلق أتوماتيكي




AUTO FLUSH تصريف تلقائي



HEATED SEAT مقعد دافئ



DEODORIZER ازالة الروائح الكريهة



WARM AIR DRYING تجفيف بالهواء الدافئ



TORNADO FLUSH تصريف كالأعصار



WATER SAVING موفر للماء



WASHLET+ / WASHLET


OVERVIEW OF WASHLET FUNCTIONS

	PRODUCT NAME اسم المنتج	WASHLET S5	WASHLET S5	WASHLET S7
	PRODUCT IMAGE صورة المنتج			
BOWL SHAPE شكل الوعاء	D-SHAPE	TCF34570GAA	TCF34320GAA	–
	SQUARE SHAPE			–
	ELONGATED			TCF47360GAA
REQUIRED ITEM متطلبات	CONCEALED TANK موديل السيفون	○ WH172AUD ● WH172AUDAT+TCA502	WH172AUD	○ WH172AUD ● WH172AUDAT+TCA546
	MATCHING BOWL موديل الكرسي	CW553EA	CW553EA	CW812REA CW822REA
CLEANSING FUNCTIONS وظائف التنظيف	AIR-IN WONDER WAVE مزج الهواء بالماء	–	–	●
	Rear Cleansing التشطيف الخلفي	●	●	●
	Rear Soft Cleansing التشطيف الخلفي ناعم	●	●	●
	Front Cleansing التشطيف الامامي	●	●	●
	Oscillating Cleansing تغير موضع التشطيف	●	●	●
	Pulsating Cleansing التشطيف بالنبض	●	●	●
	Nozzle Position Adjustment تعديل فوهة التشطيف	●	●	●
COMFORT FUNCTIONS وظائف الراحة	Soft Close Seat & Lid فتح / اغلاق ناعم	●	●	●
	AUTO OPEN / CLOSE LID فتح / اغلاق تلقائي	–	–	●
	AUTO FLUSH تصريف تلقائي	●/○	–	●/○
	HEATED SEAT تدفئة المقعد	●	●	●
	DRYER تجفيف	●	●	●
	DEODORIZER إزالة الراوائح الكريهة	●	●	●
	SOFT LIGHT ضوء خافت	–	–	●
	Temperature (Water) درجة حرارة الماء	●	●	●
	Water Pressure ضغط الماء	●	●	●
	Remote Control جهاز التحكم عن بعد	●	●	●
	Personal Setting الإعداد الشخصي	●	●	●
HYGIENE FUNCTIONS وظائف التعقيم	EWATER+ For Bowl الماء المعالج للحوض	–	–	●
	EWATER+ For Wand الماء المعالج لعصا التشطيف	●	●	●
	EWATER+ For Under Seat الماء المعالج تحت المقعد	–	–	●
	PREMIST الرش الذاتي قبل الاستخدام	●	●	●
	SELF-CLEANING WAND عصا التنظيف الذاتي	●	●	●
	Self-Cleaning Button زر التنظيف الذاتي	●	●	●
	Clean Resin الراتنج النظيف	●	●	●
	Removeable Lid غطاء قابل للإزالة	●	●	●
	One-Touch Removeable Unit وحدة قابلة للإزالة بلمسة واحدة	●	●	●
	Antibacterial Surface مضاد للجراثيم	●	●	●
ENERGY SAVING	Energy Saver موفر الطاقة	●	●	●

● Concealed Connection With Auto Flush + Kit ○ Concealed Connection Without Auto Flush

WASHLET+ / WASHLET

نظرة عامة على وظائف الواش لت

WASHLET RW / SW		WASHLET RW / SW	
RW 	SW 	RW 	SW 
TCF801CZ	TCF802C2Z	TCF801EZ	TCF802E2Z
TCF803CZ	TCF804C2Z	TCF803EZ	TCF804E2Z
–	–	–	–
WH172AUD	WH172AUDAT	WH172AUD	WH172AUDAT
CW542HME5UNW1 CW522HME5UNW1		CW542HME5UNW1 CW522HME5UNW1	
–	–	–	–
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	–	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●
●	●	●	●

● Concealed Connection With Auto Flush + Kit ○ Concealed Connection Without Auto Flush

CLEANSING SPRAY PATTERNS
أنواع التنظيف بالرش



Pulsating Cleansing
تنظيف بالنبضات

Rhythmically pulsating stream of cleansing warm water.


تيار مياه نابض للتنظيف بالماء الدافئ



Water Pressure Adjustment + —
تعديل ضغط الماء

Select from five levels of water

خمس مستويات لضغط الماء



Oscillating Cleansing
تنظيف متذبذب

The back -and-forth movement of the wand esures thorough cleansing of the entire area

تتحرك عصا التشطيف للخارج والداخل للتنظيف الكامل



Wand PositionAdjustment ◀ ▶
تعديل موضع العصا

You can easily set the wand position according to your

امكانية ضبط عصا الشطاف حسب الرغبة



CLEAN MATERIAL

الريزون مادة عالية الجودة فهو يصد النفايات والأوساخ ويقاوم البقع ويحافظ على نظافة الأسطح.

High-quality resin repels waste and dirt and resists staining, keeping surfaces clean.



التنظيف الذاتي المضاد للبكتيريا داخل العصا بتقنية EWATER+



Always Keeping Conditions Clean

Made of high-quality waste-resistant resin and automatically sprayed with EWATER+ after each use,the wand is extremely resistant to waste and stains.What's more, the wand atteches to the seat, not the bowl,so waste is less likely to even reach it.Though the wand is self-cleaning,you appreciate how easily you can reach it and wipe spotless.



المحافظة على النظافة في جميع الظروف

الريزون مادة عالية الجودة فهو يصد النفايات والأوساخ ويتم رشها تلقائيًا بـEWATER+بعد كل استخدام. كما انا العصا متصلة بالمقعد وليس الوعاء لذلك من غير المرجح أن تصل النفايات على الرغم من أن العصا قابلة للتنظيف الذاتي إلا أنه يمكنك الوصول إليها بسهولة ومسحها بشكل يدوي.

طريقة عمل الماء المعالج كهربائيًا في التنظيف EWATER+

هو نظام تنظيف عصا التشطيف تلقائياً بالماء المعالج كهربائياً الذى ينتج عنه ذبذبات تقضي على البكتريا قبل وبعد كل استخدام أو كل ٨ ساعات فى حالة عدم الاستخدام .

How to EWATER+ works

It is a system for cleaning the rinse stick automatically with electro - treated water that produces vibrations eliminate bacteria before and after each use,or every 8 hours when not in use.

ماهو الماء المعالج كهربائيًا EWATER+

يُنتج EWATER+ عن طريق التحليل الكهربائي للكلوريد في ماء الصنبور . وهو مطهر فعال للغاية . فهو خالٍ تمامًا من المواد الكيميائية وعوامل التنظيف . ومع مرور الوقت يعود EWATER+ إلى حالته الأصلية من المياه العادية . مما يجعله صديقًا للبيئة تمامًا.

What is EWATER +

Produced by electrolysis of the chloride in tap water, EWATER+ is a highly effective sanitizer.Its is completly free of chemicals and cleaning agents.Over time EWATER+ returns to its originals state of ordinary water, making it completely environmentally friendly.

PREMIST
رش ذاتي



هو نظام تلقائي لرش الماء على وعاء المرحاض قبل وبعد الاستخدام. مما يجعل من الصعب التصاق الأوساخ

It is an automatically system to spray water on the toilet bowl before and after use, making it difficult for dirt to stick



WASHLET® SW

CW522HME5UNW1

Concealed Connection

● with Auto Flush ○ without Auto Flush

CW522HME5UNW1	CW522HME5UNW1
TCF804C2Z	TCF803CZ
WH172AUDAT	WH172AUD

Wall Hung Toilet with WASHLET SW

Flush System : Tornado Flush

Water Use : 4.5L / 3L

Bowl Shape : Square Shape

Size : 380W x 580D x 335H mm

Rough-in : 180mm (P-Trap)

WASHLET RW

Size : 383W x 579D x 108H mm

Water Pressure : 0.05MPa~0.75MPa

Power Rating : 220~240V, 50/60Hz, 834~845W

GOOD DESIGN GREEN GOOD DESIGN AWARD 2018

DESIGN AWARD 2020



WALL HUNG TOILET
CW522HME5UNW1



WASHLET SW
● TCF804C2Z - With Auto Flush
○ TCF803CZ - With out Auto Flush



● WH172AUDAT Concealed Tank
○ WH172AUD Concealed Tank

Required Push Plate

TECHNOLOGIES	التقنيات
TORNADO FLUSH	تصريف كالإعصار
CEFIONTECT	سطح ناعم
PREMIST	رش ذاتي
EWATER+ BOWL & WAND	ماء معالج كهربائيا للوعاء وعصا التشطيف
● AUTO FLUSH	● تصريف تلقائي
RIM LESS	تصميم بلا حواف

TECHNOLOGIES	التقنيات
DEODORIZER	إمتصاص الروائح الكريهة
HEATED SEAT	تسخين سطح المقعد
DRAYER	مجفف
AUTO OPEN / CLOSE	فتح و غلق تلقائي
WATER SAVING	توفير الماء



WASHLET® SW

CW522HME5UNW1

Concealed Connection

● with Auto Flush ○ without Auto Flush

CW522HME5UNW1	CW522HME5UNW1
TCF804E2Z	TCF803EZ
WH172AUDAT	WH172AUD

Wall Hung Toilet with WASHLET SW

Flush System : Tornado Flush

Water Use : 4.5L / 3L

Bowl Shape : Square Shape

Size : 380W x 580D x 335H mm

Rough-in : 180mm (P-Trap)

WASHLET RW

Size : 383W x 579D x 108H mm

Water Pressure : 0.05MPa~0.75MPa

Power Rating : 220~240V, 50/60Hz, 834~845W

GOOD DESIGN GREEN GOOD DESIGN AWARD 2018

DESIGN AWARD 2020



WALL HUNG TOILET
CW522HME5UNW1



WASHLET SW
● TCF804E2Z - With Auto Flush
○ TCF803EZ - With out Auto Flush



● WH172AUDAT Concealed Tank
○ WH172AUD Concealed Tank

Required Push Plate

TECHNOLOGIES	التقنيات
TORNADO FLUSH	تصريف كالإعصار
CEFIONTECT	سطح ناعم
PREMIST	رش ذاتي
EWATER+ BOWL & WAND	ماء معالج كهربائيا للوعاء وعصا التشطيف
● AUTO FLUSH	● تصريف تلقائي
RIM LESS	تصميم بلا حواف

TECHNOLOGIES	التقنيات
DEODORIZER	إمتصاص الروائح الكريهة
HEATED SEAT	تسخين سطح المقعد
DRAYER	مجفف
AUTO OPEN / CLOSE	فتح و غلق تلقائي
WATER SAVING	توفير الماء



WASHLET® RW

CW542HME5UNW1

Concealed Connection

● with Auto Flush ○ without Auto Flush

CW542HME5UNW1	CW542HME5UNW1
TCF802C2Z	TCF801CZ
WH172AUDAT	WH172AUD

Wall Hung Toilet with WASHLET RW

Flush System : Tornado Flush

Water Use : 4.5L / 3L

Bowl Shape : D-Shape

Size : 380W x 580D x 335H mm

Rough-in : 180mm (P-Trap)

WASHLET RW

Size : 383W x 579D x 108H mm

Water Pressure : 0.05MPa~0.75MPa

Power Rating : 220~240V, 50/60Hz, 834~845W

GOOD DESIGN GREEN GOOD DESIGN AWARD 2018

DESIGN AWARD 2020



WALL HUNG TOILET
CW542HME5UNW1



WASHLET RW
● TCF802C2Z - With Auto Flush
○ TCF801CZ - With out Auto Flush



● WH172AUDAT Concealed Tank
○ WH172AUD Concealed Tank

Required Push Plate

TECHNOLOGIES	التقنيات
TORNADO FLUSH	تصريف كالإعصار
CEFIONTECT	سطح ناعم
PREMIST	رش ذاتي
EWATER+ BOWL & WAND	ماء معالج كهربائيا للوعاء وعصا التشطيف
● AUTO FLUSH	● تصريف تلقائي
RIM LESS	تصميم بلا حواف

TECHNOLOGIES	التقنيات
DEODORIZER	إمتصاص الروائح الكريهة
HEATED SEAT	تسخين سطح المقعد
DRAYER	مجفف
AUTO OPEN / CLOSE	فتح و غلق تلقائي
WATER SAVING	توفير الماء



WASHLET® RW

CW542HME5UNW1

Concealed Connection

● with Auto Flush ○ without Auto Flush

CW542HME5UNW1	CW542HME5UNW1
TCF802E2Z	TCF801EZ
WH172AUDAT	WH172AUD

Wall Hung Toilet with WASHLET RW

Flush System : Tornado Flush

Water Use : 4.5L / 3L

Bowl Shape : D-Shape

Size : 380W x 580D x 335H mm

Rough-in : 180mm (P-Trap)

WASHLET RW

Size : 383W x 579D x 108H mm

Water Pressure : 0.05MPa~0.75MPa

Power Rating : 220~240V, 50/60Hz, 834~845W

GOOD DESIGN GREEN GOOD DESIGN AWARD 2018

DESIGN AWARD 2020



WALL HUNG TOILET
CW542HME5UNW1



WASHLET RW
● TCF802E2Z - With Auto Flush
○ TCF801EZ - With out Auto Flush



● WH172AUDAT Concealed Tank
○ WH172AUD Concealed Tank

Required Push Plate

TECHNOLOGIES	التقنيات
TORNADO FLUSH	تصريف كالإعصار
CEFIONTECT	سطح ناعم
PREMIST	رش ذاتي
EWATER+ BOWL & WAND	ماء معالج كهربائيا للوعاء وعصا التشطيف
● AUTO FLUSH	● تصريف تلقائي
RIM LESS	تصميم بلا حواف

TECHNOLOGIES	التقنيات
DEODORIZER	إمتصاص الروائح الكريهة
HEATED SEAT	تسخين سطح المقعد
DRAYER	مجفف
AUTO OPEN / CLOSE	فتح و غلق تلقائي
WATER SAVING	توفير الماء

WASHLET®
S5

CW553EA

Concealed Connection
● with Auto Flush ○ without Auto Flush

CW553EA	CW553EA
TCF35470GAA	TCF34320GAA
KIT : TCA502	TCF33370GAA
WH172AUDAT	WH172AUD

Wall Hung Toilet with WASHLET S5

Flush System : Tornado Flush
Water Use : 4.5L / 3L
Bowl Shape : D-Shape
Size : 380W x 540D x 335H mm
Rough-in : 180mm (P-Trap)

WASHLET S5

Size : 383W x 540D x 130H mm
Water Pressure : 0.05MPa~0.75MPa
Power Rating : 220~240V, 50/60Hz, 834~845W

GOOD DESIGN GREEN GOOD DESIGN AWARD 2018





WALL HUNG TOILET
CW553EA





KIT : TCA502

WAHLET S5
● TCF34570GAA+TCA502 - With Auto Flush
○ TCF34320GAA / TCF33370GAA - With out Auto Flush



● WH172AUDAT Concealed Tank
○ WH172AUD Concealed Tank

Required Push Plate

TECHNOLOGIES		التقنيات
TORNADO FLUSH		تصريف كالإعصار
CEFIONTECT		سطح ناعم
PREMIST		رش ذاتي
EWATER+ BOWL & WAND		ماء معالج كهربائيا للوعاء وعصا التشطيف
● AUTO FLUSH		● تصريف تلقائي

TECHNOLOGIES		التقنيات
DEODORIZER		إمتصاص الروائح الكريهة
HEATED SEAT		تسخين سطح المقعد
DRAYER		مجفف
RIM LESS		تصميم بلا حواف
WATER SAVING		توفير الماء

CW812REA


Concealed Connection

● with Auto Flush ○ without Auto Flush

CW812REA	CW812REA
TCF47360GAA	TCF47360GAA
WH172AUDAT	WH172AUD
Kit : TCA546	







Need Push Plate

Wall Hung Toilet with WASHLET S7
Flush System : Tornado Flush
Water Use : 4.5L / 3L
Bowl Shape : Elongated
Rough-in : 180mm (P-Trap)
Water Pressure: 0.05MPa~0.75MPa
Power Rating : 220~240V , 50/60Hz, 830~839W
Length of Power : 1.2M
Card
Size: 380W x 595D x 335H mm

CLEAN SYNERGY

● Concealed Connection With Auto Flush + Kit
○ Concealed Connection Without Auto Flush

CW822REA


Concealed Connection

● with Auto Flush ○ without Auto Flush

CW822REA	CW822REA
TCF47360GAA	TCF47360GAA
WH172AUDAT	WH172AUD
Kit : TCA546	







Need Push Plate

Wall Hung Toilet with WASHLET S7
Flush System : Tornado Flush
Water Use : 4.5L / 3L
Bowl Shape : Elongated
Rough-in : 180mm (P-Trap)
Water Pressure: 0.05MPa~0.75MPa
Power Rating : 220~240V , 50/60Hz, 830~839W
Length of Power : 1.2M
Card
Size : 380Wx540Dx330H mm

reddot winner 2020

CLEAN SYNERGY

● Concealed Connection With Auto Flush + Kit
○ Concealed Connection Without Auto Flush

TECHNOLOGIES	التقنيات
TORNADO FLUSH	تصريف كالإعصار
CEFIONTECT	سطح ناعم
PREMIST	رش ذاتي
EWATER+ BOWL & WAND & UNDER SEAT	ماء معالج كهربائيا للوعاء وعصا التشطيف
AIR-IN WONDER WAVE	مزج الهواء بالماء
RIM LESS	تصميم بلا حواف

TECHNOLOGIES	التقنيات
DEODORIZER	إمتصاص الروائح الكريهة
HEATED SEAT	تسخين سطح المقعد
DRAYER	مجفف
AUTO OPEN / CLOSE	فتح و غلق تلقائي
● AUTO FLUSH	● تصريف تلقائي
WATER SAVING	توفير الماء

TCF802C2Z — WASHLET - RW



WASHLET - RW with Concealed Tank
Bowl Shape: D-Shape
Water Pressure : 0.05MPa~0.75MPa
Length of Power Card : 0.9m
Size : 383W x 579D x 108H mm
Power Rating : 220~230V, 50/60Hz, 826~837W
Concealed Tank : WH172AUDAT With Auto Flush



CLEAN SYNERGY

TCF801CZ — WASHLET - RW



WASHLET - RW with Concealed Tank
Bowl Shape: D-Shape
Water Pressure: 0.05MPa~0.75MPa
Length of Power Card : 0.9m
Size: 383W x 579D x 108H mm
Power Rating: 220~240V , 50/60Hz , 826~837W
Concealed Tank : WH172AUD - With Out Auto Flush



CLEAN SYNERGY

TCF804C2Z — WASHLET - SW



WASHLET - SW with Concealed Tank
Bowl Shape: Square Shape
Water Pressure : 0.05MPa~0.75MPa
Length of Power Card : 0.9 m
Size : 383W x 579D x 108H mm
Power Rating : 220~240V , 50/60Hz , 826~837W
Concealed Tank : WH172AUDAT With Auto Flush



CLEAN SYNERGY

TCF803CZ — WASHLET - SW



WASHLET - SW with Concealed Tank
Bowl Shape: Square Shape
Water Pressure: 0.05MPa~0.75MPa
Length of Power Card : 0.9 m
Size: 383W x 579D x 108H mm
Power Rating: 220~240V , 50/60Hz , 826~837W
Concealed Tank : WH172AUD - With Out Auto Flush



CLEAN SYNERGY

TCF802E2Z — WASHLET - RW



WASHLET - RW with Concealed Tank
Bowl Shape: D-Shape
Water Pressure : 0.05MPa~0.75MPa
Length of Power Card : 0.9m
Size : 383W x 579D x 108H mm
Power Rating : 220~230V, 50/60Hz, 826~837W
Concealed Tank : WH172AUDAT With Auto Flush



CLEAN SYNERGY

TCF801EZ — WASHLET - RW



WASHLET - RW with Concealed Tank
Bowl Shape: D-Shape
Water Pressure: 0.05MPa~0.75MPa
Length of Power Card : 0.9m
Size: 383W x 579D x 108H mm
Power Rating: 220~240V , 50/60Hz , 826~837W
Concealed Tank : WH172AUD - With Out Auto Flush



CLEAN SYNERGY

TCF804E2Z — WASHLET - SW



WASHLET - SW with Concealed Tank
Bowl Shape: Square Shape
Water Pressure : 0.05MPa~0.75MPa
Length of Power Card : 0.9 m
Size : 383W x 579D x 108H mm
Power Rating : 220~240V , 50/60Hz , 826~837W
Concealed Tank : WH172AUDAT With Auto Flush



CLEAN SYNERGY

TCF803EZ — WASHLET - SW



WASHLET - SW with Concealed Tank
Bowl Shape: Square Shape
Water Pressure: 0.05MPa~0.75MPa
Length of Power Card : 0.9 m
Size: 383W x 579D x 108H mm
Power Rating: 220~240V , 50/60Hz , 826~837W
Concealed Tank : WH172AUD - With Out Auto Flush



CLEAN SYNERGY

TCF34320 GAA — WASHLET - S5

Concealed Tank : WH172AUD - With Out Auto Flush

TCF34570GAA

Concealed Tank : WH172AUDAT + Kit : TCA502 With Auto Flush



WASHLET - S5 with Concealed Tank + Kit
Bowl Shape: D-Shape
Water Pressure : 0.05MPa~0.75MPa
Length of Power Card : 1.2m
Size : 380W x 540D x 130H mm
Power Rating : 220~240V, 50/60Hz, 826~837W



CLEAN SYNERGY

TCF47360GAA — WASHLET - S7



WASHLET - S7 with with Concealed Tank + Kit
Bowl Shape: Elongated
Water Pressure : 0.05MPa~0.75MPa
Length of Power Card : 1.2 m
Size : 383W x 530D x 103H mm
Power Rating : 220~240V , 50/60Hz,830~839W
Concealed Tank : WH172AUD - With Out Auto Flush
Concealed Tank : WH172AUDAT + Kit : TCA546 With Auto Flush



CLEAN SYNERGY










WALL HUNG TOILET - SET

CW274JWS ALISEI






Wall Hung Toilet w/ Invisible Fixing Kit
Flush System : TORNADO (4.5/3L)
Bowl Shape : Square Elongated
Rough-in :180 mm (P-Trap)
Seat & Cover : TC273SJ
Size : 404W x 590D x 330H mm
with CEFIONTECT

BW274JWS ALISEI






Wall Hung Bidet w/ Invisible Fixing Kit
Bowl Shape : Square Elongated
Size : 404W x 590D x 325H mm

CW553EA






Wall Hung Toilet
Flush system : Tornado Flush
Bowl Shape : D-Shape
Rough-in : 180mm (P-Trap)
Seat & Cover : TC513A
Size : 380W X 540D X 335H mm
with CEFIONTECT

B552E






Wall Hung Bidet
Bowl Shape : D-Shape
Size : 380W x 540D x 290H mm
with CEFIONTECT

CW542ME5






Wall Hung Toilet
Flush System : TORNADO (4.5/3L)
Bowl Shape : D-Shape
Rough-in : 180 mm (P-Trap)
Seat & Cover : TC513A (Made in Germany)
Size : 380W x 580D x 335H mm
with CEFIONTECT

B552E






Wall Hung Bidet
Bowl Shape : D-Shape
Size : 380W x 540D x 290H mm
with CEFIONTECT

CW822NJWS AVANTE






Wall Hung Toilet
Flush System : Wash Down
Bowl Shape : Elongated
Rough-In : 180mm (P-Trap)
Seat & Cover : TC281SJ
Size : 360W X 540D X 330H mm

CW822RA

Flush System : TORNADO (4.5/3L)
Size : 380W x 540D x 330H mm

BW822NJ AVANTE






Wall Hung Bidet
Size : 360W x 540D x 320H mm

WATER SAVING | TORNADO FLUSH | RIM LESS | CEFIONTECT

WALL HUNG TOILET - SET

CW951JWS TOJA






Wall Hung Toilet
Flush System : Wash Down
Bowl Shape : European
Rough-In : 180mm (P-Trap)
Seat Cover : TC950SJ
Size :366W X 595D X 351H mm

BW951J TOJA




Wall Hung Bidet
Size : 365W X 595D X 260H mm



CW812RA LE MUSE






Wall Hung Toilet
Bowl Shape : Elongated
Rough-In : 180mm (P-Trap)
Seat & Cover : TC811SJ
Flush System : TORNADO (4.5/3L)
Size : 380W X 595D X 335H mm

BW812J LE MUSE




Wall Hung Bidet
Size : 380W X 595D X 315H mm



WALL FACED TOILET - SET

CW275JWS ALISEI






Wall Faced Closet Toilet
Flush System : Tornado Flush
Bowl Shape : Elongated
Rough-In : 180mm (P-Trap)
Seat & Cover : TC273SJ
Size : 404W X 590D X 400H mm

BW275JWS ALISEI




Wall Faced Bidet w/ Invisible Fixing Kit
Bowl Shape : Square Elongated
Size : 404W x 590D x 422H mm



CW824NPJWS AVANTE






Wall Faced Closet Toilet
Flush System : Wash Down
Bowl Shape : Round
Rough-In : 180 mm (P-Trap)
Seat & Cover : TC282SJ
Size : 360W X 525D X 490H mm

BW823NJ AVANTE



Floor Mounted Bidet
Size : 435W X 650D X 390H mm




WATER SAVING | TORNADO FLUSH | RIM LESS | CEFIONTECT

WALL HUNG TOILET

CW678RJWS AVANTE






Wall Hung Toilet
Flush system : Tornado
Bowl Shape : Elongated
Rough-in : 180mm (P-Trap)
Size : 380W X 540D X 335H mm
Soft Close Seat & Cover - TC281SJ
with CEFIONTECT

CW271PJWS






Wall Hung Toilet
Flush system : Tornado
Bowl Shape : Elongated
Rough-in : 210mm (P-Trap)
Size : 405W X 540D X 450H mm
Soft Close Seat & Cover - TC273SJ
with CEFIONTECT

CW512YR / 7EE0007 / TC501CVK RENESSE






Wall Hung Toilet
Flush system : Tornado
Bowl Shape : Elongated
Rough-in : 180mm (P-Trap)
Size : 380W X 540D X 335H mm
Soft Close Seat & Cover - TC501CVK
with CEFIONTECT

CW182ME5






Wall Hung Toilet
Flush System : Wash Down
Bowl Shape : D-Shape
Rough-In : 180mm (P-Trap)
Seat & Cover : TC506VS
Size : 355W X 520D X 344H mm

CW522A






Wall Hung Toilet
Flush System : TORNADO (4.5/3L)
Bowl Shape : Square Elongated
Rough-in : 180 mm (P-Trap)
Seat & Cover : TC512A (Made in Germany)
Size : 380W x 580D x 335H mm
with CEFIONTECT

CW162Y URBANIQUE






Wall Hung Toilet
Flush System : Tornado
Bowl Shape : D-Shape
Rough-In : 180mm (P-Trap)
Seat Cover : TC390CVK
Size : 394W X 530D X 339H mm
with CEFIONTECT

CW875NJ OMNI +






Wall Hung Toilet
Flush System : Wash Down
Bowl Shape : D-Shape
Rough-In : 180mm (P-Trap)
Seat & Cover : TC811SJ
Size : 360W X 545D X 344H mm

CW142Y





Wall Hung, Barrier - Free
Flush system : Tornado Flush
Rough-in : 180mm (P-Trap)
Seat & Cover : VC140V1 (Made in Germany)
Size : 355W X 710D X 400H mm
with CEFIONTECT

WATER SAVING | TORNADO FLUSH | RIM LESS | CEFIONTECT

WALL - MOUNTED FLUSHOMETER TOILET - AUTOMATIC

CW708EV AUTOMATIC




Product Name : Wall Hung Toilet
Flush System : Automatic Flush
Water Use : 4.8L / Colour : White
Rough-in : 180mm (P-Trap)
Water Pressure : 0.07MPa ~ 0.75MPa
Size : 385W x 622D X 334H mm




• **CT708EV**

Commercial wall-mounted toilet with
1-1/2' back spud inlet, less seat .



CW822RFVA AUTOMATIC








Flush system : TORNADO FLUSH
Rough-in : 180mm (P-Trap)
Bowl Shape : Elongated
Size : 380W x 540D x 330H mm
Seat & Cover : TC385VS

TREF25U2A Concealed Toilet Sensor Flush Valve




Flow Rate : 100L/min (Non-Constant Flow Valve)
Water Pressure : 0.1MPa~0.75MPa
Flush Volume : 4.5L
Power Supply : AC 220V Operated
Material : Bronze (Valve),
Stainless steel (Panel)
Cover Size : 185W x 9D x 185H mm



TREF35L2A Concealed Toilet Sensor Flush Valve



Flow Rate : 80L/min (Constant Flow Valve)
Water Pressure : 0.1MPa~0.75MPa
Flush Volume : 4.5L / 3.0L
Power Supply : AC 220V Operated
Material (Valve) : Bronze
Material (Panel) : Stainless steel
Cover Size : 185W x 9D x 185H mm



WALL - MOUNTED FLUSHOMETER TOILET - MANUAL


CW708E MANUAL

Product Name : Wall Hung Toilet
Flush System : Wash Down , Siphon jet
Water Use : 4.8L / Colour : White
Rough-in : 180mm (P-Trap)
Water Pressure : 0.07MPa ~ 0.75MPa
Size : 385W x 622Dx 334H mm



• **CT708E**


Commercial wall-mounted toilet with
1-1/2' top spud inlet, less seat .



CW705ENJ

Single Bowl Toilet (for The Disabled)
Flush Valve W/Vacuum Breaker
for (CW705, CW705L (TV150NSV7J)
Bowl Shape : Elongated
Rough-In : 280mm (S-Trap)
Size : 360W X 680D X 445H mm






SC534 Elongated Commercial Toilet Seat Cover

Features :

- Elongated open front toilet seat
- Mounting hardware included

Material : Polypropylene
Colour : White
SIZE : 375W X 473D X 76.2H






Made in U.S.A

TV150NSJ Exposed Manual Toilet






Product Name : Flush Valve with Vacuum Breaker
Flush System : Siphon - Jet
Water Use : 4.8L / Colour : Chrome
Flow Rate : 54.0 Lpm
Water Pressure : 0.07MPa ~ 0.75MPa

Consistent Flushing Performance

Constant flow EFV Stabilizes flush volume even when water pressure fluctuates

Design



Features

① Quality
Protect against static electricity and prevent water penetration with PCB potting


② Reliability
3 types of dust contamination filter
- Solenoid Valve Filter
- Piston Valve 360° Filter
- Stop Valve Filter

③ Ease of Installation

New Flushing Technology

When there are water pressure fluctuations, a spring contracts to maintain water volume and force at a constant level.


✳Only applicable to TREF35



Environment Factors	Current Situation		New Flushing Technology	
	Disturbance	Flushing Performance	Disturbance	Flushing Performance
Water Supply Pumps Specifications	Pressure Increased	Excessive Flush Volume	Constant Flow Rate Technology ↓ Disturbance Impact Reduction	Stable Flush Volume
	Pressure Decreased	Poor Flushing Volume		Stable Flush Volume
Simultaneous Serial Flushes	Pressure Decreased	Poor Flushing Volume		Stable Flush Volume
	Volume & Performance		Volume & Performance	

Flushing Volume Chart


Constant flow EFV stabilizes flush volume even when water pressure fluctuates



CLOSE COUPLED TOILET

CW273PJWS






Close Couple Toilet
Flush System : Tornado Flush
Bowl Shape : Elongated
Rough-In : 220 mm (THX918) - (S-Trap)
Seat & Cover : TC273SJ
Size : 410W X 725D X 875H mm

Matching Socket : THX918



CW960JWSSA






Close Couple Toilet
Flush system : Wash Down (Dual)
Bowl Shape : Elongated
Rough-In : 305mm (S-Trap)
Seat & Cover : TC950SJ
Size : 380W X 760D X 820H mm

C320E1#W






Close Coupled Toilet
Flush System : Siphon
Bowl Shape : Elongated
Rough-In : 180mm (P-Trap)
305mm (S-Trap)
Seat & Cover : TC385VS
Size : 379W X 695D X 763H mm

CW896JWS






Close Couple Toilet
Flush system : Wash Down
Bowl Shape : D-Shape
Rough-In : 305mm (S-Trap)
Seat & Cover : TC880SJ
Size : 385W X 740D X 730H mm

CW635PJWS





Close Coupled Toilet
Flush System : Wash Down
Bowl Shape : Eloganed
Rough-In : 180mm (P-Trap)
250mm (S-Trap)
Seat & Cover : TC635SJ
Size : 400W X 690D X 723H mm

Matching Socket : THX918






WATER SAVING | TORNADO FLUSH | RIM LESS | CEFIONTECT

ONE-PIECE TOILET

CW823RA AVANTE






One piece toilet
Flush System : Tornado Flush
Bowl Shape : Elongated
Rough-In : 305mm (S-Trap)
Seat & Cover : TC281SJ
Size : 510W X 750D X 640H mm

Optional Parts :
WASHLET : TCF4911EZ
Auto Flush Motor : TCA438
Floor Flange : T53P100V5

CW840JW






One-Piece Toilet
Flush System : Wash Down
Bowl Shape : Elongated
Rough-In : 305mm (S-Trap)
Seat & Cover : TC840SJ
Size : 510W X 755D X 630H mm

C636DE#XW






One-Piece Toilet
Flush System : Tornado Flush
Bowl Shape : Elongated
Rough-In : 305mm (S-Trap)
Seat & Cover : TC393VS
Size : 490W X 740D X 670H mm

Matching Socket : TCP16



CW895JW OMNI +





One-Piece Toilet
Flush system : Wash Down
Bowl Shape : Elongated
Rough-In : 305mm (S-Trap)
Seat & Cover : TC880SJ
Size : 360W X 720D X 660H mm



WATER SAVING | TORNADO FLUSH | RIM LESS | CEFIONTECT


CONCEALED TANK

WH036D

Product Name : Concealed tank with Frame
Flush System : Sensor / Auto Flush
Water Use : 4.8L / 3L
Water Pressure : 0.1MPa ~ 0.75MPa
Width : 500 mm
Depth : 190~220 mm
Height : 1000~1120 mm

FEATURES :

Flush panel can be installed in front of the tank, can also be installed on the tank top, used for different occasions






MB005DGN

Product Name : Flush Panel
Flush System : Auto Dual Flush
Colour : Glass White
Material : Glass/ ABS
Size : 220W X 11D X 150H (mm)





NOTE :


Suitable Toilet :
NEOREST LE 1 CW994P


WH175AEAT

Product Name : Concealed tank with Frame
Flush System : Sensor / Auto Flush
Water Use : 6.0L / 4.8L
Water Pressure : 0.1MPa ~ 0.75MPa
Width : 500 mm
Depth : 150~225 mm
Height : 1000~1120 mm

FEATURES :

Flush panel can be installed in front of the tank, can also be installed on the tank top, used for different occasions.








MB177M

Product Name : Flush Panel
Flush System : Auto Dual Flush
Colour : Matt Silver
Material : Stainless Steel (SUS)
Size : 243W X 11.8D X 159H (mm)





NOTE :


Suitable Toilet :
NEOREST WX CW927PZT

WH005

Product Name : Concealed Frame
Width : 500 mm
Depth : 165~220 mm
Height : 520~680 mm

FEATURES :

> Foot height is adjustable in 220mm range for a different installation requirements
> Simple installation Operation






CONCEALED TANK

WH172AUDAT

Product Name : Concealed tank with Frame
Flush System : Sensor
Water Use : 4.5L / 3.0L
Water Pressure : 0.05Mpa~0.75Mpa
Width : 500 mm
Depth : 190~220 mm
Height : 1000~1120 mm

FEATURES :

* Dual Flush System
* WATER SAVING
* Auto-Flushing Feature
* Compatible with WASHLET+






WH172AUD

Product Name : Concealed tank with Frame
Water Use : 4.5L / 3.0L
Water Pressure : 0.05Mpa~0.75Mpa
Width : 500 mm
Depth : 190~220 mm
Height : 1000~1120 mm

FEATURES :

* Dual Flush System
* WATER SAVING





FLUSH PANEL

MB003CPR2



Flush System : Dual
Colour : Matt Silver
Material : ABS
Size : 242W X 36D X 156H (mm)

MB170P#SS



Flush System : Dual
Colour : Matt Silver
Material : Stainless Steel (SUS)
Size : 243W X 25D X 159H (mm)

MB174P#SS



Flush System : Dual
Colour : Matt Silver
Material : Stainless Steel (SUS)
Size : 243W X 25D X 159H (mm)

MB171M#SS



Flush System : Dual
Colour : Matt Silver
Material : Stainless Steel (SUS)
Size : 242W X 11.8D X 159H (mm)

MB175M#SS



Flush System : Dual
Colour : Matt Silver
Material : Stainless Steel (SUS)
Size : 242W X 11.8D X 159H (mm)

MB174P#SS




Flush System : Dual
Colour : Glass White
Material : Glass / ABS
Size : 220W X 11D X 150H (mm)

White # W | Stainless Steel # S.S | Matte Black # MBL | French Gold # FG | Nickel # N | Rose Gold # RG | Graphite # GP

LAVATORIES

LW951CJW TOJA






Console Lavatory
605W x 455D x 100H mm

L4716RE






Console Lavatory
600W x 380D x 70H mm

Matt White # MW | Matt Gray # MGR | Matt Black # MBL

LW952JW TOJA






Console Lavatory
570W X 355D X 100H mm

LW631JW






Console Lavatory
710W x 410D x 125H mm

LW953JW TOJA






Console Lavatory
700W X 350D X 109H mm

LW630JW






Console Lavatory
600W x 370D x 110H mm

L710CTRE






Console Lavatory
500W X 450D X 135H mm

LW819






Vessel Lavatory
800W X 370D X 150H mm

LW573JW






Console Lavatory
420W x 420D x 125H mm

LW896JW






Console Lavatory
620W X 430D X 130H mm

LAVATORIES

LW651JK1






Round Under Counter Lavatory
570W x 423D x 300H mm

L505E






Under Counter Lavatory
528W x 365D x 185H mm

LW569ME5T1






Round Under Counter Lavatory
432W X 355D X 200H mm

LW647CJ






Square Semi Recessed Lavatory
520W X 420D X 300H mm

LW587JW






Round Under Counter Lavatory
539W x 437D x 190H mm

LW595J






Square Under Counter Lavatory
635W X 315D X 200H mm

L548






Round Under Counter Lavatory
600W x 420D x 215H mm

LW540JK2






Square Under Counter Lavatory
450W X 360D X 200H mm

L501CE






Round Self Rimming Lavatory
508W x 432D x 25H mm

LW542MUNW1





Under Counter Lavatory
315W X 480D X 206H mm

PUBLIC





TECHNOLOGIES

التقنيات

TOTO urinals come with several features that make them a preferred choice for public spaces and luxurious homes.

مبولات TOTO تتميز بعدة خصائص تجعلها خيارًا مفضلًا في الأماكن العامة والمنازل الفاخرة. فيما يلي أهم المميزات:

What is EWATER+ technology?

- EWATER+ (Electrolyzed Water) is a chloride-mixed water solution that creates a mildly acidic compound with natural cleaning and disinfecting properties.
- It is generated through a simple electrical process without the need for additional chemicals.
- The system automatically and periodically sprays the solution inside the urinal to maintain cleanliness without manual intervention.
- This reduces the buildup of bacteria and dirt while effectively eliminating odor-causing elements.
- As a result, it minimizes the use of chemical cleaners, enabling a natural and eco-friendly cleaning process without the need for strong detergents.
- This ensures that the urinal remains clean and free from germs between uses.

Let me know if you need further adjustments!





Without EWATER+



With EWATER+

ما هي تقنية EWATER+ ؟

- (EWATER+) هو محلول مائي ممزوج بالكلوريد ينتج مركبًا حمضيًا ضعيفًا يتميز بخصائص تنظيف وتعقيم طبيعية.
- يتم إنتاجه عبر عملية كهربائية بسيطة دون الحاجة إلى إضافة مواد كيميائية.
- يقوم النظام برش المحلول تلقائيًا وبشكل دوري داخل المبولة للحفاظ على نظافتها دون تدخل يدوي.
- يساهم ذلك في تقليل تراكم البكتيريا والأوساخ، كما يقضي بفعالية على مسببات الروائح الكريهة.
- يؤدي ذلك إلى تقليل استخدام المواد الكيميائية، مما يوفر عملية تنظيف طبيعية وصديقة للبيئة دون الحاجة إلى منظفات قوية.
- هذا يضمن بقاء المبولة نظيفة وخالية من الجراثيم بين الاستخدامات.

SUPPRESSES bacteria growth in the trap of urinal

يمنع نمو البكتيريا في فخ المبولة




Regularly spray EWATER+ to effectively inhibit pollution in the trap area

رش EWATER+ بانتظام يمنع بشكل فعال التلوث في منطقة الصرف

Urinal Automatic Interval Flush

تنظيف تلقائي داخل المبولة




Every 2 hours, it will flush automatically

كل ساعتين، سيتم التنظيف تلقائيًا

What is CEFIONTECT technology?

CEFIONTECT is an advanced innovation by TOTO used in ceramic products, including urinals, to ensure maximum hygiene and durability.



Benefits of CEFIONTECT Technology in TOTO Urinals:

- Super Smooth Surface: The coating creates an ultra-smooth surface that prevents dirt and bacteria from adhering to the urinal.
- Stain Resistance: It prevents the buildup of limescale and germs, making cleaning quicker and easier.
- Eco-Friendly: The clean surface reduces the need for harsh chemical cleaners.
- Long-Lasting Durability: The corrosion-resistant coating ensures the urinal maintains its appearance over time.
- Permanent Shine: CEFIONTECT provides a lasting glossy finish, enhancing the urinal's aesthetic appeal.

ما هي تقنية CEFIONTECT ؟

هي ابتكار متقدم من TOTOيُستخدم في منتجات السيراميك، بما في ذلك المبولات، لضمان أعلى مستويات النظافة والمتانة.


مزايا تقنية CEFIONTECT في مبولات TOTO:

- سطح أملس للغاية: يتميز الطلاء بسلاسة فائقة تمنع التصاق الأوساخ والبكتيريا على سطح المبولة.
- مقاومة تراكم البقع: تمنع تراكم الرواسب الكلسية والجراثيم، مما يجعل التنظيف أسهل وأسرع.
- صديقة للبيئة: بفضل السطح النظيف، يمكن تقليل الحاجة إلى استخدام مواد التنظيف الكيميائية القوية.
- متانة طويلة الأمد: الطلاء المقاوم للتآكل يضمن الحفاظ على مظهر المبولة لفترة طويلة.
- مظهر لامع دائم: يوفر طلاء CEFIONTECT لمعانًا دائمًا، مما يعزز من جمال المبولة.

WALL HUNG URINAL & FLUSH VALVE


USWN900AET3#XW

Product Name : Wall Hung Urinal with Built-in Sensor (AC Type) with CEFIONTECT
Flush System : Sensor
Flush Volume : 0.5L
Water Pressure : 00.07MPa~0.75MPa
Size : 380W X 420D X 920H mm




UW870J

Product Name : Wall Hung Urinal with Built-in Sensor (AC Type) with CEFIONTECT
Flush System : Sensor
Flush Volume : 0.5L
Water Pressure : 0.07MPa~0.75MPa
Size : 400W X 365D X 836H mm




USWN925AET3#XW

Product Name : Wall Hung Urinal with Built-in Sensor (AC Type) with CEFIONTECT
Flush System : Sensor
Flush Volume : 0.5L
Water Pressure : 0.07MPa ~ 0.75MPa
Size : 380W x 400D x 590H mm



UW447HJT1 + DUE126UK

Product Name : Wall Hung Urinal (Back Inlet)
Type W/ Built-in Sensor AC 220V Operated
Flush System : Sensor / Flush Volume : 0.4L
Size : 444W X 356D X 685H mm



UW104HJ + DUE126UK

Product Name : Wall Hung Urinal - (Back Inlet)
Flush System : Sensor / Flush Volume : 0.8L
Size : 326W X 355D X 545H mm




UW58HJW + DUE126UK

Product Name : Wall Hung Urinal - (Back Inlet)
Flush System : Sensor / Flush Volume : 0.8L
Size : 330W X 365D X 690H mm




U57

Product Name : Wall Hung Urinal - (Top Inlet)
Flush System : Manual
Flush Volume : 0.8L
Size : 330W X 310D X 605H mm




T60RN

Product Name : Urinal Flush Valve
Min Water Pressure : 0.05 MPa
Max Water Pressure : 0.75 MPa
Flow Rate : 15.0 Lpm
Made in : STI - Indonesia



DUE126UK


Product Name : In-wall Sensor Urinal Flush Valve
Flush System : Sensor /
Flush Volume : 0.5L
Power Source : "DC" Battery
Panel Material : Stainless steel panel
Water Pressure : 0.05MPa ~ 0.75MPa
Size : 115W X 7D X115H mm
Sensing Distance : 800mm away from the front of inductive window



LAVATORIES

LW103CJ+TX709AV4N






Wall Hung Lavatory
580W X 550D X 850H mm

LW240CJ+THX1A-3N






Wall Hung Lavatory
500W X 350D X 850H mm

LW286CME5+LW286HFME5






Wall Hung Lavatory
550W X 430D X 860H mm

LW240CJ+LW240HFJ






Wall Hung Lavatory
500W X 350D X 820H mm

LW300CME5+LW300HFME5






Wall Hung Lavatory
500W X 430D X 850H mm

LW241CJ+LW242HFJ






Wall Hung Lavatory
580W X 500D X 820H mm

LW820CJ+LW820HFJ






Wall Hung Lavatory
700W X 550D X 850H mm

LW242CJ+LW242HFJ






Wall Hung Lavatory
660W X 545D X 850H mm

LW898CJW OMNI +






Wall Hung Lavatory
600W X 345D X 850H mm

SKW322B





Service Sink W/ back hanger + Pedestal
560W X 456D X 883H mm (Incl.Drain Waste)

BABY CHAIR





YKA15VC

Size : 300W X 250D X 950H (mm)

FEATURES

> The fixed seat is designed as a fully surrounded one so that babies can get seated comfortably.
> Smooth surface is easy to clean.

المميزات

- المقعد الثابت مصمم بشكل مريح لجلوس الأطفال.
- سطح أملس سهل التنظيف.




ATTENTION:

> Please strictly follow the installation manual to install the product.
> Only installing on a concrete floor allowed.
> To assure a safe use, please do a good daily checking work.
> The baby chair is designed for babies aged from 5 to 30 months who can get seated independently.

تعليمات السلامة :


- يرجى اتباع دليل التثبيت بدقة لتثبيت المنتج .
- يسمح فقط بالتركيب على أرضية خرسانية .
- لضمان استخدام آمن ، يرجى القيام بعمل فحص يومي جيد.
- كرسي الأطفال مصمم للأطفال من سن 5 إلى 30 شهرًا.
- يمكن أن يجلس بشكل مستقل.



BABY BED

YKA25VC

Using time : W:780×D:560×H:950(mm) / Folding time : W:780×D:135×H:1145(mm)



FEATURES

> Protection bars are designed in case babies may turn over or stretch legs when sleeping.
> Fixing waist belt available to protect a fast-asleep baby.
> The height of the bed is convenient for changing a baby's napkin.

المميزات :

- تم تصميم قضبان الحماية في حالة انقلاب الطفل .
- حزام الخصر لحماية الطفل .
- ارتفاع السرير مناسب لتغيير حفاضات الطفل .

ATTENTION:

> Please strictly follow the installation manual to install the product. Only installing on a concrete floor allowed.
> To assure a safe use, please do a good daily checking work
> The baby bed is designed for babies aged from 1 to 24 months.

معلومات السلامة :

- يرجى اتباع دليل التثبيت بدقة لتثبيت المنتج .
- يسمح فقط بالتركيب على أرضية خرسانية .
- لضمان استخدام آمن ، يرجى القيام بعمل فحص يومي جيد.
- سرير الأطفال مصمم للأطفال من سن 1 إلى 24 شهرًا.







TOUCHLESS FAUCET



AUTO FAUCET - (ECO POWER)

The automatic faucet feature an almost invisible sensor in the spout. It registers every hand movement precisely and is tamper-proof.

TOTO offers a wide range of faucets for washbasins, in addition to a unique, environmentally friendly faucet system. Self Power technology incorporates a micro-sensor and a small generator that make Self Power faucets self-sufficient in terms of energy use.

يتميز الصنبور الأوتوماتيكي بمستشعر غير مرئي تقريبًا في الفوهة. يسجل كل حركة يد بدقة ولا يمكن العبث بها.

تقدم TOTO مجموعة واسعة من الحنفيات لأحواض الغسيل . بالإضافة إلى نظام صنابير فريد وصديق للبيئة. تشتمل تقنية Self Power على مستشعر دقيق ومولد صغير يجعل صنابير الطاقة الذاتية مكتفية ذاتيًا من حيث استخدام الطاقة.

SELFPOWER incorporates two technologies for public facilities. They work together to ensure optimum power- and water-saving performance.

The first is an automatic microsensor – one of the world's smallest – positioned at the tip of the spout. Accurate hand detection means only the minimum necessary amount of water is used.

Located inside the unit is the second technology, a Generator that harnesses the energy from water flowing through the tap to make the micro-sensor energy-self-sufficient.

Features

* A faster, more convenient experience for users .
* Hands-free means superior hygiene .
* Self-generated power saves electricity .
* Aerated flow is water-efficient .
* Sensor ensures that the tap is never left running .

يتضمن SELFPOWER تقنيتين للمرافق العامة. يعملون معًا لضمان الأداء الأمثل لتوفير الطاقة والمياه.

أولاً جهاز الاستشعار:

هو جهاز استشعار دقيق تلقائي - أحد أصغر أجهزة الاستشعار في العالم - يتم وضعه على طرف الفوهة. فالمستشعر الدقيق يقلل من كمية الماء المستخدمة.

ثانياً المولد الذاتي :

يوجد داخل الوحدة تقنية اخرى وهي مولد يستخدم الطاقة من المياه المتدفقة عبر الصنبور لجعل المستشعر الدقيق ذاتي الاكتفاء .

المميزات

* تجربة أسرع وأكثر ملاءمة للمستخدمين.
* عدم استخدام اليدين يعني نظافة فائقة.
* الطاقة المولدة ذاتيًا توفر الكهرباء.
* التدفق الهوائي فعال في توفير المياه.
* يضمن المستشعر عدم ترك الصنبور قيد التشغيل.

Micro Sensor
Integrated into the tip of the spout for accurate movement sensing.


مستشعر دقيق
مدمج في طرف الفوهة لاستشعار دقيق للحركة

Aerated Water
Reduces water consumption by 50%

مياه مضغوطة بالهواء
يقلل من استهلاك المياه بنسبة 50%

Solenoid Vale
Activated by electricity from the power generator

الصمام اللولبي
يتم تشغيله بالكهرباء المولدة من قوة دفع الماء .




Power Generator
Water turns the power generator's turbine, creating an electrical current .

مولد الطاقة
يدير الماء توربينات مولد الطاقة .
مما يخلق تيارًا كهربائيًا



Mixing Air with Water
خلط الهواء بالماء



Air enters thru the cap
مدخل للهواء من خلال الغطاء

SELF POWER
المولد الذاتي للطاقة

Thermostat
التحكم بالحرارة




DLE110 series



DLE110A2NM Tall


Auto Faucet (Spout Only)
Flow Rate : 2L/Min
Required Parts : A & B
Spout Opening
Distance : Height : 255 mm
Lenght : 123 mm





DLE110A1NM Semi-Tall


Auto Faucet (Spout Only)
Flow Rate : 2L/Min
Required Parts : A & B
Spout Opening
Distance : Height : 165mm
Lenght : 123mm





DLE110ANM Short

Auto Faucet (Spout Only)
Flow Rate : 2L/Min
Required Parts : A & B
Spout Opening
Distance : Height : 96mm
Lenght : 123mm



DLE106ANM

Auto Faucet (Spout Only)
Flow Rate : 2L/Min
Required Parts : A & B
Spout Opening
Distance : Height : 95mm
Lenght : 126mm






DLE127BEM

Integrated Auto Faucet
Flow Rate : 2L/Min
Spout Opening
Distance : H89mm
L125mm





DLE127BEM : Operated Electricity 220V

A : OPTION

1. DLE124DH (Self Power 2L)
2. DLE124DE (AC 1.5L) Electricity 220V
3. DLE124DK ("DC" Battery 1.5L)



B : DLE424SMA - SMA THERMO VALVE

This " Thermo Valve " suaitable for below mentioned Auto Faucets



Controller

You can choose from your preference

	Self Powered Controller Flow Rate: 2.4L / min		AC Operated Controller Flow Rate: 1.84L / min		AC Operated Controller Flow Rate: 2.5L / min	Battery Operated Controller Flow Rate: 2.5L / min
	TN78-9 V900 (Cold Water)	DLE124DH/ DLE424SMA (Thermoststst)	TN78-9 V910 (Cold Water)	DLE124DE/ DLE424SMA (Thermostat)	TTLE101A2L (Cold Water)	TTLE101B2L (Cold Water)
	Ⓐ		Ⓑ		Ⓒ	
DLE110AN	—	●	—	●	—	—
DLE110A1N	—	●	—	●	—	—
DLE110A2N	—	●	—	●	—	—

TOUCHLESS FAUCET

TLE24 series

reddot winner 2021
best of the best

GOOD DESIGN
GREEN GOOD DESIGN AWARD 2021






TLE24001D




Desk Mounted (Short)
Touchless Faucet (Spout Only)
Flow Rate : 1.3L/Min
Required Parts : A & B & C
Spout Opening
Distance : H146mm
L138mm



TLE24002D




Desk Mounted (Semi Tall)
Touchless Faucet (Spout Only)
Flow Rate : 1.3L/Min
Required Parts : A & B & C
Spout Opening
Distance : H180mm
L160mm



TLE24003D




Desk Mounted (Tall)
Touchless Faucet (Spout Only)
Flow Rate : 1.3L/Min
Required Parts : A & B & C
Spout Opening
Distance : H230mm
L164mm



TLE24005D



Wall Mounted
Touchless Faucet (Spout Only)
Flow Rate : 1.3L/Min
Required Parts : A & B & C
Spout Opening
Distance : H150mm
L225mm



A: OPTION

1. TLE03501H (Eco Powered)
2. TLE01501H (AC Operated)
3. DLE124DK (Battery Operated)



B: TLE 05701A (Thermostat) MADE IN JAPAN

This " Thermostat " must purchase all Touchless Faucets



C: TLN 01103A (Stop Valve Set)

Cartoon In Side :

2 Pcs - Stop Valve , 3 Pcs - Flexible Hose



TOUCHLESS FAUCET


GC series

GREEN GOOD DESIGN AWARD 2021

TLE21001D

Made in Japan





Deck Mounted
Touchless Faucet (Spout Only)
Flow Rate : 2.0L/Min
Required Parts : A & B & C
Spout Opening
Distance : H114mm
L136mm




TLE25 series

reddot winner 2021
best of the best

GREEN GOOD DESIGN AWARD 2021

TLE25001D






Deck Mounted
Touchless Faucet (Spout Only)
Flow Rate : 2.0L/Min
Required Parts : A & B & C
Spout Opening
Distance : H116mm
L124mm



TLE25005D





Wall Mounted
Touchless Faucet (Spout Only)
Flow Rate : 2.0L/Min
Required Parts : A & B & C
Spout Opening
Distance : H150mm
L225mm

TOUCHLESS FAUCET

TLE26 series


reddot winner 2021

GREEN GOOD DESIGN AWARD 2021

TLE26005D



Wall Mounted
Touchless Faucet (Spout Only)
Flow Rate : 1.3L/Min
Required Parts : A & B & C
Spout Opening
Distance : H150mm
L225mm





TLE27 series


DESIGN AWARD 2021

GREEN GOOD DESIGN AWARD 2021

TLE27001D



Deck Mounted
Touchless Faucet (Spout Only)
Flow Rate : 1.3L/Min
Required Parts : A & B & C
Spout Opening
Distance : H128mm
L110mm





TLE28 series


DESIGN AWARD 2021

GREEN GOOD DESIGN AWARD 2021

TLE28001D



Desk Mounted
Touchless Faucet (Spout Only)
Flow Rate : 1.3L/Min
Required Parts : A & B & C
Spout Opening
Distance : H230mm
L164mm






reddot winner 2021 best of the best

GOOD DESIGN GREEN GOOD DESIGN AWARD 2021

TOUCHLESS FAUCET

Replete with advanced functions for everything from environmental friendlines to comfort

مليء بالوظائف المتقدمة من الصداقة البيئية إلى الراحة



This ECOPOWER touchless faucet uses the flowing water to generate the electricity it needs to operate.There is no need for electrical wiring,making installation and renovation easier

ECOPOWER :يستخدم الخلاط بدون لمس المياه المتدفقة لتوليد الكهرباء التي يحتاجها للتشغيل وليست هناك حاجة للأسلاك الكهربائية مما يجعل التركيب والتجديد أسهل.



Bacteria & Viruses may be present on restroom fixtures used by large number of people. Touching the fixtures can transfer the bacteria or viruses to your hands.Our touchless faucets let you easily wash your hands without ant need to touch the fixture.

قد توجد البكتيريا والفيروسات في تجهيزات الحمامات التي يستخدمها عدد كبير من الأشخاص ، يمكن أن يؤدي لمس التركيبات إلى نقل البكتيريا أو الفيروسات إلى يديك. تتيح لك منتجاتنا من الخلاطات الحساسة غسل يديك دون الحاجة إلى لمس اصابعك للخلاط .

AUTO FUNCTIONS وظائف تلقائية



just placing your hand under the spout will start the water flow, and the water will stop when you take your hand away.

مجرد وضع يدك تحت فوهة الخلاط سيبدأ تدفق الماء وسيتوقف الماء عندما ترفع يدك بعيدًا عنه

ECO POWER قوة اقتصادية



This sensor-activated TOUCHLESS FAUCET generates its own electricity. ECOPOWER technology requires no external power source, has no minimum daily usage. requirement, and is capable of generating its own power at the ultra-low flow water volume is only 1.3L/min. ECOPOWER is environmentally sustainable.

عندما يبدء عمل الخلاط بواسطة المستشعر الكهربائي والذى لا يتطلب اي مصدر طاقة خارجي وذلك بسبب تقنية ECO POWER فهى قادرة على توليد قوتها الخاصة بكمية قليلة من ضغط الماء 3.1 / دقيقة فقط

SOFT FLOW تدفق ناعم



Elegant streams of water from SOFT FLOW faucets gently touch skin. A premium calming experience. Soft and soothing.Sensor-operation eliminates the need for levers or buttons to touch, offering a new level of cleanliness for your health and wellbeing.

SOFT FLOW : تلامس تيارات المياه الهادئة للبشرة بلطف تجربة متميزة وهادئة ، تعمل المستشعرات على التخلص من الحاجة إلى أزرار للمس ، مما يوفر مستوى جديدًا من النظافة لصحتك ورفاهيتك.

Aplicable Model : TLE21 , TLE24

ECO CAP



ECO CAP is an air-injection technology, which reduces water consumption. Aerating the water increases it's volume, so you can wash your hands with full stream while using less water.

ECO CAP هي تقنية حقن الهواء ، مما يقلل من استهلاك المياه. يؤدي تهوية الماء إلى زيادة حجمه ، لذا يمكنك غسل يديك باستخدام كمية أقل من الماء

Aplicable Model : TLE27 , TLE28





TOUCHLESS SOAP DISPENSER

موزع صابون بدون لمس



Functions and durability that prevents malfunction and trouble due to misuse or vandalism.

وظائف عديدة ومتانة تمنع حدوث الأعطال والمشاكل بسبب سوء الاستخدام أو التخريب.

A wide variety of people utilize public spaces, from small children to adults, and misuse or vandalism can lead to malfunctions and other troubles. TOTO's automatic soap dispensers have functions and durability to minimize breakdowns and troubles,regardless of the circumstances.

تستخدم شريحة واسعة من الناس الأماكن العامة بدءا من الأطفال الصغار حتى البالغين ومن الممكن أن يؤدي سوء الاستخدام أو التخريب إلى أعطال ومشاكل. لذا تتميز الصبانات الأوتوماتيكية من TOTO بالوظائف العديدة والمتانة التى تقلل من الأعطال والمشاكل.



A spot structure designed for strength difficult to break

هيكل موضعي مصمم بقوة يصعب كسره

Assuming that strong forces might be applied to the spout tip, we inserted a pipe within the base for increased strength. Even if the spout is damaged,this prevents cracking and breaking at the base.

افتراضًا أنه قد يتم استخدام قوى قوية على طرف الصبانة. لذا قمنا بإدخال أنبوب داخل فوهة الصبانة لزيادة القوة. حتى و لو كانت الفوهة تالفة، فإن هذا يمنع التشقق والانكسار في القاعدة.








LIQUID & FOAM SOAP DISPENSER

Auto Functions

DSE101EP Short

Automatic Soap Dispenser
AC : 100 - 240V Operated
Soap Volume : 0.8ml - 1.2ml
Tank Capacity : 1500ml
Soap Type : Liqid
41W X 131D X 114H mm






Another Model Availble :
DSE101KP : Battery Operated

DSE102EP Semi Tall

Automatic Soap Dispenser
AC : 100 - 240V Operated
Adapter Plug : Type "BF"
Soap Volume : 0.8ml - 1.2ml
Tank Capacity : 1500 ml
Soap Type : Liqid
36W X 131D X 157H mm






DSE103EP Tall

Automatic Soap Dispenser
AC : 100 - 240V Operated
Adapter Plug : Type "BF"
Soap Volume : 0.8ml - 1.2ml
Tank Capacity : 1500 ml
Soap Type : Liqid
36W X 131D X 242H mm






TX728AEV1Z

Deck Type Soap Dispenser
Dispenser - (Bottom Refil)
Soap Type : Liqid
66W X 105D X 347H mm






DS715R


Deck Type Soap Dispenser
Dispenser - (Bottom Refil)
Soap Type : Liqid
70W X 105D X 294H mm






TLK07001G Short

Automatic Foam Dispenser
AC : 100 - 240V Operated
Soap Volume : 1.2ml
Tank Capacity : 3L
Soap Type : Foam
40W X 140D X 77H mm




TLK07002G Tall

Automatic Foam Dispenser
AC : 100 - 240V Operated
Soap Volume : 1.2ml
Tank Capacity : 3L
Soap Type : Foam
40W X 140D X 180H mm




TLK08001G Short

Automatic Foam Dispenser
AC : 100 - 240V Operated
Soap Volume : 1.2ml
Tank Capacity : 3L
Soap Type : Foam
38W X 140D X 83H mm




TLK08002G Tall

Automatic Foam Dispenser
AC : 100 - 240V Operated
Soap Volume : 1.2ml
Tank Capacity : 3L
Soap Type : Foam
38W X 140D X 186H mm



TLK09001G

Automatic Foam Dispenser
AC : 100 - 240V Operated
Soap Volume : 1.2ml
Tank Capacity : 1L
Soap Type : Foam
48W X 134D X 130H mm



Matching Tank Unit

Tank / Spout	1L Tank for 1 Spout		3L Tank for 1 Spout	
	TLK01104A Type BF Adaper Plug	TLK01104T Type C Adaper Plug	TLK01101A Type BF Adaper Plug	TLK01101T Type C Adaper Plug
TLK07001G	●	●	●	●
TLK07002G	●	●	●	●
TLK08001G	●	●	●	●
TLK08002G	●	●	●	●
TLK09001G	●	●	●	●



Touchless Soap Dispenser



FAUCET



GO series



GC series



GS series



GR series



GA series

GT series

reddot winner 2022



POLISHED CHROME

MATT BALCK
MBL


BRUSHED FRENCH GOLD
BFG

NEW

GT - SERIES

TLG13302D

Single Lever Lavatory Faucet
w/o Pop-up Waste



reddot winner 2022

TLG13304D


Single Lever Lavatory Faucet
for Semi-tall Vessel w/o Pop-up Waste



reddot winner 2022

TLG13306D


Single Lever Lavatory Faucet
for Tall Vessel w/o Pop-up Waste



reddot winner 2022


TBG13302D

Single Lever
(Bath & Shower Mixer)




TBG13301D

Single Lever
(Shower Mixer)



TLG13308D

Wall Mounted SingleLavatory Faucet
(Long) (w/o Waste Fitting)




TLG13201D

Wide Spread Faucet
Two Handle Lavatory Faucet




TBG13303D

Concealed Shower Mixer (With Panel)
* Need TBN01001D



TBG13304D

Concealed Shower Mixer (With Panel)
* Need TBN01001D



GA series

reddot award 2018
winner

reddot winner 2022
Matte Black





POLISHED CHROME

MATT BALCK
MBL

BRUSHED NICKEL
BN


POLISHED FRENCH GOLD
PFG

BRUSHED FRENCH GOLD
BFG

GA - SERIES


TLG04301DA

Single Lever Lavatory Faucet
with Pop-up Waste



TLG04304DA

Single Lever Lavatory Faucet
for Semi-tall Vessel with Pop-up Waste



TLG04307DA

Single Lever Lavatory Faucet
for Tall Vessel with Pop-up Waste



TBG04302D

Single Lever
Bath & Shower Mixer




TBG04301B

Single Lever
Shower Mixer




TRG04301D

Bidet Faucet




TLG04309D

Wall Mounted Single Lavatory Faucet
(Short) (w/o Waste Fitting)



TLG04310DA

Wall Mounted SingleLavatory Faucet
(Long) (w/o Waste Fitting)




TLG04201D

Wide Spread Faucet
Two Handle Lavatory Faucet




TBG04303B

Concealed Shower Mixer (With Panel)
* Need TBN01001D




TBG04304BB

Concealed Shower Mixer (With Panel)
* Need TBN01001D



TBG02001D

Bath Spout



GC series

reddot award 2019
winner









POLISHED CHROME

MATT BALCK
MBL

BRUSHED NICKEL
BN


POLISHED FRENCH GOLD
PFG

BRUSHED FRENCH GOLD
BFG

GC - SERIES


TLG08301D

Single Lever Lavatory Faucet
with Pop-up Waste



TLG08303D

Single Lever Lavatory Faucet
for Semi-tall Vessel with Pop-up Waste




TLG08305D

Single Lever Lavatory Faucet
for Tall Vessel w/ Pop-up Waste




TBG08302B

Exposed Single Lever Bath &
Shower Mixer




TBG08301B

Exposed Single Lever Shower Mixer




TRG08301D

Bidet Faucet
w/ pop-up waste




TLG08307D

Wall Mounted Single Lever Lavatory Faucet
w/o Pop-Up Waste (Short)




TLG08308D

Wall Mounted Single Lever Lavatory Faucet
w/o Pop-Up Waste (Long)




TLG08201D

2 Handle Lavatory Faucet (3-Holes)
w/ Pop-up Waste




TBG08303B

Concealed Shower Mixer (With Panel)
*Need TBN01001D




TBG08304B

Concealed Shower Mixer (With Panel)
*Need TBN01001D



TBG08001B

Bath Spout



GO series

reddot award 2017
best of the best





POLISHED CHROME

MATT BALCK
MBL

BRUSHED NICKEL
BN

POLISHED FRENCH GOLD
PFG

BRUSHED FRENCH GOLD
BFG

GO - SERIES

TLG01301D

Single Lever Lavatory Faucet
w/ Pop-up Waste




TLG01304D

Single Lever Lavatory Faucet
for Semi-tall Vessel w/ Pop-up Waste



TLG01307D

Single Lever Lavatory Faucet
for Tall Vessel w/ Pop-up Waste



TBG01302D

Single Lever
Bath & Shower Mixer



TBG01301B

Single Lever
Shower Mixer




TRG01301D

Bidet Faucet with Popup




TLG01310D

Wall Mounted Single Lavatory Faucet
(Short) (w/o Waste Fitting)



TLG01311D

Wall Mounted Single Lavatory Faucet
(Long) (w/o Waste Fitting)




TLG01201D

Wide Spread Faucet - Two Handle Lavatory
Faucet




TBG01303B

Concealed Shower Mixer with Diverter
*Need TBN01001D




TBG01304B

Concealed Bath & Shower Mixer with Diverter
*Need TBN01001D



TBG01001D

Bath Spout



GR series

reddot award 2017
best of the best





POLISHED CHROME

MATT BALCK
MBL

BRUSHED NICKEL
BN


POLISHED FRENCH GOLD
PFG

BRUSHED FRENCH GOLD
BFG

GR - SERIES


TLG02301DA

Single lever Lavatory Faucet
W/ Pop-Up Waste



TLG02304DA

Single lever Lavatory Faucet
for Sami-tall Vassel W/ Pop-Up Waste



TLG02307DA

Single lever Lavatory Faucet
for Tall Vassel W/ Pop-Up Waste



TBG02302D

Single lever
Bath Shower Mixer



TBG02301B

Single lever
Shower Mixer




TRG02301D

Single lever Bidet Faucet
W/ Pop-Up Waste




TLG02310D

Wall Mounted Lavatory Faucet
(Short Spout)




TLG02311DA

Wall Mounted Lavatory Faucet
(Long Spout)




TLG02309D

Single lever Lavatory Faucet
W/ Pop-Up Waste (Side Handle)



TBG02303B

Single Lever Shower Mixer
*Need TBN01001D




TBG02304BB

Single Lever Bath & Shower Mixer
W/ Diverter *Need TBN01001D



TBG02001D

Bath Spout



GS series

reddot award 2018
winner

reddot winner 2022
Matte Black



POLISHED CHROME

MATT BALCK
MBL

BRUSHED NICKEL
BN

POLISHED FRENCH GOLD
PFG

BRUSHED FRENCH GOLD
BFG

GS - SERIES

TLG03301D

Single leverLavatory Faucet
W/ Pop-Up Waste



TLG03303D

Single lever Lavatory Faucet
for Semi-tall Vassel W/ Pop-Up Waste



TLG03305D

Single lever Lavatory Faucet
for Tall Vassel W/ Pop-Up Waste



TBG03302D

Single lever
Bath & Shower Mixer



TBG03301B

Single lever
Shower Mixer



TRG03301D

Single lever Bidet Faucet
W/ Pop-Up Waste



TLG03307D

Wall Mounted Lavatory Faucet
(Short Spout)




TLG03308D

Wall Mounted Single Lavatory Faucet (Long)
- 24.5cm




TBG01001D

Bath Spout



TBG03304B

Single Lever Bath & Shower Mixer
W/ Diverter *Need TBN01001D



TBG03303B

Single Lever Shower Mixer
*Need TBN01001D




LC series



LC - SERIES


TLS03301D

Single Lavatory Faucet With Pop UP




TLS03303D

Single Lever Washbasin Faucet
(Semi-tall Vessel) With Pop-Up



TLS03305D

Single Lever Washbasin Faucet
(Tall Vessel) With Pop-Up



TBS03302D

Exposed Mixing Faucet (Bath Mixer)




TBS03301B

Exposed Mixing Faucet Shower



TRS03301D

Single lever Bidet Faucet With Pop Up



TLS03307D

Wall Mounted Single Lavatory Faucet (Short)
(w/o Waste Fitting)




TLS03308D

Wall Mounted Single Lavatory Faucet (Long)



TBS03001D

Bath Spout



TBS03303B

Concealed Shower Mixer (with valve)




TBS03304B

Exposed Mixing Faucet (Shower Mixer)



LN series



LN - SERIES


TLS02301D

Single Lever Lavatory Faucet
w/ Pop-up Waste




TLS02303D

Single Lever Lavatory Faucet
for Semi-tall Vessel w/ Pop-up Waste



TLS02305D

Single Lever Lavatory Faucet
for Tall Vessel w/ Pop-up Waste



TBS02302D

Single Lever Bath & Shower Mixer




TBS02301B

Single Lever Shower Mixer



TRS02301D

Single lever Bidet Faucet.



TLS02307D

Wall Mounted Single Lavatory Faucet
(Short) (w/o Waste Fitting)




TLS02308D

Wall Mounted Single Lavatory Faucet
(Long) (w/o Waste Fitting)




TLS02201D

Wide Spread Faucet -Two Handle Lavatory Faucet




TBS02303B

Concealed Shower Mixer (with Valve)



TBS02304B

Concealed Shower Mixer (with Valve)



TBS02001D

Bath Spout




LF series



LF - SERIES


TLS04301D

Single Lever Lavatory Faucet
w/ Pop-up Waste



TLS04304D

Single Lever Lavatory Faucet
for Semi-tall Vessel w/ Pop-up Waste



TLS04307D

Single Lever Lavatory Faucet
for Tall Vessel w/ Pop-up Waste



TBS04302D

Single Lever
Bath & Shower Mixer




TBS04301

Single Lever
Shower Mixer



TRS04301D

Bidet Faucet




TLS04308D

Wall Mounted Single Lavatory Faucet
(Short) (w/o Waste Fitting)




TLS04309D

Wall Mounted Single Lavatory Faucet
(Long) (w/o Waste Fitting)



TBS03001D

Bath Spout



TBS04303

Concealed Shower Mixer (with Valve)



TBS04304B

Concealed Bath & Shower Mixer with
Diverter (with Valve)



Matte Black

reddot winner 2022

Stunning beauty and remarkable hardness from **PVD**



What is MATT BLACK

ماهو الأسود المطفي

This stunning Matte Black finish adds sophistication and depth to our elegant faucet designs· Its silky sheen and delicate color gradation create a sense of luxury like no other·

هـذا الطـلاء الأسـود المطفـي المذهـل يضيـف الأناقـة والعمـق لتصاميم خلاطاتنا الفاخرة. سطحه الناعم ولمعانه الحريري مع التدرجات الدقيقة في اللون يخلق شعورًا بالفخامة لا مثيل له.

Our "shot-blast processing" forms a chrome plating by physical vapor deposition (PVD) on faucet fixtur esurface irregularities. The result is a gorgeous Matte Black finish with a lustrous sheen and fine colour nuances.

عمليـة "Shot-Blast" تشـكل طـلاء كـروم مـن خـلال تقنيـة الترسـيب الفيزيائـي للبخـار (PVD) علـى أسـطح خلاطـات الميـاه لتغطيـة التعرجـات. والنتيجـة هـي طـلاء أسـود مطفـي رائـع بلمعان متألق وتدرجات لونية دقيقة.

PVD finished surfaces are harder than coated surfaces·


الأسطح النهائية بتقنية PVD أقوى من الأسطح المطلية التقليدية.

Compared to coated products, PVD products are less prone to peeling or scratches that would reveal the base material on the surface.

بالمقارنة مع المنتجات المطلية، فإن منتجات PVD أقل عرضة للتقشر أو الخدوش التي قد تكشف المادة الأساسية على السطح.

Pencil testing for surface hardness

اختبار القلم لتحديد صلابة السطح:



Coated Surface

The conventional painted surface shows visible scratch marks when Use different hardness pencils.

● السطح المطلي:

يُظهر السطح المطلي التقليدي علامات خدش واضحة عند استخدام أقلام صلابة مختلفة.

PVD Surface

The matte black PVD surface does not scratch even with Use a high hardness pen.

● سطح PVD:

سطح PVD الأسود المطفي لا يتعرض للخدش حتى مع استخدام قلم ذو صلابة عالية.

PVD Matte Black finish won't be scratched even with a hard pencil·

طلاء PVD باللون الأسود غير اللامع لن يتعرض للخدش حتى باستخدام قلم رصاص صلب.

Test conditions:

شروط الاختبار:

Pencil testing(conformant with JIS K5600 5.4, ISO 15184, ASME D3363, and GB T6739) was performed on the coating/PVD in our test site.

تم إجراء اختبارات القلم وفقًا للمعايير: JIS K5600-5-4, ISO 15184, ASME D3336, GB/T6739 في مواقع اختبار الطلاء/تقنية PVD.

Manufacturing process :


عملية التصنيع :

What is Matte Black by TOTO?

ما هو اللون الأسود المطفي من TOTO؟

The PVD surface includes metallics deposited at the atomic level, making it stronger.This dark, rich finish and sleek texture will add beauty for years to come.

يشتمل سطح PVD على معادن مترسبة على المستوى الذري، مما يجعلها أقوى. هذا اللون الداكن والغني والملمس الأنيق سيضفي جمالاً لسنوات قادمة.





MINI UNIT



1 OUTLET



2 OUTLET




3 OUTLET

CONCEALED THERMOSTAT

1 OUT LET

TBV01407B

Concealed Thermostat and Volume Control Valve(Standard Type)*



*Need TBN01001

TBV02405B


Concealed Thermostat and Push Button Shut Off Valve (Contemporary Type) *



*Need TBN01001

TBV02403B

Concealed Thermostat and Volume Control Valve (Contemporary Type)
*




*Need TBN01001

2 OUT LET

TBV01408B

Concealed Thermostat and Diverter Valve with Shut Off (Standard Type) *



*Need TBN01001

TBV02406B


Concealed Thermostat and Push Button Shut Off Valve (Contemporary Type) *



*Need TBN01001

TBV02404B

Concealed Thermostat and Diverter Valve with Shut Off (Contemporary Type) *



*Need TBN01001

3 OUT LET

TBV01406B

Concealed Thermostat Valve (Standard Type)




*Need TBN01001

+

TBV01102B


3 Way Diverter for Thermostat 3 Outlet



*Need TBN01101

TBV02401B

Concealed Thermostat Valve (Contemporary Type)




*Need TBN01001

+

TBV02102B

3 Way Diverter for Thermostat 3 Outlet



*Need TBN01101

TBV02402B

Concealed Thermostat Valve (Contemporary Type)




*Need TBN01001

+

TBV02105B

3 Way Diverter for Thermostat 3 Outlet Use Switch Type *1



*Need TBN01001




TBN01001B

Mini Unit



TBN01101B


Valve Unit for 3 Way Diverter w/On/Off Valve




SHOWER



ACTIVE WAVE



WARM SPA



COMFORT WAVE









HEAD SHOWER



A brand new shower system. Water like a warm cloak.

The feeling of a warm bath, in a shower. This is the power of WARM SPA. A single pillar of warm water running quietly from the showerhead. When water hits the body, it follows the curves and envelops it without a splash. A completely new shower experience, warming your body efficently.

نظام دش جديد . تغطية فعالة من الماء دافئ.

- الشعور بالحمام الدافئ أثناء الاستحمام. هذه هي قوة WARM SPA .
- عمود واحد من الماء الدافئ يجري بهدوء من طاسة الدش. وعندما يلامس الماء الجسم و يتبع منحنيات الجسم ويغلفه دون تناثر. .و هي تجربة استحمام جديدة تمامًا . تدفئ جسمك بشكل فعال.

Control the water's flow interior.

Utilizing a unique interoir structure, the flow of water is controlled to provide a smoother shower.

التحكم في تدفق المياه.

باستخدام هيكل داخلي فريد . يتم التحكم في تدفق المياه لتوفير استحمام أكثر سلاسة.

That Quality : Only TOTO

الجودة: TOTO



تصور الصورة كيف ترتفع درجة حرارة الجسم. تظهر المنطقة الحمراء الأجزاء الدافئة من الجسم. بالمقارنة مع طاسات الدش التقليدية . من الواضح أن WARM SPA يسخن الجسم بشكل أكثر كفاءة.




Choose your ideal showering experience at the touch of a switch.

For the hand shower we installed a switch right at your fingertip. In hand shower you can change easily between WARM SPA / COMFORT WAVE / ACTIVE WAVE.
Feel free to enjoy the perfect shower for your mood.

اختر تجربة الاستحمام المثالية الخاصة بك بلمسة مفتاح.

بالنسبة للاستحمام اليدوي . قمنا بتثبيت مفتاح في متناول يدك.يمكنك التبديل بسهولة بين WARM SPA / COMFORT WAVE / ACTIVE WAVE.
لا تتردد في الاستمتاع باستحمام مثالي لمزاجك.





Create a pleasant shower experience that is safe for everyone.

TOTO uses a unique structure developed through continuous research to prevent the various risks associated with taking a shower.

اصنع تجربة استحمام ممتعة وآمنة للجميع.

تستخدم TOTO بنية فريدة من نوعها صنعت من خلال البحث المستمر لمنع مختلف المخاطر المرتبطة بالاستحمام.

SHOWER

TBW01003D

Wall-Mount Shower Head *3
(1 Modes)



*3 Fall Prevention Feature

TBW01004D

Wall-Mount Shower Head *3
(2 Modes)



*3 Fall Prevention Feature

TBW01003D1

Ceiling Mount Shower Head
Daimeter : 220mm



TBW02003D

Wall-Mount Over Head Shower *3
(1 Modes)



*3 Fall Prevention Feature

TBW02004D

Wall-Mount Shower Head *3
(2 Modes) *3 Fall Prevention Feature




TBW02003D1

Ceiling Mount
Shower Head
Daimeter 210x210mm




TX491SNK

Ceiling Mount Shower Head
(L= 200 mm, Ø= 250 mm) (Wall Type)
(L= 400 mm, Ø= 250 mm) (Wall Type)



TX488SZ


Fixed Shower Head W/Pipe
(L= 400 mm, Ø= 250 mm) (Wall Type)



TBW01013D


Fixed Shower Head (Wall Type)
(Multi mode)
*3 Fall Prevention Feature

Another Model :
TBW01012D (1 Mode)




TBW08002D

Over Head Shower - (Wall Type)
(1 Modes)



TBW08003D

Over Head Shower - (Wall Type)
(1 Modes)



TBW02001A

Shower Column
w/ Shower Head (Square)
w/ 2 Mode Fixed




SHOWER

TBW01008D

Wall-Hung Hand Shower

(1 Modes)

MATT BALCK # MBL



TBW01010D

Wall-Hung Hand Shower *4


(3 Modes)



TBW02005D

Wall-Hung Hand Shower *4

(1 Modes)




*4 Safety Design Resin Hanger

THX118SRR

Wall-Hung Hand Shower *4

(3 Modes)




*4 Safety Design Resin Hanger

TBW01018B

Hand Shower Set
(w/ Hand Shower, Hose & Holder)

(5 Modes)



TBW07009D

Hand Shower


(3 Modes)



THX118SRR

Hand Shower

(3 Modes)




TBW02017D

Hand Shower
(1 mode)

MATT BALCK #MBL

POLISHED FRENCH GOLD #PFG

BRUSHED FRENCH GOLD #BFG




ACTIVE WAVE **INTENSE WAVE** **INTENSE WAVE+**




SHOWER


Stimulating to body and mind.
Awakening to the senses.



HAND SHOWER



BODY SHOWER




BODY SHOWER

TBW07017D

Body Shower
(2 mode)







TBW08008D

Gyrostream Body Shower
(1 mode)







WALL OUTLET

TBW07020A


Wall Outlet
w/o Shower Hanger



BRUSHED NICKEL
BN

POLISHED FRENCH GOLD
#PFG

BRUSHED FRENCH GOLD
#BFG



TX472SESMV1


Wall Outlet



BRUSHED NICKEL
BN

POLISHED FRENCH GOLD
#PFG

BRUSHED FRENCH GOLD
#BFG




TBW01014T

Wall Outlet



MATT BALCK
#MBL



TBW008009A

Wall Outlet
w/o Shower Hanger




MATT BALCK
#MBL

BRUSHED NICKEL
BN

POLISHED FRENCH GOLD
#PFG

BRUSHED FRENCH GOLD
#BFG




TX472SIVI

Wall Outlet




MATT BALCK
#MBL



TBW02013B

Wall Outlet






SHOWER SLIDING BAR

TBW01016B


Sliding Rail *4
Durable Quality



*4 Safety Design Resin Hanger

TBW02012B


Sliding Rail *4



*4 Safety Design Resin Hanger

TBW07019A


Sliding Rail *4
Durable Quality



*4 Safety Design Resin Hanger

DS740R

Sliding Rail *4
Durable Quality



*4 Safety Design Resin Hanger

L" SELECTION ACCESSORIES - ROUND


YS406N5C



YRH406C

Robe Hook
Size :
40 X 55D mm






YH406RC


Paper Holder
Size :
165W X 55D X 83H mm






YTT406C


Towel RIng
Size :
145 X 55D mm



YTS406BC

Towel Shelf
Size :
560W X 200D X 90H mm





YT406S6RC - YT406S4RC




Towel Bar S6
Size :
650W X 55D X 40H mm





Towel Bar S4
Size :
400W X 55D X 40H mm



L" SELECTION ACCESSORIES - SQUARE


YS408N5C



YRH408C

Roob Hook
Size :
40 X 55D mm






YH408RC

Paper Holder
Size :
165W X 55D X 83H mm






YTT408C

Towel RIng
Size :
229W X 55D X 99H mm






YTS408BC

Towel Shelf
Size :
560W X 200D X 90H mm






YT408S6RC - YT408S4 RC



Towel Bar S6
Size
650W X 55D X 40H mm





S4 Size
400W X 55D X 40H mm



ACCESSORIES

YRH902C

Robe Hook




MATT BALCK #MBL

BRUSHED NICKEL # BN

POLISHED FRENCH GOLD #PFG

BRUSHED FRENCH GOLD #BFG





YH902C

Paper Holder





MATT BALCK #MBL

BRUSHED NICKEL # BN

POLISHED FRENCH GOLD #PFG

BRUSHED FRENCH GOLD #BFG





YTT902C

Towel Ring




MATT BALCK #MBL

BRUSHED NICKEL # BN

POLISHED FRENCH GOLD #PFG

BRUSHED FRENCH GOLD #BFG




YTS903BC

Towel shelf with Rail

Size :

628W X 201D X 100Hmm






YT902S6C

Towel Bar

Size :

628W X 44D X 25Hmm





MATT BALCK #MBL

BRUSHED NICKEL # BN

POLISHED FRENCH GOLD #PFG

BRUSHED FRENCH GOLD #BFG

DISABLED TOILET AREA -(MULTIPURPOSE HANDRAIL- S.S)

T113B6 V1

GRAB BAR

90W X 600D X 86H mm


Another Model :

T113B8

GRAB BAR

90W X 800D X 86H mm






T113HK7 V1

GRAB BAR

160W X 700D X 262H mm






T113BL9 V1

GRAB BAR

700W X 700D X 90H mm






T113BU2 V1

HAND RAIL FOR URINAL

600W X 550D X 480H mm






PAPER HOLDER


DS713U # S.S

Product Name : Small embedded Stainless Steel Paper Holder & Tissue Dispenser + Bin
Material : SUS304
Size : 350W X 150D X 1200H mm




DS712U # S.S

Product Name : Small embedded Stainless Steel Paper Holder & Tissue Dispenser + Bin
Material : SUS304
Size : 340W X 140D X 750H mm




YKT300MN

Product Name : Paper Towel Holder
Material : Steel
Size : 300W X 116D X 265H mm




YH63GWS

Product Name : Roll Holder
Material : Glass & Brass
Size : 360W X 120D X 113H mm



DSP70W

Product Name : Paper Holder
Material : Brass
Size : 285W X 79D X 46H mm




HAND DRYER

TYC423WC

Product name : Clean Dry High Speed Hand Dryer without Heater (Double-side)
Power : 230v
Weight : 7.4 kg
Material : PP Plastic
Size : 300W X 186D X 550H mm









TYC322M

Product name : High Speed Hand Dryer
Air Heater : On / Off
Drying Time : 5 - 9 Sec
Power : AC 220 - 240V
Weight : 3kg
Material : Aluminium
Size : 245W X 134D X 226H mm








SHOWER SPRAY


THX20MMDV

Luxury Metal 2 Mode
Shower Spray (Bubble & Spray)




THX20MCRB - SA

Shower Spray
(Chrome)



TX403SECR - SA


Shower Spray With
Safety Valve - (Chrome)



Available :
TX 403 SEW - (White)


THX20NB#N5

Shower Spray
(Black)




THX20SECR

Shower Spray
(Chrome)



THX20NB#W

Shower Spray
(White)




STOP VALVE

TX 277SV1

Stop Valve

Size : 1/2 "






HAP004A

Stop Valve With Heavy Duty Flexible Hose

Size : 1/2 "






WASTE FITTINGS

THX1B1N


P-TRAP for Bidet - (288mm)



Another Model Available
THX1A-2N (308mm)
THX1A-3N (352mm)


THX1A-3N

P-TRAP for Lavatory for 1 1/4"
Pop-up waste Lavatory Faucet (262mm)



Another Model Available
THX1A-5N (308mm)
THX1A-6N (352mm)

DL501SR S-TRAP




DL501P2S P-TRAP



T6JV6

Pop up Waste For Basin








Squatting Toilet

CW10J#W

Squatting Toilet
430W X 535D X 310H mm









FLOOR DRAIN


TX1DB

Floor Drain W/ Squre Flange
(for 2" G.I Pipe)
(115 X 115 mm)



TX1DBV1

Floor Drain W/ Squre Flange
(for 2" G.I Pipe)
(115 X 115 mm)




TX1DA

Floor Drain (for 2" G.I. Pipe)
(Ø= 100.5 mm)




TX1DAV1

Floor Drain (for 2" G.I. Pipe)
(Ø= 100.5 mm)



TX1CV2

Floor Drain With Mosquito Trap
(131 X 131 mm)



BATHTUBS



BATH TUB


PJYD2200PWE#GW


Product Name : FLOTATION TUB WITH ZERO DIMENSION
Capacity : 293L
Size : 1050W x 2200D x 780H mm


















FEATURES :

1. ZERO DIMENSION gives you comfort, calm and indulgence in a moment of relaxation meditation.
2. Dynamic hydromassage randomly flowing around the target muscles encouraging a deep feeling of relaxation.
3. Variable cushion positions ensure stability and comfort.
4. AIR-JET, volatile streams of air bubbles envelop the body in a soothing sensation.
5. LED lighting creates a dream-like atmosphere in the outdoor surroundings of the aquarium base.

المميزات :

1. تمنحك ميزة ZERO DIMENSION الشعور بالراحة والهدوء والانغماس في لحظة التأمل من الاسترخاء .
2. تدليك مائي ديناميكي يتدفق بشكل عشوائي حول العضلات المستهدفة مما يشجع على الشعور العميق بالاسترخاء
3. أوضاع وسادة متغيرة تضمن الاستقرار والراحة
4. AIR-JET تيارات متقلبة من فقاعات الهواء التي تغلف الجسم بإحساس مهدئ
5. توفر إضاءة LED أجواء تشبه الحلم في المحيط الخارجي لقاعدة الحوض



ZERO DIMENSION

The posture of an astronaut resting in space

ZERO DIMENSION bathing brings freedom from gravity, releasing stress on joints and encouraging ultimate relaxation.

The brain in a state of tranquility


Research has shown that the ZERO DIMENSION bathing posture reduces activity in the part of the brain that houses the language function. This is the reason ZERO DIMENSION bathing feels calming and relaxing.

السباحة في الفضاء

الاستحمام مع خاصية ZERO DIMENSION يشعرك بانعدام الجاذبية و التخلص من الضغط على المفاصل والتشجيع على الاسترخاء .

العقل فى حالة هدوء

أظهرت الأبحاث أن وضعية الاستحمام ذات البعد صفر تقلل من النشاط في جزء من الدماغ الذي يضم وظيفة الاشارات هذا هو السبب في أن الاستحمام بتقنية ZERO DIMENSION يشعر بالهدوء والاسترخاء.



RECLINE COMPORT

Nestled in comfort feel your body and mind release into a state of tranquility :

The weight of the head peleases into the headrest the body recevies the sensation of a comforting embrace.The natural S-curve of the spine is maintained all along the neck and down the back,encouraging deep release.This position provides a deep sensation of ease and tranquility. It is a bathing experience that brings relaxation beyond expectations.

الراحة : يجعل جسدك وعقلك في حالة من الهدوء

ينتشر وزن الرأس في مسند الرأس ويستعيد الجسم الإحساس باحتضان مريح . ويتم الحفاظ على الانحناء الطبيعي للعمود الفقري على طول العنق وأسفل الظهر . مما يشجع على إطلاق عميق . ويوفر هذا الوضع إحساسًا عميقًا بالراحة. والهدوء. إنها تجربة الاستحمام التي تجلب الاسترخاء إلى ما هو أبعد من التوقعات.

BATH TUB

PJYD2200PWE#GW

Exclusive features that make every bathing experience a luxurious occasion.

ميزات حصرية تجعل كل حمام مناسبة فاخرة.



NECK BATH

With variable pillow positions ensuring stability,people of all body shapes can enjoy the warmth of the bath from above the shoulders to the neck.

وسادة المغطس

مع أوضاع الوسائد المتغيرة التي تضمن الاستقرار ، يمكن للاشخاص بمختلف الاحجام الاستمتاع بدفء الحمام من فوق الكتفين إلى الرقبة.



AIR-JET

Fluctuating streams of air bubbles rise from below and envelop the body with a soothing sensation.

فقاعات الهواء

تتصاعد تيارات متقلبة من فقاعات الهواء من الأسفل وتغلف الجسم بإحساس هادىء .



LED LIGHTING

In the outer perimeter of the tub's base, LED LIGHTING supplies a dream-like ambience.

الانارة LED

في المحيط الخارجي لقاعدة الحوض ، توفر إضاءة LED أجواء تشبه الحلم



HYDRO HANDS

Deeply stimulating water massage gives the feeling of real hands kneading tired muscles.

تدليك مائى

تدليك مائي محفز بعمق يمنحك شعوراً وكأن أيدي حقيقية تضغط على العضلات المتعبة."




CONTROLLER

The electrostatic CONTROLLER is operated by the slighest touch.

التحكم

يتم تشغيل وحدة التحكم بأدنى لمسة.



GALALATO MATERIAL

Offering outstanding durability, the tub is made of GALALATO artificial marble and constructed using TOTO's innovative sandwich configuration.

المواد المستخدمة


المواد المستخدمة توفر متانة رائعة حيث أن الحوض مصنوع من رخام GALALATO المكون من عدة طبقات .

BATH TUB

PJY1724WHPWE#GW

Product Name : GALALATO Freestanding Bathtub (w/o Hand Grip)
Capacity : 209L
Material : Reinforced Marble
Size : W:1700 X D:800 X H:565 mm
Pop-up Waste : Included






PJY1734HPWE#GW

Product Name : GALALATO Freestanding Bathtub (w/o Hand Grip)
Capacity : 229L
Material : Reinforced Marble
Size : W:1700W X D:855 X H:640 mm






PJY1744WHPWE#GW

Product Name : GALALATO Freestanding Bathtub (w/ Hand Grip - Silver)
Capacity : 229L
Material : Reinforced Marble
Size : W:1695 X D:835 X H:565 (mm)
Pop-up Waste : Included






BATH TUB

FBYN1816CHPTE#W

Product Name : Enameled Cast Iron Free Standing Bathtub (w/ Hand Grip)
Capacity : 210L
Material : Enameled Cast Iron
Size : W:1800 X D:800 X H:537 (mm)
Pop-up Waste : Included (Metal Waste Fitting)






FBYN1816DHPTE#W

Product Name : Enameled Cast Iron Apron Bathtub (w/ Hand Grip)
Capacity : 210L
Material : Enameled Cast Iront
Size : W:1800 x D:800 x H:537 mm
Pop-up Waste : Included (Metal Waste Fitting)






FLOOR STANDING BATH & SHOWER SET

TBG02306DA + TBN01105B


Series Name : GR series
Item Name : Floor Standing Bathub Faucet
Material : Brass
Finish : Chrome






TBG11306DA + TBN01105B

Series Name : GO series
Item Name : Floor Standing Bathub Faucet
Material : Brass
Finish : Chrome






SPARE PARTS

THX919




Slip-In Connector for S-Trap Toilet



THX918




Slip-In Connector for S-Trap Toilet



THX917



Slip-Connector for S-Trap Toilet



TCP16




Matching with Water Closet Model : C636



T53P100

Wall Flange With Seal Gasket





T53WR100


Matching with Water Closet Model's : CW992 - CW989



T64BW

Wall Flange With Seal Gasket






TX215C


Slip-In Connector





TL510ER

Brackets & Screws





Matching With Lavatory Model :

LW286


TL220D

Hangers & Screws

Matching With Lavatory Model :

LW103






TSPO225W

Bracket & Screws

Matching With Lavatory Model :

LW651	LW569
LW587	LW549
LW595	LW540





LW569J, LW587J, LW540J, LW549J, LW651J


LW651J

LW569J, LW587J, LW540J, LW549J

RECOMMEND







NEOREST - AH



CS 989VT / TCF9788WZ

FREE STANDING BATH TUB



PJY1744HPWE

CONSOLE LAVATORY



L1716

FLOOR STANDING BATH & SHOWER SET



TBG02306A / TBN01105B

LAVATORY FAUCET



TLG02307B

ACCESSORIES



YH63SDT1

SHOWER



TBV02406B / TBN01001B



TBW02004BA



YRH903C



TBW02006A



YT903S6C

RECOMMEND







NEOREST - NX



CS 901KVT

FLOTATION TUB



PJYD2200PWE

CONSOLE LAVATORY



LW4724E

FLOOR STANDING BATH & SHOWER SET



TBP01301A / TBN01105B

AUTO FAUCET



TLP01701J / TLP01702S

SHOWER



TBW01005B / TBN01002B

ACCESSORIES



YT902S6C



TBW02017A



YH902C



TBV02105B / TBN01001B



TBV02402B / TBN01001B

RECOMMEND









NEOREST - NH I



CW992VA / TCF992WA

NEOREST - LE II



CW996P / TCF996WA

CONSOLE LAVATORY



LW3716HY



LW4716RE

LAVATORY FAUCET



TLP02304B

FREE STANDING BATH TUB



PJY1886HPWMNE

SHOWER



TBW01005B/TBN01002B



TBW02017B

FLOOR STANDING BATH & SHOWER SET



TBP02303B1/ TBN01001B



TBV02105B / TBN01001B

ACCESSORIES



YH903S6C



TBV02402B / TBN01001B



YH903C

RECOMMEND





NEOREST - WX



CW927PZT / TCF95380GAA

reddot winner 2023

FLOTATION TUB



PJYD2200PWE

reddot winner 2020

PAPER HOLDER



YH63SDT1 / YH63SDV1BN

FLOOR STANDING BATH & SHOWER SET



TBP01301A / TBN01105B

CONSOLE LAVATORY



LW4724E

AUTO FAUCET



TLP01701J / TLP01702S



CERTIFICATE OF REGISTRATION

This is to certify that Quality Management System of

ABDULRAHMAN & ABDULKAREEM ALOMRAN TRADING COMPANY

4362 Al Imam Muslim - Al Marwah 14722 Riyadh Kingdom of Saudi Arabia

is in accordance with the requirements of the following standard

ISO 9001:2015

(Quality Management System)

SCOPE

Trading of sanitary ware, Ceramics and Porcelain

(IAF Code: 29)

Certificate Number : **130824019605**

To verify certificate, visit at
www.uafaccreditation.org
www.iafcertsearch.org

Accreditation No. : 51901390123

Initial Registration Date : **13-Aug-2024**
1st Surveillance Date: **13-Jul-2025**
2nd Surveillance Date: **13-Jul-2026**
Certificate Expiry Date : **12-Aug-2027**

Issued by ARS

Managing Director

UAF Address : 400, North Center Dr, STE 202, Norfolk, VA 23502, United States of America :

TOTO IN 80 AIRPORTS AROUND THE WORLD

Flughafen auf der ganzen Welt nutzen die Technologien von TOTO - um Reisen sauberer and Dffentliche Wascheaume ansprechender zu gestalten Airports around the world use TOTO, to bring cleanliness to travel and make public bathrooms more enjoyable.



GERMANY
1. Frankfurt International Airport

CANADA
2. Calgary International Airport
3. Vancouver International Airport

UNITED STATES
4. Oakland International Airport
5. Baltimore–Washington International Airport
6. Norman Y. Mineta San Jose International Airport
7. San Francisco International Airport
8. Phoenix Sky Harbor International Airport
9. General Edward Lawrence Logan International Airport
10. Hartsfield–Jackson Atlanta International Airport
11. George Bush Intercontinental Airport
12. Bradley International Airport
13. Minneapolis–Saint Paul International Airport
14. John F. Kennedy International Airport
15. Seattle–Tacoma International Airport
16. Valley International Airport
17. Bill and Hillary Clinton National Airport
18. Tuler International Airport
19. Minneapolis–Saint Paul International Airport
20. General Mitchell International Airport
21. Rochester International Airport
22. Kansas City International Airport
23. Los Angeles International Airport
24. Marlin 5lale Airport
25. Newport News/Williamsburg International Airport
26. Norfolk International Airport
27. McGhee Tyson Airport
28. Charleston International Airport
29. William P. Hobby Airport
30. Lynden Pindling International Airport

GUAM
31. Guam International Airport

GUATEMALA
32. Lu Aurora International Airport

PANAMA
33. Tocumen International Airport

COLOMBIA
34. El Dorado International Airport

PARAGUAY
35. Silvio Pettirossi International Airport

VENEZUELA
36. Simón Bolívar International Airport

MEXICO
37. Monterrey International Airport

KENYA
38. Mombasa Moi International Airport

CHINA
39. Shanghai Pudang International Airport
40. Shanghai Hongqiao International Airport
41. Beijjirq Capital International Airport
42. Quanzhou Jinjiang Airport
43. Sanming Shaxian international Airport
44.Wuhan Tianhe International Airport
45. Nanjing Lukou International Airport
46. Halal Luogang International Airport
47. Tianjin Binhai International Airport
48. Xi'an Xianyang International Airport
49. Chongqing Jiangbei International Airport
50. Xiamen Gaoqi International Airport

JAPAN
51. Tokyo International Airport
52. Kansai International Airport
53. New Chitose Airport
54. Quanzhou Jinjiang Airport
55. yonaga Airport
56. Narita International Airport
56. Fukuoka Airport
57. Chubu Centrair International Airport

MACAU
58. Macau International Airport

HONG KONG
59. Hong Kong International Airport

THAILAND
60. Suvarnabhumi Airport

VIETNAM
61. Tân Son Nhat International Airport
62. Da Nang International Airport
63. Can Tho International Airport
64. Noi Bai International Airport

BANGLADESH
65. Shah Amanat International Airport

SINGAPORE
66. Singapore Changi Airport

INDIA
67. Chhatrapati Shivaji International Airport
68. Rajiv Gandhi International Airport
69. Bengoluru International Airport
70. Indira Gandhi International Airport
71. Cochin International Airport
72. Coimbatore International Airport

SRI LANKA
73. Bandaranaike International Airport

U.A.E
74. Dubai International Airport

TAIWAN
75. Taiwan Taoyuan International Airport

INDONESIA
76. Jakarta Airport

CAMBODIA
77. Phnom Penh International Airport

KUWAIT
78. Kuwait International Airport

OMAN
79. Salalah International Airport
80. Muscat International Airport

TOTO IN COMMERCIAL & HOSPITAL & MALL RESIDENTIAL & PROJECT REFERENCE AROUND THE WORLD



COMMERCAIL

UAE - DUBAI
Dubai Police Forensic Lab
Emirates Towers Office Tower
Jafza Twin Towers - Jafza View
Dubai Metro Stations
SBG Mosque

UAE - ABU DHABI
Makeen Tower - Abu Dhabi

BAHRAIN
Al Mall Tower
Financial Harbour
Al Hassawai Tower - 1
SLRB Building
National Theatre
National Stadium
Doha Convention Centre

QATAR
Qatar Financial Harbour - Doha

OMAN
Toyota Ware House & Serivice Centre
Dana House Ghubarah
ONEIC - H.Q
Muscat Bank - H.Q
Haa Water - H.Q

HOSPITAL

UAE - ABU DHABI
Cleveland Clinic
Arzanaha Medical Complex
Mafraq Dailusis Centre
Mafraq Hospital

SAUDI ARABIA
Dr.Sulaiman Al Habib Hospital
Riyadh Hospital
Dammam Hospital

KUWAIT
Urology Hospital

QATAR
Sidra Hospital
Hamad medical Cetre

MALL

UAE - ABU DHABI
Abu Dhabi Mall
IKEA & YAS Island
YAS Mall & YAS Island
Marina Squre - Reem Island

UAE - DUBAI
The Mall - Al-Ain
Dubai Mall
Dubai Festival City - Mall
Dubai Marina Mall
Emirates Mall
Avenue Mall

BAHRAIN
Moda Mall

RESIDENTIAL

UAE - DUBAI
Discovery Gardens
Nuami Tower
Golf Tower - The Views
Sulafa Tower

BAHRAIN
Riffa Views
Ministry of Housing Projects
Residence For K.S.A Ambassador

OMAN
Silver House - Ghala



TOTO IN HOTEL PROJECT REFERENCE AROUND THE WORLD

Flughafen auf der ganzen Welt nutzen die Technologien von TOTO - um Reisen sauberer and Dffentliche Wascheaume ansprechender zu gestalten Airports around the world use TOTO, to bring cleanliness to travel and make public bathrooms more enjoyable.



Accor Hotels

DUBAI
Pullman Emirates Mall - Dubai
IBIS Emirates Mall - Dubai
Novotel Sheikh Zayed - Dubai

THAILAND
Sofitel Bangkok - Sukhumvit
Hotel Novotel - Suvarnabhumi Airport
Pullman Bangkok King Power

VIETNAM
Sofitel Plaza - Hanoi
Sofitel Plaza - Saigan
Novotel Garden Plaza - Saigon

InterContinental Hotels Group

DUBAI
Crowne Plaza Yas Island - Abu Dhabi
Crowne Plaza Dubai Festival City
InterContinental Dubai Festival City

SINGAPORE
InterContinental - Singapore

CHINA
InterContinental - Shenzhen
InterContinental - Shanghai
InterContinental - Suzhou
InterContinental - Nanjing
InterContinental - Ningbo

Carlson Rezidor Hotel Group

DUBAI
Radisson Royal - Dubai

INDIA
Radisson Hotel - Chennai

Shangri-La Hotels and Resorts

FRANCE
Shangri-la Hotel - Paris

QATAR
Traders Hotel - Doha

INDIA
Shangri-La Hotel - Mumbai

CHINA
Shangri-La Hotel - Beijing
China World Hotel - Beijing
Traders Hotel - Beijing
Shangri-La Hotel - Pudong
Shangri-La Hotel - Chengdu
Shangri-La Hotel - Zhongsh
Shangri-La Hotel - Manzouli
Shangri-La Hotel - Ningbou

JAPAN
Shangri-La Hotel - Tokyo

Hong Kong
Island Shangri-La - Hong Kong
Kowloong Shangri-La - Hong Kong

SINGAPORE
Shangri-La Hotel - Singapore

Hilton Hotels Corporation

DUBAI
Conrad Hotel - Dubai

JAPAN
Conrad Hotel - Tokyo

CHINA
Conrad Hotel - Bangkok
Millenium Hilton - Bangkok

ISLAND IN INDONESIA
Conrad Hotel - Bali

SINGAPORE
Conrad Hotel - Singapore
Hilton Hotel - Singapore

Jumeirah International

DUBAI
World Trade Centre Residence - Dubai
Jumeirah Health Care City Hotel - Dubai
Emirates Towers - Dubai

CHINA
Jumeirah Shanghai

U.S.A
Jumeirah Shanghai

Starwood Hotels and Resorts Worldwide

CHINA
St.Regis - Beijing
Sheraton Hotel - Guiyang
Sheraton Hotel - Ningbo
Sheraton Hotel - Shanghai
Le Meridien - Xiamen
Le Meridien - Shanghai
Royal Meridien - Shanghai

U.S.A
"W" Hotel - Seattle

SOUTH KOREA
"W" Hotel - Seoul

CANADA
"W" Hotel - Mantreal

NEW YORK
"W" Hotel - New York

SINGAPORE
St.Regis - Singapore

KINGDOM OF BORA BORA
St.Regis - Bora Bora

INDIA
Le Meridien - Chennai

THAILAND
Sheraton Hotel - Hanoi
Sheraton Hotel - Sukhumvit - Bangkok
Westin Grande - Sukhumvit - Bangkok

INDONESIA
St.Regis - Indonesia

TOTO IN HOTEL PROJECT REFERENCE AROUND THE WORLD

Flughäfen auf der ganzen Welt nutzen die Technologien von TOTO – um Reisen sauberer und öffentliche Waschräume ansprechender zu gestalten.
Airports around the world use TOTO, to bring cleanliness to travel and make public bathrooms more enjoyable.



Hyatt

FRANCE
Park Hyatt - Paris

CHINA
Park Hyatt - Shanghai
Grand Hyatt - Guangzhou
Hyatt Regency - Jing JIn

DUBAI
Park Hyatt - Abu Dhabi

INDIA
Park Hyatt - Hyderabad

SOUTH KOREA
Park Hyatt - Seoul

VIETNAM
Park Hyatt - Saigon

THAILAND
Grand Hyatt Erawan Hotel - Bangkok

SINGAPORE
Grand Hyatt Hotel - Singapore

JAPAN
Park Hyatt - Tokyo
Grand Hyatt - Tokyo

U.S.A
Andaz - California
Hyatt Regency - Washington
Hyatt Regency - San Francisco
Hyatt Regency - California
Hyatt Regency - Chicago
Grand Hyatt - Georgia
Park Hyatt - Colorado
Hyatt Regency - Florida

Marriott International

CHINA
Renaissance Hotel - Shanghai Yuyuan
Marriott Hotel - Shanghai
Marriott Hotel - Ningbo
Marriott Hotel - beijing
Marriott Hotel - Shenzhen

BAHRAIN
The Ritz Carlton - Bahrain

U.S.A
The Ritz Carlton - New York
Marriott Hotel - San Francisco

SOUTH KOREA
The Ritz Carlton - Seoul

JAPAN
The Ritz Carlton - Tokyo

SINGAPORE
The Ritz Carlton Millenia - Singapore
Marriott Hotel - Singapore

INDONESIA
" JW " Marriott - Jakarta
The Ritz-Carlton - Jakarta
The Ritz Carlton - Jakarta Pacific Place
Bvlgari Hotel - Bali

Four Seasons Hotels and Resorts

FOUR SEASONS HOTEL :
SAUDI ARABIA
DOHA
MUMBAI
HANGZHOU
TOKYO
MACAO
BANGKOK
BALI AT JIMBARAN BAY
SINGAPORE
MALAYSIA



World wide Our Key Clients :





























































World wide Our Key Clients :



























































NOTE



شركة عبد الرحمن وعبد الكريم العمران للأدوات الصحية

AL-OMRAN TRADING CO. FOR SANITARY WARE

Tollfree No : 8001240343 : الرقم الموحد

Email : info@alomran.com

كتالوجات
Catalogue